

LOCKERS

WET LOCKER CONCEPT

TYPICAL LOCKER SIZE

15" W x 18" D x 30" H

BENCH INTEGRATION

LOCKER QUANTITY → TOTAL \$
MATERIAL
SECURITY SYSTEM


FINISHES

SHOWERS

TOILETS


GROOMING STATIONS

TOWEL SERVICE



SPLIT

(FALL BACK)



COMBINED (PREFERRED)

DRAWBACKS OF EXISTING

- NO FLOOR DRAINS
- POOR MATERIALS - TILE / GROUT
- TOO TIGHT
- CHOKER POINT AT ENTRY
- NO SHOWER PRIVACY
- POOR SHOWER LAYOUT
- EM. EXIT PROBLEMS

LOCKER INCREASE DRIVERS

- NEW SWIMMERS
- ADD'L COURT USERS
- ADD'L EX SPACES



RENTED LOCKERS

- SOLD OUT
- RENEWABLE
- TURN OVER - SUMMER


70% OF DAY USE

3-TIER LOCKER
ON FLOOR
NO / LIMITED BENCH

NOT A PLACE TO LINGER

MATERIAL

NO METAL
FUNCTION OVER BEAUTY
LOW MAINT.



LOCKS

NO KEY PADS
CURRENT - COMBO LOCKS
BRING OPTIONS

DURABLE LOCK MECHANISM

CUSTODIAL

INSIDE
LOCKER ROOM

map sink

grange


electrical

hoses (auto scrubber)

Cart

PREFER ALL NEW LOCKERS
- ALTERNATE TO REUSE EXISTING

LARGER DRYING ZONE



CONCERN

CUBICLE SHOWERS
TOO COMFORTABLE

+ ADD GANG SHOWER

MEN 1/2 PRIVATE

WOMEN 2/3 "

LARGER DRYING AREA

LOCKERS