

JAMES E. BRAU
Department of Physics
1274 University of Oregon
Eugene, OR 97403-1274
(541) 346-4766
e-mail: jimbrau@uoregon.edu

EDUCATION:

MASSACHUSETTS INSTITUTE OF TECHNOLOGY Cambridge, MA

Doctor of Philosophy degree in Physics, January 1978. Concentration in the interaction of high energy particles in hybrid bubble chamber experiments at Fermi National Accelerator Laboratory involving the 30-inch Hydrogen Bubble Chamber, associated proportional wire chambers and lead glass forward gamma detector. Thesis on “Inclusive and Semi-inclusive Charge Structure in Pion-Proton Multiparticle Production Reactions at 150 GeV/c” under supervision of Professor Richard K. Yamamoto. Hertz Foundation Fellow, (1974-1977).

UNIVERSITY OF NEW MEXICO Albuquerque, NM

January 1972 - December 1973. Took six physics graduate courses.

MASSACHUSETTS INSTITUTE OF TECHNOLOGY Cambridge, MA

Master of Science degree in Physics, June 1970. Masters thesis on “Prism Plot Analysis of the Pion-Proton Interaction Yielding a Three-Body Final State” under supervision of Professor Irwin A. Pless. Hertz Foundation Fellow, 1969 - 1970.

UNITED STATES AIR FORCE ACADEMY Colorado Springs, CO

Bachelor of Science degree in Physics and Mathematics (double major), June 1969. Was graduated twelfth in class as a Distinguished Graduate. Named the Outstanding Cadet in Physics of the Class of 1969. Member of Pi Mu Epsilon mathematics honorary fraternity. Gamma ray spectroscopy research with Lt. Col. R. Kelley.

EXPERIENCE:

UNIVERSITY OF OREGON Eugene, OR

Philip H. Knight Professor of Natural Science (2006-); Professor of Physics (1988-2018); Associate Director, Linear Collider Collaboration (2016-); Director, UO Center for High Energy Physics (1999-2016); Director, Technical Science Administration (1997-2000). Exploration of the high energy frontier and discovery of the Higgs boson with ATLAS at the LHC; first direct detection of gravitational radiation with the LIGO Scientific Collaboration; physics and detector studies for the Linear Collider; studies of electroweak symmetry breaking with SLD and NuTeV; study of CP violation and rare heavy flavor decays with the BaBar experiment at SLAC.

UNIVERSITY OF TENNESSEE Knoxville, TN

Professor of Physics (1987-1988). Associate Professor of Physics - (1982 - 1987). Research on photoproduction of charmed particles and vector mesons in collaboration with the Stanford Linear Accelerator Center and other high energy physics research groups (co-spokesman); design and construction of major new detector(SLD) for studies of electron-positron collisions at the Z^0 resonance in the Stanford Linear Collider (1982 - 1988).

STANFORD LINEAR ACCELERATOR CENTER

Stanford University, CA

Research Associate in the bubble chamber experimental research group; doing research on anti-proton nucleon annihilation and photoproduction with a backscattered laser beam; responsible for the design, construction, operation, and analysis of the lead glass detector used in the SLAC Hybrid Bubble Chamber Facility. (1978-1982).

AIR FORCE WEAPONS LABORATORY

Kirkland AFB, NM

Physicist in the Theoretical Branch, Technology Division; responsible for in-house theoretical studies including laser kinetics modelling, laser-target interaction studies, and high altitude electromagnetic pulse calculations. Chief, General Physics Group, 1973-74. (1971-1974).

AIR FORCE GUIDANCE TEST DIRECTORATE

Holloman AFB, NM

Physicist in the Analysis Branch responsible for data analysis of guidance system tests. (1970-1971).

LAWRENCE LIVERMORE LABORATORY

Livermore, CA

Worked on the 2x plasma fusion device with Dr. R. Ellis. (Summer, 1968).

GRANT SUPPORT:

MAJOR GRANTS

1. Department of Energy
\$2,050,000 (Mar 2017 - Mar 2020)
Experimental High Energy Physics
Principal Investigator
2. National Science Foundation
\$920,000 (Jul 2016 - Jun 2019)
A Search for Gravitational Radiation at LIGO
co-Principal Investigator

Principal Investigator for more than \$30,000,000 in federal and other external grants at Oregon since 1988.

PROFESSIONAL ORGANIZATIONS AND HONORS:

1. American Physical Society, Fellow (2000).
2. American Association for the Advancement of Science, Fellow (2009).
3. Univ. of Oregon Research Innovation Award (2011).
4. Awards as member of LIGO discovery team:
 - 2016 Gruber Cosmology Prize, co-recipient.
 - 2017 Special Breakthrough Prize in Fundamental Physics, co-recipient.
 - 2017 Royal Astronomical Society Group Achievement Award, co-recipient.
 - 2017 Bruno Rossi Prize (AAS), co-recipient.
5. Inaugural Presidential Research Lecturer, Univ. of Oregon (2012).
6. Institute of Electrical and Electronics Engineers, Senior Member (1998).
7. Planetary Society, member.
8. Hertz Foundation Fellow.

PROFESSIONAL COMMITTEES:

1. SLD Collaboration Council, 1983-2001.
2. SLD Advisory Group, 1994-2001.
3. Task Force on Radiation Effects at the SSC, 1988.
4. Task Force on Radiation Levels in the SSC Interaction Regions, 1988.
5. SLAC Users Organization (SLUO) Executive Committee, 1990-1993.
6. SLAC Experimental Program Advisory Committee (EPAC), January 1, 1991 - December 31, 1993.
7. GEM Executive Committee, 1991-1994.
8. GEM Collaboration Council, 1991-1993.
9. Steering Committee of the Rocky Mountain Consortium for High Energy Physics, 1991-1994.
10. External Advisory Board, Prairie View Particle Detector Research Center, Prairie View A&M University, TX, 1992-93
11. SSC Users Organization Executive Committee, 1992-1993.
12. Selection Committee, SSC Postdoctoral and Faculty Fellowship Program, 1992, 1993.
13. Department of Energy Review Committee on the Scope, Budget, and Schedule of the Solenoidal Detector Collaboration experiment at the SSC, 1993.
14. Department of Energy external review panel for Fermi National Accelerator Laboratory, 1995, 1996.

15. National Research Council Committee on Elementary Particle Physics, 1995-98.
16. Department of Energy/National Science Foundation review panels on the CMS/ATLAS Detectors, 1996-2000.
17. Department of Energy HEPAP Sub-Panel on Planning for the Future of US High Energy Physics, 1997-98.
18. National Science Foundation Visiting Committee to the Physics Division, July 23-25, 1997.
19. Program Chairman, 1997 IEEE Nuclear Science Symposium, November, 1997.
20. LIGO Scientific Collaboration Council, 1997-2007
21. LIGO Scientific Collaboration Executive Committee, 1997-2002
22. APS Division of Particles and Fields Nominating Committee, 1999 (member), 2000 (chair).
23. SLAC Scientific Policy Committee, 2001-2004; chair, 2003, 2004; (acting chair, December 2001).
24. Fermilab Physics Advisory Committee, 2002-2006.
25. Linear Collider Steering Group of the Americas, 2002-2013.
26. Americas Linear Collider Committee, 2013-present.
27. American Linear Collider Physics Group, co-chair, 2002-2013.
28. Organizing Committee for the World-wide Study of the Physics and Detectors for Future Linear e^+e^- Linear Colliders, member, 2002-2013, co-chair, 2003-2013.
29. International Linear Collider Research Director's Committee, 2007-2013.
30. Deutsches Elektronen-Synchrotron (DESY) Physics Review Committee, 2003-2007.
31. Vertex Detector Conference International Organizing Committee, 2003-2006.
32. External Member, SMU Physics Department Review Committee, November, 2003.
33. NSF Panel on Gravitational Research, January, 2004.
34. Selection Committee for the W.K.H Panofsky Prize in Experimental Particle Physics (APS Division of Particles and Fields), 2004, 2005.
35. IEEE Nuclear and Plasma Sciences Society, Radiation Instrumentation Steering Committee, 2005-2007 (elected).
36. International Linear Collider Steering Committee, 2005-2008.
37. International Linear Collider Global Design Effort Central Team, 2005-2013.
38. High Energy Physics Advisory Panel (HEPAP), 2005-2008.
39. National Research Council, Board on Physics and Astronomy, 2006-2009.
40. International Advisory Board, Physics at the Terascale, Strategic Helmholtz Alliance, Germany, 2007-present.
41. National Research Council Committee to Review U.S. ITER Science Participation Planning Process, 2007-2008.

42. HEPAP University Grants Program Subpanel, 2006-2007.
43. HEPAP Particle Physics Project Prioritization Panel, 2007-2011.
44. NSF Panel on Elementary Particle Physics, 2009.
45. NSF Panel on Elementary Particle Physics, 2012.
46. NSF Panel on Elementary Particle Physics, 2017.
47. International Advisory Committee, International Conference on Calorimetry in Particle Physics, 2013-
48. DOE Review Panel for the LHC CMS Detector Upgrade Project, 2013-2015
49. Linear Collider Collaboration Physics and Detector Executive Board, 2013-2016.
50. Associate Director, Linear Collider Collaboration, 2016-.

PUBLICATIONS:

1. Z.F. Danes *et al.*, “Geophysical Investigation of the Southern Puget Sound Area, Washington,” *Journal of Geophysical Research*, 70, 5573 (1965).
2. J.E. Brau *et al.*, “Prism Plot: A New Analysis of Multi-body Final States,” *Phys. Rev. Letters*, 27, 1481 (1971).
3. S.D. Rockwood, J.E. Brau, W.A. Proctor, and G.H. Canavan, “Time Dependent Calculations of Carbon Monoxide Laser Kinetics,” *IEEE Journal of Quantum Electronics*, QE-9, 120 (1973).
4. J.E. Brau *et al.*, “Inclusive and Semi-inclusive ρ^0 Production in π^-p Interactions at 15 GeV/c,” *Nuclear Physics B99*, 232 (1975).
5. D.G. Fong *et al.*, “Inclusive and Semi-inclusive ρ^0 Production in π^-p Interactions at 147 GeV/c,” *Physics Letters 60B*, 124 (1975).
6. D.G. Fong *et al.*, “Evidence for Charged Cluster Emission in 147 GeV/c π^-p Collisions,” *Physics Letters 61B*, 99 (1976).
7. D.G. Fong *et al.*, “Cross Sections and Charged Multiplicity Distributions for π^-p and K^-p Interactions at 147 GeV/c,” *Nucl. Phys. B102*, 386 (1976).
8. D.G. Fong *et al.*, “Inelastic 2-prong Events in 147 GeV/c π^- Collisions,” *Nucl. Phys. B104*, 32 (1976).
9. Proportional Hybrid Consortium, “Average Charge Multiplicity in $\pi^- + p \rightarrow \pi_{\text{fast}}^- + X$ at 147 GeV/c and Comparison with Other Reactions,” *Phys. Rev. Letters*, 37, 736 (1976).
10. D.G. Fong *et al.*, “The Exclusive Channel $\pi^-p \rightarrow \pi^+p$ in π^-p Interactions at 147 GeV/c,” *Il Nuovo Cimento 34A*, 659 (1976).
11. M. Heller *et al.*, “Test Results of a 31 cm x 31 cm Lead Glass Electromagnetic Shower Detector,” *Nucl. Instr. Meth.* 152, 379 (1978).
12. D. Brick *et al.*, “Inclusive Δ^{++} production in π^-p interactions at 147 GeV/c,” *Phys. Rev. D18*, 3099 (1978).
13. F. Barreiro *et al.*, “Study of Inclusive Vector-Meson Production in π^-p Interactions at 15 GeV/c,” *Phys. Rev. Letters* 40, 595 (1978).
14. F. Barreiro *et al.*, “Inclusive Δ^{++} (1232) production in π^-p Interactions at 15 GeV/c,” *Phys. Rev. D17*, 681 (1978).
15. F. Barreiro *et al.*, “Inclusive Neutral-strange-particle Production in $\pi^-p \rightarrow \pi_{\text{fast}}^- + X$ at 147 GeV/c,” *Phys. Rev. D17*, 669 (1978).
16. D. Brick *et al.*, “Triple Regge Analysis of the Reactions $\pi^-p \rightarrow p_{\text{slow}} + X$ and $\pi^-p \rightarrow \pi_{\text{fast}}^- + X$ at 147 GeV/c,” *Nucl. Phys. B150*, 109 (1979).
17. D. Brick *et al.*, “Average Charged-particle Multiplicities in π^-p Inclusive Reactions at 147 GeV/c,” *Phys Rev. D19*, 743 (1979).
18. D. Brick *et al.*, “Neutral-particle Production in π^-p Interactions at 147 GeV/c and Comparison to Charged-Particle Production,” *Phys. Rev. D20*, 2123 (1979).
19. D. Brick *et al.*, “Inclusive and Semi-inclusive Charge Structure in π^-p Multiparticle Production at 147 GeV/c,” *Nucl. Phys. B152*, 45 (1979).
20. R.T. Van de Walle *et al.*, “Inclusive and Exclusive Results in K^+p , π^+p and $p p$ Interactions at 147 GeV/c,” *Proceedings of the Symposium on Multiparticle Dynamics, Goa, India*, pg. 768 (1979).
21. D. Brick *et al.*, “Inclusive Δ^{++} production in pp , K^+p , π^+p , and $p-p$ Interactions at 147 GeV/c,” *Phys. Rev. D21*, 632 (1980).

22. D. Brick *et al.*, "Leading Particles and Diffraction Dissociation in 150 GeV/c π^-p Interactions," Phys. Rev. D21, 1726 (1980).
23. D. Brick *et al.*, "Inclusive Production of Neutral Strange Particles by 147 GeV/c $\pi^+/K^+/p$ Interactions in Hydrogen," Nucl. Phys. B164, 1 (1980).
24. J. Ballam *et al.*, "Vector Meson Production in Hypercharge Exchange Reactions at 7 and 11.5 GeV/c," Nucl. Phys. B166, 189 (1980).
25. J. Carroll *et al.*, "On-Line Experience with the 168/E," SLAC-PUB-2726 (1981), published in the Proceedings of the Topical Conference on the Applications of Microprocessors to High-Energy Physics Experiments, CERN 81-07, 17 July, 1981.
26. J. Brau and G. Tarnopolsky, "Hadron Polarization in Heavy Lepton Decays," Phys. Rev. D24, 2521 (1981).
27. J. Brau *et al.*, "The Lead Glass Columns: A Large Shower Detector at the SLAC Hybrid Facility," Nucl. Inst. and Methods, 196, 403 (1982).
28. J. Brau "Photoproduction of Charmed Particles at 19.5 GeV," Proceedings of the SLAC Summer Institute on Particle Physics, July-August 1981.
29. K. Abe *et al.*, "Lifetimes of Charmed Particles Produced in a 20 GeV/c gp Experiment," Phys. Rev. Letters 48, 1526 (1982).
30. D. Brick *et al.*, "Inclusive Strange Resonance Production in pp, π^+p , and K^+p Interactions at 147 GeV/c," Phys. Rev. D25, 2248 (1982).
31. T. Kitagaki *et al.*, "Reaction $\pi p \rightarrow \pi^+\pi^-p$ at 8 GeV/c," Phys. Rev. D26, 1554 (1982).
32. T. Kitagaki *et al.*, "Elastic Scattering and Particle Production in Two-Prong p-p Interactions at 8 GeV/c," Phys. Rev. D26, 1572 (1982).
33. W.M. Bugg *et al.*, "Some g(1700) decay modes," Phys. Rev. D26, 2183 (1982).
34. F. Azooz *et al.*, "Evidence for a narrow $N\bar{N}$ State at 2.02 GeV/c² in 6 and 9 GeV/c antiproton interactions," Phys. Lett. 122B, 471 (1983).
35. B. Cox *et al.*, "A measurement of the response of an SCGI-C scintillation glass shower detector to 2-17.5 GeV positrons," IEEE Transactions on Nuclear Science, NS-30, 127 (1983).
36. K. Abe *et al.*, "Charm Photoproduction Cross Section at 20 GeV," Phys. Rev. Letters 51, 156 (1983).
37. J.E. Brau, "Latest Results from the SLAC Charm Photoproduction Experiment," Experimental Meson Spectroscopy - 1983, pg 419, American Institute of Physics, 1984.
38. K. Abe *et al.*, "Charm Photoproduction at 20 GeV," Phys. Rev. 30D, 1 (1984).
39. K. Abe *et al.*, "Inclusive Photoproduction of Neutral Strange Particles at 20 GeV," Phys. Rev. 29D, 1877 (1984).
40. K. Abe *et al.*, "Study of the $\rho'(1600)$ Mass Region Using $\gamma p \rightarrow \pi^+\pi^-p$ at 20 GeV," Phys. Rev. Lett. 53, 751 (1984).
41. K. Abe *et al.*, "Search for a Threshold Enhancement with $\gamma p \rightarrow$ Charmed Baryon + Charmed Meson Cross Section," Phys. Rev. 30D, 694 (1984).
42. D. Brick *et al.*, "Search for Long-Lived Charge +2 Hadrons," Phys. Rev. 30D, 1134 (1984).
43. D. Brick *et al.*, "Planar Events Produced in Hadron-Proton Collisions at 147 GeV/c and Their Jet-Like Structures," Z. Physik C24, 19 (1984).
44. F. Azooz *et al.*, "An Investigation of Narrow Meson Resonance Production in Anti-proton-Proton and Anti-Proton-Neutron Interactions at 6.1 and 8.9 GeV/c," Nucl. Phys. B244, 277 (1984).
45. K. Abe *et al.*, "Test of s-channel Helicity Conservation in Inelastic ρ^0 Diffraction in 20 GeV Photoproduction," Phys. Rev. D32, 2288 (1985).

46. J.E. Brau and T. A. Gabriel, "Monte Carlo Studies of Uranium Calorimetry," Nucl. Inst. and Methods, A238, 489 (1985).
47. K. Abe *et al.*, "Inclusive Photoproduction of Strange Baryons at 20 GeV," Phys. Rev. D32, 2869 (1985).
48. J.E. Brau, "Charmed Meson Lifetimes from 20 GeV Photoproduction," Flavour Mixing and CP Violation, edited by J. Tran Thanh Van, editions Frontieres, 1985.
49. T.A. Gabriel *et al.*, "Compensation Effects in Hadron Calorimeters," IEEE Transactions of Nucl. Sci. NS32, 697 (1985).
50. R. Dubois *et al.*, "SLD Liquid Argon Calorimeter Prototype Test Results," IEEE Transactions of Nucl. Sci. NS33, 194 (1986).
51. K. Abe *et al.*, "Lifetimes, Cross-Sections, and Production Mechanisms of Charmed Particles Produced by 20-GeV Photons," Phys. Rev. D33, 1 (1986).
52. V.R. O'Dell *et al.*, "Forward Charge Asymmetry in 20-GeV γ p Reactions," Phys. Rev. D36, 1 (1987).
53. J.E. Brau, B. Franek, and W. C. Wester, III, "A Measurement of the Spin-Parity of the $\omega\pi^0$ state at 1200 MeV/c² in $\gamma p \rightarrow p\omega\pi^0$ at 20 GeV," Proceedings of the XXIII International Conference on High Energy Physics, page 733, edited by S.C. Loken, World Scientific, 1987.
54. J.E. Brau *et al.*, "Production and decay properties of the $\omega\pi^0$ state at 1250 MeV/c² produced by 20 GeV polarized photons on hydrogen," Phys. Rev. D37, 2379 (1988).
55. K. Abe *et al.*, "Leading Particle Distributions in 200 GeV/c p + A Interactions," Phys. Lett. B200, 266 (1988).
56. T. Kitagaki *et al.*, "A New Method to Investigate the Nuclear Effect in Leptonic Interactions," Phys. Lett. B214, 281 (1988).
57. T.A. Gabriel, J.E. Brau, and B.L. Bishop, "The Physics of Compensating Calorimetry and the New CALOR89 Code System," IEEE Trans. Nucl. Sci 36, 14 (1989).
58. The SLD Collaboration, "A Status Report on the SLD Data Acquisition System," IEEE Trans. Nucl. Sci. 36, 23 (1989).
59. S.C. Berridge *et al.*, "The Small Angle Electromagnetic Calorimeter at SLD: A 2m² Application of Silicon Detector Diodes," IEEE Trans. Nucl. Sci 36, 339 (1989).
60. J.E. Brau and T.A. Gabriel, "Comments on 'On the Energy Resolution of Uranium and other Hadron Calorimeters'," Nucl. Inst. and Methods A275, 190 (1989).
61. D. Groom for the Task Force on Radiation Levels in the SSC Interaction Regions, "Radiation Levels in SSC Detectors," Nucl. Inst. and Methods A279, 1 (1989).
62. J.E. Brau and T.A. Gabriel, "Theoretical Studies of Hadronic Calorimetry for High Luminosity, High Energy Colliders," Nucl. Inst. and Methods A279, 40 (1989).
63. E. Borchi *et al.*, "Silicon Sampling Hadronic Calorimetry: A Tool for Experiments at the Next Generation of Colliders," Nucl. Inst. and Methods A279, 57 (1989).
64. J.E. Brau, K.T. Pitts, and L.E. Price, "Detection of Higgs Bosons Decaying to Bottom Quarks at the SSC," Proceedings of the Summer Study on High Energy Physics in the 1990's, page 103, edited by Sharon Jensen, World Scientific, 1989.
65. J.E. Brau, T.A. Gabriel, and P.G. Rancoita, "Prospects for and Tests of Hadron Calorimetry with Silicon," Proceedings of the Summer Study on High Energy Physics in the 1990's, page 824, edited by Sharon Jensen, World Scientific, 1989.
66. D.H. Brick *et al.*, "Multiparticle Production by 200 GeV/c Hadrons on Gold, Silver, and Magnesium Targets," Phys. Rev. D39, 2484 (1989).

67. D. Groom for the Task Force on Radiation Levels in the SSC Interaction Regions, "Radiation Levels in SSC Detectors," Proceedings of the Summer Study on High Energy Physics in the 1990s, page 711, edited by Sharon Jensen, World Scientific, 1989.
68. K. Furuno, J.E. Brau, and H. Hwang, "Neutron Flux Suppression with Polyethylene Moderators in Silicon Hadron Calorimeters," Proceedings of the ECFA Study Week on Instrumentation Technology for High-Luminosity Hadron Colliders, Barcelona, Sep. 14-21, 1989, CERN 89-10, p. 325 (1989).
69. D. Groom for the Task Force on Radiation Levels in the SSC Interaction Regions, "Radiation Levels in SSC Calorimetry," Proceedings of the Workshop on Calorimetry for the Supercollider, page 77, edited by Rene Donaldson and M.G.D. Gilchriese, World Scientific, 1990.
70. J. Brau (editor) *et al.*, "Silicon Calorimetry for the SSC," Proceedings of the Workshop on Calorimetry for the Supercollider, page 489, edited by Rene Donaldson and M.G.D. Gilchriese, World Scientific, 1990.
71. S.C. Berridge *et al.*, "Beam Test of the SLD Silicon-Tungsten Luminosity Monitor," IEEE Trans. Nucl. Sci. 37, 1191 (1990).
72. D.H. Brick *et al.*, "Rapidities of Produced Particles in 200 GeV/c π^+pK^+ Interactions on Au, Ag, and Mg," Phys. Rev. D41, 765, (1990).
73. G.T. Condo *et al.*, "Charge Exchange Photoproduction of the $\Lambda(1320)$ in Association with Δ^{++} at 19.3 GeV/c," Phys. Rev. D41, 3317 (1990).
74. J.E. Brau for the EMPACT Collaboration, "The EMPACT Detector for the SSC," Nucl. Inst. and Methods, B56/57, 942 (1991).
75. J.E. Brau, "Recent Developments in Silicon Calorimetry," Proceedings of the Symposium on Detector Development for the Superconducting Super Collider, page 309, edited by T. Dombeck, V. Kelly, and G. Yost, World Scientific, 1991.
76. J.E. Brau *et al.*, "Low Cost, Large Area Silicon Detectors for Calorimetry," Proceedings of the Symposium on Detector Development for the Superconducting Super Collider, page 334, edited by T. Dombeck, V. Kelly, and G. Yost, World Scientific, 1991.
77. K. Furuno *et al.*, "Neutron Flux Suppression with Polyethylene Moderation in the EMPACT Silicon EM Calorimeter," Proceedings of the Symposium on Detector Development for the Superconducting Super Collider, page 379, edited by T. Dombeck, V. Kelly, and G. Yost, World Scientific, 1991.
78. J.E. Brau and K. Furuno, "Hadron Calorimetry - Optimizing Performance," Proceedings of the First International Conference on Calorimetry in High Energy Physics, page 3, edited by D.F. Anderson, M. Derrick, H.E. Fisk, A. Para, and C.M. Sazama, World Scientific, 1991.
79. J.E. Brau, "Calorimetry Subsystem R&D II," Proceedings of the 1991 Symposium on the Superconducting Super Collider, Addendum, Corpus Christi, October, 1991, SSCL-SR-1213.
80. J.E. Brau, "Simulation of Hadronic Showers and Calorimeters," Nucl. Inst. and Methods A312, 483 (1992); Erratum: Nucl. Inst. and Methods A320, 612 (1992).
81. S.C. Berridge *et al.*, "First Results from the SLD Silicon Calorimeters," Conference Record of the 1991 IEEE Nuclear Science Symposium and Medical Imaging Conference, volume 1, 236 (1992).
82. S.C. Berridge *et al.*, "First Results from the SLD Silicon Calorimeters," IEEE Trans. Nucl. Sci 39, 1242, (1992).
83. D.H. Brick *et al.*, "Neutral Strange Particle Production in 200-GeV/c $p / \pi^+ / K^+$ Interactions on Au, Ag, and Mg," Phys. Rev. D45 (1992) 734-742.

84. A. Arodzero *et al.*, "A Prototype Silicon Preradiator for the SSC," Conference Record of the 1992 IEEE Nuclear Science Symposium and Medical Imaging Conference, Volume 1, 236 (1993).
85. A. Arodzero *et al.*, "A Prototype Silicon Preradiator for the SSC," IEEE Trans. on Nucl. Sci. 40, 563 (1993).
86. K. Abe *et al.*, "First Measurement of the Left-Right Cross Section Asymmetry in Z Boson Production by $e^+ e^-$ Collisions," Phys. Rev. Lett. 70, 2515 (1993).
87. K. Abe *et al.*, "A Measurement of α_S from jet rates at the Z^0 Resonance," Phys. Rev. Lett. 71, 2528 (1993).
88. R.D. Elia *et al.*, "First Measurement of the Left-Right Asymmetry in Z Boson Production," Mod. Phys. Lett. A8, 2237 (1993).
89. D. Axen *et al.*, "The Lead Liquid Argon Sampling Calorimeter of the SLD Detector," Nucl. Inst. and Methods A328, 472 (1993).
90. K. Abe *et al.*, "Measurement of the Charged Multiplicity of $Z^0 \rightarrow b\bar{b}$ Events," Phys. Rev. Lett. 72, 3145 (1994).
91. K. Abe *et al.*, "Precise Measurement of the Left-right Cross Section Asymmetry in Z Boson Production by $e^+ e^-$ Collisions," Phys. Rev. Lett. 73, 25, (1994).
92. K. Abe *et al.*, "Measurement of α_s from Energy-Energy Correlations at the Z^0 Resonance," Phys. Rev. D50, 5580 (1994).
93. K. Abe *et al.*, "A Search for Jet Handedness in Hadronic Z^0 Decays," Phys. Rev. Lett. 74, 1512 (1995).
94. K. Abe *et al.*, "Polarized Bhabha Scattering; a Precision Measurement of the Electron Neutral Current Couplings," Phys. Rev. Lett. 74, 2880 (1995).
95. K. Abe *et al.*, "Measurement of $\alpha_s(M(z)^2)$ from Hadronic Event Observables at the Z^0 Resonance," Phys. Rev. D51, 962 (1995).
96. K. Abe *et al.*, "Measurement of A_b from the Left-right Forward-backward Asymmetry of b quark Production in Z^0 Decays Using a Momentum Weighted Track Charge Technique," Phys. Rev. Lett. 74, 2890 (1995).
97. K. Abe *et al.*, "Measurement of A_b and A_c from the Left-right Forward-backward Asymmetry of Leptons in Hadronic Events at the Z^0 Resonance," Phys. Rev. Lett. 74, 2895 (1995).
98. R.T. Kollipara *et al.*, "Study of 18-cm Long Single Sided ac Coupled Silicon Microstrip Detectors," IEEE Trans. Nucl. Sci. 42, 92 (1995).
99. K. Abe *et al.*, "Measurement of the Left-Right Forward-Backward Asymmetry for Charm Quarks with D^{*+} and D^+ Mesons," Phys. Rev. Lett. 75, 3609 (1995).
100. K. Abe *et al.*, "Measurement of the Average B Hadron Lifetime in Z^0 Decays Using Reconstructed Vertices," Phys. Rev. Lett. 75, 3624 (1995).
101. K. Abe *et al.*, "First Measurement of the T-odd Correlation Between the Z^0 Spin and the Three Jet Plan Orientation in Polarized Z^0 Decays to Three Jets," Phys. Rev. Lett. 75, 4173 (1995).
102. K. Abe *et al.*, "Comparison of a New Calculation of Energy-Energy Correlations with $e^+ e^- \rightarrow$ Hadrons Data at the Z^0 Resonance," Phys. Rev. D52, (1995).
103. K. Abe *et al.*, "Measurement of the Tau Lifetime at SLAC," Phys. Rev. D52, 4828 (1995).
104. James E. Brau, "VXD3: The SLD Vertex Detector Upgrade Based on a 307 Mpixel CCD System," IEEE Trans. Nucl. Sci. 43, 1107 (1996).
105. K. Abe *et al.*, "Factorial and cumulant moments in $e^+ e^- \rightarrow$ hadrons at the Z^0 resonance," Phys. Lett. B371, 149 (1996).

106. A. Arodzero, J.E. Brau, R.E. Frey, D. Gao, R.T. Kollipara, M.Langston, D. Mason, N. Sinev, D. Strom, X. Yang, M. Brooks, D. Lee, G. Mills, "Beam Test of Prototype 18 cm Silicon-Strip Detectors with High Speed Electronics," IEEE Trans. Nucl. Sci. 43,1180 (1996).
107. K. Abe *et al.*, "Measurement of R_b with Impact Parameters and Displaced Vertices," Phys. Rev. D53, 1023 (1996).
108. K. Abe *et al.*, "A Test of the Flavor Independence of Strong Interactions," Phys. Rev. D53, 2271 (1996).
109. K. Abe *et al.*, "A Study of Rapidity Gaps in $e^+e^- \rightarrow Z^0$ Events," Phys. Rev. Lett. 76, 4886 (1996).
110. James E. Brau, Anatoli A. Arodzero, and David M. Strom, "Calorimetry for the NLC Detector," New Directions for High Energy Physics: Proceedings of the 1996 DPF/DPB Summer Study on High Energy Physics, page 437, edited by D.G. Cassel, L. Trindle Gennari, and R.H. Siemann, Stanford Linear Accelerator Center, 1997.
111. C.J.S. Damerell *et al.*, "Ideas for the NLC Detector," New Directions for High Energy Physics: Proceedings of the 1996 DPF/DPB Summer Study on High Energy Physics, page 431, edited by D.G. Cassel, L. Trindle Gennari, and R.H. Siemann, Stanford Linear Accelerator Center, 1997.
112. J.E. Brau, "Simulation of Hadronic Showers and Calorimeters," Collection of Papers on Detector Properties, edited by Robert W. Kenney and Heinrich Leutz, CERN (1997).
113. K. Abe *et al.*, "Design and Performance of the SLD Vertex Detector, a 307 Mpixel Tracking System," Nucl. Instrum. Meth. A400, 287 (1997).
114. K. Abe *et al.*, "Measurement of the B Hadron Energy Distribution in Z^0 Decays," Phys. Rev. D56, 5310 (1997).
115. A.P. Chikkatur *et al.*, "Tests of a Calorimetric Technique for Measuring the Energy of Cosmic Ray Muons in the TeV Energy Range," Z. Phys. C74, 279 (1997).
116. K. Abe *et al.*, "Direct Measurement of Leptonic Coupling Asymmetries with Polarized Zs," Phys. Rev. Lett. 79, 804 (1997).
117. K. Abe *et al.*, "Measurement of Leading Particle Effects in Decays of Z Bosons into Light Flavors," Phys. Rev. Lett. 78, 3442 (1997), Erratum-ibid.79, 959 (1997).
118. K. Abe *et al.*, "Measurement of the Tau Neutrino Helicity and the Michel Parameters in Polarized e^+e^- Collisions," Phys. Rev. Lett. 78, 4691 (1997).
119. K. Abe *et al.*, "An Improved Measurement of the Left-Right Z^0 Cross-Section Asymmetry," Phys. Rev. Lett. 78, 2075 (1997).
120. K. Abe *et al.*, "First Measurement of the Left-Right Charge Asymmetry in Hadronic Z Boson Decays and a New Determination of $\sin^2\theta_W^{eff}$," Phys. Rev. Lett. 78, 17 (1997).
121. K. Abe *et al.*, "A Study of the Orientation and Energy Partition of Three Jet Events in Hadronic Z^0 Decays," Phys. Rev. D55, 2533 (1997).
122. N.B. Sinev *et al.*, "Performance of the new vertex detector at SLD", IEEE Trans. Nucl. Sci. 44, 587 (1997).
123. K. Abe *et al.*, "Measurement of the B^+ and B^0 lifetimes using topological reconstruction of inclusive and semileptonic decays", Phys. Rev. Lett. 79, 590 (1997).
124. K. Abe *et al.*, "A Measurement of R(b) Using a Vertex Mass Tag", Phys.Rev. Lett. 80, 660 (1998).
125. M. Kalelkar *et al.*, "QCD Studies at SLD: Identified hadron production in jets of different flavors", Nucl. Phys. Proc. Suppl. 64, 12 (1998).
126. R. Plano *et al.*, "Properties of the $b\bar{b}g$ vertex", Nucl. Phys. Proc. Suppl. 64, 392 (1998).

127. N.B. Sinev *et al.*, “Initial impact parameter resolution of the new SLD vertex detector”, Nucl. Instrum. Meth. A409, 243 (1998).
128. J.E. Brau *et al.*, “Design and performance of the new CCD vertex detector at SLD and implications for the next linear collider”, Nucl. Inst. and Meth. A418, 52 (1998).
129. K. Abe *et al.*, “A Direct measurement of parity violation in the coupling of Z^0 bosons to b quarks using a mass tag and momentum weighted track charge”, Phys. Rev. Lett. 81, 942 (1998).
130. B. Winstein *et al.*, Committee on Elementary-Particle Physics, “Elementary-Particle Physics: Revealing the Secrets of Energy and Matter,” National Academy Press, Washington, D.C. (1998).
131. K. Abe *et al.*, “Production of π^+ , K^+ , K^0 , K^{*0} , ϕ , p and Λ^0 in hadronic Z^0 decays”, Phys. Rev. D59, 052001 (1999).
132. K. Abe *et al.*, “An Improved test of the flavor independence of strong interactions”, Phys. Rev. D59, 012002 (1999).
133. S. Avvakumov *et al.*, “Performance of the NuTeV Fe-scintillator sampling calorimeter and implications for thin calorimeters,” Nucl. Phys. Proc. Suppl. 78, 232 (1999).
134. K. Abe *et al.*, “Direct measurement of A_b in Z^0 decays using charged kaon tagging,” Phys. Rev. Lett. 83, 1902 (1999).
135. D. Muller *et al.*, “Physics results from SLD using the CRID,” Nucl. Instrum. Meth. A433, 314 (1999).
136. M. Kalelkar *et al.*, “Identified hadron production and light quark fragmentation in Z^0 decays,” Nucl. Phys. Proc. Suppl. 74, 7 (1999).
137. D. Muller *et al.*, “QCD tests using $b\bar{b}g$ events and a new measurement of the B hadron energy distribution,” Nucl. Phys. Proc. Suppl. 74, 276 (1999).
138. A. Vaitaitis *et al.*, “Search for neutral heavy leptons in a high-energy neutrino beam,” Phys. Rev. Lett. 83, 4943 (1999).
139. K. Abe *et al.*, “Direct measurement of A_b and A_c at the Z^0 pole using a lepton tag,” Phys. Rev. Lett. 83, 3384 (1999).
140. K. Abe *et al.*, “First study of the structure of $e^+e^- \rightarrow b\bar{b}g$ events and limits on the anomalous chromomagnetic coupling of the b-quark,” Phys. Rev. D60, 092002 (1999).
141. J.E. Brau, “Overview of the American Detector Models,” Proceedings of the Worldwide Study on Physics and Experiments with Future Linear e^+e^- Colliders, page 881, edited by E. Fernández, and A. Pacheco, Universitat Autònoma de Barcelona, 2000.
142. J.E. Brau and N. Sinev, “Neutron Damage to CCDs and a Future Linear Collider Vertex Detector,” Proceedings of the Worldwide Study on Physics and Experiments with Future Linear e^+e^- Colliders, page 953, edited by E. Fernández and A. Pacheco, Universitat Autònoma de Barcelona, 2000.
143. J.E. Brau and N. Sinev, “Operation of a CCD particle detector in the presence of bulk neutron damage,” IEEE Trans. Nucl. Sci. 47, 1898 (2000).
144. T. Adams *et al.*, “Recent QCD results from NuTeV/CCFR Collaboration,” Nucl. Phys. Proc. Suppl. 86, 93 (2000).
145. K. Abe *et al.*, “First direct measurement of the parity-violating coupling of the Z^0 to the s-quark,” Phys. Rev. Lett. 85, 5059 (2000).
146. K. Abe *et al.*, “Precise Measurement of the b quark Fragmentation Function in Z^0 Boson Decays,” Phys. Rev. Lett. 84, 4300 (2000).
147. K. Abe *et al.*, “A high-precision measurement of the left-right Z boson cross-section asymmetry,” Phys. Rev. Lett. 84, 5945 (2000).

148. J. Formaggio *et al.*, “Search for a $33.9 \text{ MeV}/c^2$ Neutral Particle in Pion Decay,” *Phys. Rev. Lett.* **84**, 4043 (2000).
149. T. Adams *et al.*, “Evidence for Diffractive Charm Production in ν_μ Fe and $\bar{\nu}_\mu$ Fe Scattering at the Tevatron,” *Phys. Rev. D* **61**, 092001 (2000).
150. D. Harris, J. Yu *et al.*, “Precision Calibration of the NuTeV Calorimeter,” *Nucl. Instrum. Methods A* **447**, 377 (2000).
151. M. Vakili *et al.*, “Nuclear Structure Functions in the Large x Large Q^2 Kinematic Region in Neutrino Deep Inelastic Scattering,” *Phys. Rev. D* **61**, 052003 (2000).
152. K. Abe *et al.*, “Search for Charmless Hadronic Decays of B Mesons with the SLD Detector,” *Phys. Rev. D* **62**, 071101 (2000).
153. K. Abe *et al.*, “Measurement of A_c with charmed mesons at SLD,” *Phys. Rev. D* **63**, 032005 (2001).
154. A. Alton *et al.*, “Search for light-to-heavy quark flavor changing neutral currents in ν_μ N and $\bar{\nu}_\mu$ N scattering at the Tevatron,” *Phys. Rev. D* **63**, 012001 (2001).
155. K. Abe *et al.*, “An Improved Direct Measurement of Leptonic Coupling Asymmetries with Polarized Z Bosons,” *Phys. Rev. Lett.* **86**, 1162 (2001).
156. K. Abe *et al.*, “First Symmetry Tests in Polarized Z^0 Decays to $b\bar{b}g$,” *Phys. Rev. Lett.* **86**, 962 (2001).
157. B. T. Fleming *et al.* [CCFR Collaboration], “A first measurement of low x low Q^2 structure functions in neutrino scattering,” *Phys. Rev. Lett.* **86**, 5430 (2001) [arXiv:hep-ex/0011094].
158. U. K. Yang *et al.* [CCFR/NuTeV Collaboration], “Measurements of F_2 and $xF_3(\nu) - xF_3(\bar{\nu})$ from CCFR ν_μ Fe and $\bar{\nu}_\mu$ Fe data in a physics model independent way,” *Phys. Rev. Lett.* **86**, 2742 (2001) [arXiv:hep-ex/0009041].
159. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the branching fractions of exclusive charmless B meson decays with η' or ω mesons,” *Phys. Rev. Lett.* **87**, 221802 (2001) [arXiv:hep-ex/0108017].
160. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $B^0 \rightarrow \gamma\gamma$,” *Phys. Rev. Lett.* **87**, 241803 (2001) [arXiv:hep-ex/0107068].
161. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B \rightarrow J/\psi K^*(892)$ decay amplitudes,” *Phys. Rev. Lett.* **87**, 241801 (2001) [arXiv:hep-ex/0107049].
162. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the B^0 and B^+ meson lifetimes with fully reconstructed hadronic final states,” *Phys. Rev. Lett.* **87**, 201803 (2001) [arXiv:hep-ex/0107019].
163. B. Aubert *et al.* [BABAR Collaboration], “Observation of CP violation in the B^0 meson system,” *Phys. Rev. Lett.* **87**, 091801 (2001) [arXiv:hep-ex/0107013].
164. T. Abe *et al.* [American Linear Collider Working Group Collaboration], “Linear collider physics resource book for Snowmass 2001,” in *Proc. of the APS/DPF/DPB Summer Study on the Future of Particle Physics (Snowmass 2001)* ed. R. Davidson and C. Quigg, SLAC-R-570 *Resource book for Snowmass 2001, 30 Jun - 21 Jul 2001, Snowmass, Colorado*.
165. B. Aubert *et al.* [BABAR Collaboration], “Measurement of J/ψ production in continuum e^+e^- annihilations near $\sqrt{s} = 10.6 \text{ GeV}$,” *Phys. Rev. Lett.* **87**, 162002 (2001) [arXiv:hep-ex/0106044].
166. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions and search for CP-violating charge asymmetries in charmless two-body B decays into pions and kaons,” *Phys. Rev. Lett.* **87**, 151802 (2001) [arXiv:hep-ex/0105061].
167. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the decays $B \rightarrow \phi K$ and $B \rightarrow \phi K^*$,” *Phys. Rev. Lett.* **87**, 151801 (2001) [arXiv:hep-ex/0105001].

168. U. K. Yang *et al.* [CCFR/NuTeV Collaboration], “Extraction of $R = \sigma_L/\sigma_T$ from CCFR ν_μ Fe and $\bar{\nu}_\mu$ Fe differential cross sections,” *Phys. Rev. Lett.* **87**, 251802 (2001) [arXiv:hep-ex/0104040].
169. T. Adams *et al.* [NuTeV Collaboration], “Observation of an anomalous number of dimuon events in a high energy neutrino beam,” *Phys. Rev. Lett.* **87**, 041801 (2001) [arXiv:hep-ex/0104037].
170. J. A. Formaggio *et al.* [NuTeV Collaboration], “Search for the lepton number violating process $\bar{\nu}_\mu e^- \rightarrow \mu^- \bar{\nu}_e$,” *Phys. Rev. Lett.* **87**, 071803 (2001) [arXiv:hep-ex/0104029].
171. M. Goncharov *et al.* [NuTeV Collaboration], “Precise measurement of dimuon production cross-sections in ν_μ Fe and $\bar{\nu}_\mu$ Fe deep inelastic scattering at the Tevatron,” *Phys. Rev. D* **64**, 112006 (2001) [arXiv:hep-ex/0102049].
172. B. Aubert *et al.* [BABAR Collaboration], “Measurement of CP violating asymmetries in B^0 decays to CP eigenstates,” *Phys. Rev. Lett.* **86**, 2515 (2001) [arXiv:hep-ex/0102030].
173. K. Abe *et al.* [SLD Collaboration], “Improved measurement of the probability for gluon splitting into $b\bar{b}$ in Z^0 decays,” *Phys. Lett. B* **507**, 61 (2001) [arXiv:hep-ex/0102002].
174. A. Alton *et al.* [NuTeV Collaboration], “Search for Light-To-Heavy Quark Flavor Changing Neutral Currents in ν_μ N and $\bar{\nu}_\mu$ N Scattering,” *Int. J. Mod. Phys. A* **16S1B**, 489 (2001).
175. J. E. Brau, “NLC detectors,” in *Proc. of the APS/DPF/DPB Summer Study on the Future of Particle Physics (Snowmass 2001)* ed. N. Graf, eConf **C010630**, E3028 (2001).
176. J. E. Brau, “The Higgs mechanism and electroweak symmetry breaking at e^+e^- linear colliders,” in *Proc. of the APS/DPF/DPB Summer Study on the Future of Particle Physics (Snowmass 2001)* ed. N. Graf, eConf **C010630**, P115 (2001).
177. C. T. Potter, J. E. Brau and M. Iwasaki, “Standard model Higgs boson branching ratio measurements at a linear collider,” in *Proc. of the APS/DPF/DPB Summer Study on the Future of Particle Physics (Snowmass 2001)* ed. N. Graf, eConf **C010630**, P118 (2001).
178. B. Aubert *et al.* [BABAR Collaboration], “Direct CP violation searches in charmless hadronic B meson decays,” *Phys. Rev. D* **65**, 051101 (2002) [arXiv:hep-ex/0111087].
179. B. Aubert *et al.* [BABAR Collaboration], “Study of CP-violating asymmetries in $B^0 \rightarrow \pi^+\pi^-, K^+\pi^-$ decays,” *Phys. Rev. D* **65**, 051502 (2002) [arXiv:hep-ex/0110062].
180. G. P. Zeller *et al.* [NuTeV Collaboration], “A precise determination of electroweak parameters in neutrino nucleon scattering,” *Phys. Rev. Lett.* **88**, 091802 (2002) [arXiv:hep-ex/0110059].
181. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fractions for $\psi(2S) \rightarrow e^+e^-$ and $\psi(2S) \rightarrow \mu^+\mu^-$,” *Phys. Rev. D* **65**, 031101 (2002) [arXiv:hep-ex/0109004].
182. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions for exclusive B decays to charmonium final states,” *Phys. Rev. D* **65**, 032001 (2002) [arXiv:hep-ex/0107025].
183. F. Anulli *et al.* [BABAR Collaboration], “The Babar Instrumented Flux Return Performance: Lessons Learned,” *Nucl. Instrum. Meth. A* **494**, 455 (2002).
184. F. Anulli *et al.*, “Resistive Plate Chamber Performance in the Babar IFR System,” *IEEE Trans. Nucl. Sci.* **49**, 888 (2002).
185. B. Aubert *et al.* [BABAR Collaboration], “Measurements of branching fractions and CP-violating asymmetries in $B^0 \rightarrow \pi^+\pi^-, K^+\pi^-, K^+K^-$ decays,” *Phys. Rev. Lett.* **89**, 281802 (2002) [arXiv:hep-ex/0207055].
186. K. Abe *et al.* [SLD Collaboration], “A search for time-dependent $B_s^0 - \bar{B}_s^0$ oscillations using exclusively reconstructed $D^p m_s$ mesons,” *Phys. Rev. D* **66**, 032009 (2002) [arXiv:hep-ex/0207048].
187. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the CP-violating asymmetry amplitude $\sin 2\beta$,” *Phys. Rev. Lett.* **89**, 201802 (2002) [arXiv:hep-ex/0207042].

188. K. Abe *et al.* [SLD Collaboration], “Improved study of the structure of $e^+e^- \rightarrow b\bar{b}g$ events and limits on the anomalous chromomagnetic coupling of the b quark,” *Phys. Rev. D* **66**, 052001 (2002) [arXiv:hep-ex/0205066].
189. B. Aubert *et al.* [BABAR Collaboration], “Study of $B^\pm \rightarrow J/\psi \pi^\pm$ and $B^\pm \rightarrow J/\psi K^\pm$ decays: Measurement of the ratio of branching fractions and search for direct CP-violating charge asymmetries,” *Phys. Rev. D* **65**, 091101 (2002).
190. S. Avvakumov *et al.*, “A search for $\nu_\mu \rightarrow \nu_e$ and $\bar{\nu}_\mu \rightarrow \bar{\nu}_e$ oscillations at NuTeV,” *Phys. Rev. Lett.* **89**, 011804 (2002) [arXiv:hep-ex/0203018].
191. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction and CP content for the decay $B^0 \rightarrow D^{*+}D^{*-}$,” *Phys. Rev. Lett.* **89**, 061801 (2002) [arXiv:hep-ex/0203008].
192. G. P. Zeller *et al.* [NuTeV Collaboration], “On the effect of asymmetric strange seas and isospin-violating parton distribution functions on $\sin^2\theta_W$ measured in the NuTeV experiment,” *Phys. Rev. D* **65**, 111103 (2002) [arXiv:hep-ex/0203004]; Erratum-*Phys. Rev. D* **67**, 119902 (2003)].
193. B. Aubert *et al.* [BABAR Collaboration], “Search for T and CP violation in $B^0 - \bar{B}^0$ mixing with inclusive dilepton events,” *Phys. Rev. Lett.* **88**, 231801 (2002) [arXiv:hep-ex/0202041].
194. K. Abe *et al.* [SLD Collaboration], “Measurement of the b-quark fragmentation function in Z^0 decays,” *Phys. Rev. D* **65**, 092006 (2002) [Erratum-*ibid.* *D* **66**, 079905 (2002)] [arXiv:hep-ex/0202031].
195. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the B^0 lifetime with partially reconstructed $B^0 \rightarrow D^{*-}\ell^+\nu_\ell$ decays,” *Phys. Rev. Lett.* **89**, 011802 (2002) [Erratum-*ibid.* **89**, 169903 (2002)] [arXiv:hep-ex/0202005].
196. B. Aubert *et al.* [BABAR Collaboration], “Measurement of D_s^+ and D_s^{*+} production in B meson decays and from continuum e^+e^- annihilation at $\sqrt{s} = 10.6$ GeV,” *Phys. Rev. D* **65**, 091104 (2002) [arXiv:hep-ex/0201041].
197. B. Aubert *et al.* [BABAR Collaboration], “A study of time dependent CP-violating asymmetries and flavor oscillations in neutral B decays at the $\Upsilon(4S)$,” *Phys. Rev. D* **66**, 032003 (2002) [arXiv:hep-ex/0201020].
198. B. Aubert *et al.* [BABAR Collaboration], “Search for the rare decays $B \rightarrow K l^+l^-$ and $B \rightarrow K^* l^+l^-$,” *Phys. Rev. Lett.* **88**, 241801 (2002) [arXiv:hep-ex/0201008].
199. B. Aubert *et al.* [BABAR collaboration], “Measurement of the $B^0 - \bar{B}^0$ oscillation frequency with inclusive dilepton events,” *Phys. Rev. Lett.* **88**, 221803 (2002) [arXiv:hep-ex/0112045].
200. B. Aubert *et al.* [BABAR collaboration], “Measurement of $B^0 - \bar{B}^0$ flavor oscillations in hadronic B^0 decays,” *Phys. Rev. Lett.* **88**, 221802 (2002) [arXiv:hep-ex/0112044].
201. K. Abe *et al.* [SLD Collaboration], “Improved direct measurement of A_b and A_c at the Z^0 pole using a lepton tag,” *Phys. Rev. Lett.* **88**, 151801 (2002) [arXiv:hep-ex/0111035].
202. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $B \rightarrow K^*\gamma$ branching fractions and charge asymmetries,” *Phys. Rev. Lett.* **88**, 101805 (2002) [arXiv:hep-ex/0110065].
203. B. Aubert *et al.* [BABAR Collaboration], “Simultaneous measurement of the B^0 meson lifetime and mixing frequency with $B^0 \rightarrow D^{*-} l^+ \nu_l$ decays,” *Phys. Rev. D* **67**, 072002 (2003) [arXiv:hep-ex/0212017].
204. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the B^0 meson lifetime with partial reconstruction of $B^0 \rightarrow D^{*-} \pi^+$ and $B^0 \rightarrow D^{*-} \rho^+$ decays,” *Phys. Rev. D* **67**, 091101 (2003) [arXiv:hep-ex/0212012].

205. B. Aubert *et al.* [BABAR Collaboration], “A study of the rare decays $B^0 \rightarrow D_s^{*+} \pi^-$ and $B^0 \rightarrow D_s^{*-} K^+$,” Phys. Rev. Lett. **90**, 181803 (2003) [arXiv:hep-ex/0211053].
206. B. Aubert *et al.* [BABAR Collaboration], “A measurement of the $B^0 \rightarrow J/\psi \pi^+ \pi^-$ branching fraction,” Phys. Rev. Lett. **90**, 091801 (2003) [arXiv:hep-ex/0209013].
207. K. Abe *et al.* [SLD Collaboration], “Search for time-dependent $B_s^0 \bar{B}_s^0$ oscillations using a vertex charge dipole technique,” Phys. Rev. D **67**, 012006 (2003) [arXiv:hep-ex/0209002].
208. K. Abe *et al.* [SLD Collaboration], “Improved direct measurement of the parity-violation parameter A_b using a mass tag and momentum-weighted track charge,” Phys. Rev. Lett. **90**, 141804 (2003) [arXiv:hep-ex/0208044].
209. B. Aubert *et al.* [BABAR Collaboration], “Study of inclusive production of charmonium mesons in B decay,” Phys. Rev. D **67**, 032002 (2003) [arXiv:hep-ex/0207097].
210. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction for inclusive semileptonic B meson decays,” Phys. Rev. D **67**, 031101 (2003) [arXiv:hep-ex/0208018].
211. K. S. McFarland *et al.*, “ $\text{Sin}^2\theta_W$ From Neutrino Scattering At NuTeV,” Int. J. Mod. Phys. A **18**, 3841 (2003).
212. D. Naples *et al.*, “High Energy Neutrino Scattering Results From NuTeV,” Nucl. Phys. Proc. Suppl. **118**, 164 (2003).
213. C. T. Potter, J. E. Brau and N. B. Sinev, “A CCD Vertex Detector For Measuring Higgs Boson Branching Ratios at a Linear Collider,” Nucl. Instrum. Meth. A **511**, 225 (2003).
214. F. Anulli *et al.*, “Mechanisms Affecting Performance of the Babar Resistive Plate Chambers and Searches For Remediation,” Nucl. Instrum. Meth. A **508**, 128 (2003).
215. B. Aubert *et al.* [BABAR Collaboration], “Evidence for the rare decay $B \rightarrow K^* l^+ l^-$ and measurement of the $B \rightarrow K l^+ l^-$ branching fraction,” Phys. Rev. Lett. **91**, 221802 (2003) [arXiv:hep-ex/0308042].
216. B. Aubert *et al.* [BABAR Collaboration], “Measurements of branching fractions and CP-violating asymmetries in $B^0 \rightarrow \rho^\pm h^\mp$ decays,” Phys. Rev. Lett. **91**, 201802 (2003) [arXiv:hep-ex/0306030].
217. B. Aubert *et al.* [BABAR Collaboration], “Limits on $D^0 \bar{D}^0$ mixing and CP violation from the ratio of lifetimes for decay to $K^- \pi^+$, $K^- K^+$ and $\pi^- \pi^+$,” Phys. Rev. Lett. **91**, 121801 (2003) [arXiv:hep-ex/0306003].
218. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fractions for the exclusive decays of B^0 and B^+ to $\bar{D}^{(*)} D^{(*)} K$,” Phys. Rev. D **68**, 092001 (2003) [arXiv:hep-ex/0305003].
219. B. Aubert *et al.* [BABAR Collaboration], “Observation of a narrow meson decaying to $D_s^+ \pi^0$ at a mass of 2.32-GeV/ c^2 ,” Phys. Rev. Lett. **90**, 242001 (2003) [arXiv:hep-ex/0304021].
220. B. Aubert *et al.* [BABAR Collaboration], “Rare B decays into states containing a J/ψ meson and a meson with $s \bar{s}$ quark content,” Phys. Rev. Lett. **91**, 071801 (2003) [arXiv:hep-ex/0304014].
221. B. Aubert *et al.* [BABAR Collaboration], “Observation of the decay $B^0 \rightarrow \pi^0 \pi^0$,” Phys. Rev. Lett. **91**, 241801 (2003) [arXiv:hep-ex/0308012].
222. B. Aubert *et al.* [BABAR Collaboration], “Rates, polarizations, and asymmetries in charmless vector-vector B meson decays,” Phys. Rev. Lett. **91**, 171802 (2003) [arXiv:hep-ex/0307026].
223. B. Aubert *et al.* [BABAR Collaboration], “Measurement of time-dependent CP asymmetries and the CP-odd fraction in the decay $B^0 \rightarrow D^{*+} D^{*-}$,” Phys. Rev. Lett. **91**, 131801 (2003) [arXiv:hep-ex/0306052].

224. B. Aubert *et al.* [BABAR Collaboration], “Search for $D^0 - \bar{D}^0$ mixing and a measurement of the doubly Cabibbo-suppressed decay rate in $D^0 \rightarrow K \pi$ decays,” Phys. Rev. Lett. **91**, 171801 (2003) [arXiv:hep-ex/0304007].
225. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the branching fractions and charge asymmetries of charmless three-body charged B decays,” Phys. Rev. Lett. **91**, 051801 (2003) [arXiv:hep-ex/0304006].
226. B. Aubert *et al.* [BABAR Collaboration], “Measurements of CP-violating asymmetries and branching fractions in B meson decays to $\eta' K$,” Phys. Rev. Lett. **91**, 161801 (2003) [arXiv:hep-ex/0303046].
227. B. Aubert *et al.* [BABAR Collaboration], “Evidence for $B^+ \rightarrow J/\psi p \bar{\Lambda}$ and search for $B^0 \rightarrow J/\psi p \bar{p}$,” Phys. Rev. Lett. **90**, 231801 (2003) [arXiv:hep-ex/0303036].
228. B. Aubert *et al.* [BABAR Collaboration], “Observation of the decay $B^\pm \rightarrow \pi^\pm \pi^0$, study of $B^\pm \rightarrow K^\pm \pi^0$, and search for $B^0 \rightarrow \pi^0 \pi^0$,” Phys. Rev. Lett. **91**, 021801 (2003) [arXiv:hep-ex/0303028].
229. B. Aubert *et al.* [BABAR Collaboration], “Study of time-dependent CP asymmetry in neutral B decays to $J/\psi \pi^0$,” Phys. Rev. Lett. **91**, 061802 (2003) [arXiv:hep-ex/0303018].
230. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction and CP-violating asymmetries in neutral B decays to $D^{*\pm} D^\mp$,” Phys. Rev. Lett. **90**, 221801 (2003) [arXiv:hep-ex/0303004].
231. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $B^0 \rightarrow D_s^{*+} D^{*-}$ branching fractions and $B^0 \rightarrow D_s^* + D^{*-}$ polarization with a partial reconstruction technique,” Phys. Rev. D **67**, 092003 (2003) [arXiv:hep-ex/0302015].
232. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the CKM matrix element $|V_{ub}|$ with $B \rightarrow \rho e \nu$ decays. ((B)),” Phys. Rev. Lett. **90**, 181801 (2003) [arXiv:hep-ex/0301001].
233. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction for $B^- \rightarrow D^0 K^{*-}$,” Phys. Rev. D **69**, 051101 (2004) [arXiv:hep-ex/0312051].
234. B. Aubert *et al.* [BABAR Collaboration], “Search for lepton flavor violation in the decay $\tau^- \rightarrow \ell^- \ell^+ \ell^-$,” Phys. Rev. Lett. **92**, 121801 (2004) [arXiv:hep-ex/0312027].
235. B. Abbott *et al.* [LIGO Scientific Collaboration], “First upper limits from LIGO on gravitational wave bursts,” Class. Quant. Grav. **21**, S677 (2004) [arXiv:gr-qc/0312056].
236. B. Aubert *et al.* [BABAR Collaboration], “Observation of the decay $B^0 \rightarrow \rho^+ \rho^-$ and measurement of the branching fraction and polarization,” Phys. Rev. D **69**, 031102 (2004) [arXiv:hep-ex/0311017].
237. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B^0 \rightarrow \omega K^0$, $B^+ \rightarrow \eta \pi^+$, and $B^+ \rightarrow \eta K^+$ and study of related decays,” Phys. Rev. Lett. **92**, 061801 (2004) [arXiv:hep-ex/0311016].
238. B. Allen *et al.* [LIGO Scientific Collaboration], “Upper limits on the strength of periodic gravitational waves from PSR J1939+2134,” Class. Quant. Grav. **21**, S671 (2004) [arXiv:gr-qc/0311023].
239. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the average ϕ multiplicity in B meson decay,” Phys. Rev. D **69**, 052005 (2004) [arXiv:hep-ex/0311008].
240. B. Aubert *et al.* [BABAR Collaboration], “Observation of a narrow meson decaying to $D_s^+ \pi^0 \gamma$ at a mass of 2.458-GeV/ c^2 ,” Phys. Rev. D **69**, 031101 (2004) [arXiv:hep-ex/0310050].
241. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions of color-suppressed decays of the \bar{B}^0 meson to $D^{(*)0} \pi^0$, $D^{(*)0} \eta$, $D^{(*)0} \omega$, and $D^0 \eta'$,” Phys. Rev. D **69**, 032004 (2004) [arXiv:hep-ex/0310028].

242. B. Aubert *et al.* [BABAR Collaboration], “ J/ψ production via initial state radiation in $e^+e^- \rightarrow \mu^+ \mu^- \gamma$ at an e^+e^- center-of-mass energy near 10.6-GeV,” *Phys. Rev. D* **69**, 011103 (2004) [arXiv:hep-ex/0310027].
243. K. Abe *et al.* [SLD Collaboration], “Production of π^+ , π^- , K^+ , K^- , p and \bar{p} in light (uds), c and b jets from Z^0 decays,” *Phys. Rev. D* **69**, 072003 (2004) [arXiv:hep-ex/0310017].
244. K. Abe *et al.* [SLD Collaboration], “First measurement of the double-inclusive B/\bar{B} hadron energy distribution in e^+e^- annihilations, and of angle-dependent moments of the B and \bar{B} energies,” *Phys. Lett. B* **578**, 45 (2004) [arXiv:hep-ex/0309058].
245. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $\sin 2\beta$ with hadronic and previously unused muonic J/ψ decays,” *Phys. Rev. D* **69**, 052001 (2004) [arXiv:hep-ex/0309039].
246. B. Aubert *et al.* [BABAR Collaboration], “Measurements of branching fractions in $B \rightarrow \phi K$ and $B \rightarrow \phi \pi$ and search for direct CP violation in $B^\pm \rightarrow \phi K^\pm$,” *Phys. Rev. D* **69**, 011102 (2004) [arXiv:hep-ex/0309025].
247. B. Abbott *et al.* [LIGO Scientific Collaboration], “Detector description and performance for the first coincidence observations between LIGO and GEO,” *Nucl. Instrum. Meth. A* **517**, 154 (2004) [arXiv:gr-qc/0308043].
248. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the inclusive charmless semileptonic branching ratio of B mesons and determination of $|V_{ub}|$,” *Phys. Rev. Lett.* **92**, 071802 (2004) [arXiv:hep-ex/0307062].
249. B. Aubert *et al.* [BABAR Collaboration], “Search for the radiative decays $B \rightarrow \rho \gamma$ and $B^0 \rightarrow \omega \gamma$,” *Phys. Rev. Lett.* **92**, 111801 (2004) [arXiv:hep-ex/0306038].
250. J. E. Brau, “R&D for future detectors,” Proceedings of the 32nd International Conference on High Energy Physics, Beijing, China, World Scientific, Vol. 1, 220 (2004) [SLAC-PUB-10900].
251. J. E. Brau, O. B. Igonkina, C. T. Potter and N. B. Sinev, “Investigation of radiation damage in the SLD CCD vertex detector,” *IEEE Trans. Nucl. Sci.* **51**, 1742 (2004).
252. S. Boyd *et al.* [NuTeV Collaboration], “Cross section measurements and charm production in the NuTeV experiment,” *AIP Conf. Proc.* **698**, 95 (2004).
253. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fractions for inclusive B^- and \bar{B}^0 decays to flavor-tagged D, D_s and Λ_c ,” *Phys. Rev. D* **70**, 091106 (2004) [arXiv:hep-ex/0408113].
254. B. Aubert *et al.* [BABAR Collaboration], “Search for $D^0 - \bar{D}^0$ mixing using semileptonic decay modes,” *Phys. Rev. D* **70**, 091102 (2004) [arXiv:hep-ex/0408066].
255. B. Aubert *et al.* [BABAR Collaboration], “Study of $e^+e^- \rightarrow \pi^+ \pi^- \pi^0$ process using initial state radiation with BaBar,” *Phys. Rev. D* **70**, 072004 (2004) [arXiv:hep-ex/0408078].
256. B. Aubert *et al.* [BABAR Collaboration], “Measurement of neutral B decay branching fractions to $K_S^0 \pi^+ \pi^-$ final states,” *Phys. Rev. D* **70**, 091103 (2004) [arXiv:hep-ex/0408054].
257. B. Aubert *et al.* [BABAR Collaboration], “Study of $B \rightarrow D_{sJ}^{(*)+} \bar{D}^{(*)}$ decays,” *Phys. Rev. Lett.* **93**, 181801 (2004) [arXiv:hep-ex/0408041].
258. B. Aubert *et al.* [BABAR Collaboration], “Search for flavor-changing neutral current and lepton flavor violating decays of $D^0 \rightarrow l^+ l^-$,” *Phys. Rev. Lett.* **93**, 191801 (2004) [arXiv:hep-ex/0408023].
259. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $B^0 \rightarrow J/\psi \gamma$,” *Phys. Rev. D* **70**, 091104 (2004) [arXiv:hep-ex/0408018].
260. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B^0 \rightarrow \phi K^0$ decay amplitudes,” *Phys. Rev. Lett.* **93**, 231804 (2004) [arXiv:hep-ex/0408017].

261. B. Aubert *et al.* [BABAR Collaboration], “Observation of direct CP violation in $B^0 \rightarrow K^+ \pi^-$ decays,” Phys. Rev. Lett. **93**, 131801 (2004) [arXiv:hep-ex/0407057].
262. B. Aubert *et al.* [BABAR Collaboration], “Search for B-meson decays to two-body final states with $a_0(980)$ mesons,” Phys. Rev. D **70**, 111102 (2004) [arXiv:hep-ex/0407013].
263. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions, and CP and isospin asymmetries, for $B \rightarrow K^* \gamma$,” Phys. Rev. D **70**, 112006 (2004) [arXiv:hep-ex/0407003].
264. B. Aubert *et al.* [BABAR Collaboration], “Branching fractions and CP asymmetries in $B^0 \rightarrow K^+ K^- K_S^0$ and $B^+ \rightarrow K^+ K_S^0 K_S^0$,” Phys. Rev. Lett. **93**, 181805 (2004) [arXiv:hep-ex/0406005].
265. B. Aubert *et al.* [BABAR Collaboration], “Measurement of time-dependent CP-violating asymmetries in $B^0 \rightarrow K^{*0} \gamma (K^{*0} \rightarrow K_S^0 \pi^0)$ decays,” Phys. Rev. Lett. **93**, 201801 (2004) [arXiv:hep-ex/0405082].
266. B. Aubert *et al.* [BABAR Collaboration], “Search for B^0 decays to invisible final states and to $\nu \bar{\nu} \gamma$,” Phys. Rev. Lett. **93**, 091802 (2004) [arXiv:hep-ex/0405071].
267. B. Abbott *et al.* [LIGO Collaboration], “First upper limits from LIGO on gravitational wave bursts,” Phys. Rev. D **69**, 102001 (2004).
268. B. Aubert *et al.* [BABAR Collaboration], “Study of the decay $B^0 (\bar{B}^0) \rightarrow \rho^+ \rho^-$, and constraints on the CKM angle α ,” Phys. Rev. Lett. **93**, 231801 (2004) [arXiv:hep-ex/0404029].
269. B. Aubert *et al.* [BABAR Collaboration], “Determination of the branching fraction for $B \rightarrow X_c \ell \nu$ decays and of $|V_{cb}|$ from hadronic mass and lepton energy moments,” Phys. Rev. Lett. **93**, 011803 (2004) [arXiv:hep-ex/0404017].
270. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B \rightarrow X_s l^+ l^-$ branching fraction with a sum over exclusive modes,” Phys. Rev. Lett. **93**, 081802 (2004) [arXiv:hep-ex/0404006].
271. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the ratio of decay amplitudes for $\bar{B}^0 \rightarrow J/\psi K^{*0}$ and $B^0 \rightarrow J/\psi K^{*0}$,” Phys. Rev. Lett. **93**, 081801 (2004) [arXiv:hep-ex/0404005].
272. B. Aubert *et al.* [BABAR Collaboration], “Searches for B^0 decays to combinations of charmless isoscalar mesons,” Phys. Rev. Lett. **93**, 181806 (2004) [arXiv:hep-ex/0403046].
273. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the direct CP asymmetry in $b \rightarrow s \gamma$ decays,” Phys. Rev. Lett. **93**, 021804 (2004) [arXiv:hep-ex/0403035].
274. B. Aubert *et al.* [BABAR Collaboration], “Measurements of moments of the hadronic mass distribution in semileptonic B decays,” Phys. Rev. D **69**, 111103 (2004) [arXiv:hep-ex/0403031].
275. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the electron energy spectrum and its moments in inclusive $B \rightarrow X e \nu$ decays,” Phys. Rev. D **69**, 111104 (2004) [arXiv:hep-ex/0403030].
276. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the time-dependent CP asymmetry in the $B^0 \rightarrow \phi K^0$ decay,” Phys. Rev. Lett. **93**, 071801 (2004) [arXiv:hep-ex/0403026].
277. B. Aubert *et al.* [BABAR Collaboration], “B meson decays to $\eta^{(\prime)} K^*$, $\eta^{(\prime)} \rho$, $\eta^{(\prime)} \pi^0$, $\omega \pi^0$, and $\phi \pi^0$,” Phys. Rev. D **70**, 032006 (2004) [arXiv:hep-ex/0403025].
278. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction measurements of $B \rightarrow \eta_c K$ decays,” Phys. Rev. D **70**, 011101 (2004) [arXiv:hep-ex/0403007].
279. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $B^0 \rightarrow p \bar{p}$,” Phys. Rev. D **69**, 091503 (2004) [arXiv:hep-ex/0403003].

280. B. Aubert *et al.* [BABAR Collaboration], “Limits on the decay rate difference of neutral-B mesons and on CP, T, and CPT violation in $B^0 \bar{B}^0$ oscillations,” Phys. Rev. D **70**, 012007 (2004) [arXiv:hep-ex/0403002].
281. B. Aubert *et al.* [BABAR Collaboration], “Measurements of CP violating asymmetries in $B^0 \rightarrow K_S^0 \pi^0$ decays,” Phys. Rev. Lett. **93**, 131805 (2004) [arXiv:hep-ex/0403001].
282. B. Aubert *et al.* [BABAR Collaboration], “Observation of the decay $B \rightarrow J/\psi \eta K$ and search for $X(3872) \rightarrow J/\psi \eta$,” Phys. Rev. Lett. **93**, 041801 (2004) [arXiv:hep-ex/0402025].
283. B. Aubert *et al.* [BABAR Collaboration], “Search for $B^\pm \rightarrow [K^\mp \pi^\pm]_D K^\pm$ and upper limit on the $b \rightarrow u$ amplitude in $B^\pm \rightarrow D K^\pm$,” Phys. Rev. Lett. **93**, 131804 (2004) [arXiv:hep-ex/0402024].
284. B. Aubert *et al.* [BABAR Collaboration], “Study of $B^\pm \rightarrow J/\psi \pi^\pm$ and $B^\pm \rightarrow J/\psi K^\pm$ decays: Measurement of the ratio of branching fractions and search for direct CP violation,” Phys. Rev. Lett. **92**, 241802 (2004) [arXiv:hep-ex/0401035].
285. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the B^+/B^0 production ratio from the $\Upsilon(4S)$ meson using $B^+ \rightarrow J/\psi K^+$ and $B^0 \rightarrow J/\psi K_S^0$ decays,” Phys. Rev. D **69**, 071101 (2004) [arXiv:hep-ex/0401028].
286. B. Aubert *et al.* [BABAR Collaboration], “Study of high momentum η' production in $B \rightarrow \eta' X_s$,” Phys. Rev. Lett. **93**, 061801 (2004) [arXiv:hep-ex/0401006].
287. B. Aubert *et al.* [BABAR Collaboration], “Search for the rare leptonic decay $B^+ \rightarrow \mu^+ \nu_\mu$,” Phys. Rev. Lett. **92**, 221803 (2004) [Phys. Rev. Lett. **93**, 189902 (2004)] [arXiv:hep-ex/0401002].
288. B. Aubert *et al.* [BABAR Collaboration], “Measurements of branching fractions and CP-violating asymmetries in B meson decays to charmless two-body states containing a K^0 ,” Phys. Rev. Lett. **92**, 201802 (2004) [arXiv:hep-ex/0312055].
289. B. Abbott *et al.* [LIGO Scientific Collaboration], “Analysis of first LIGO science data for stochastic gravitational waves,” Phys. Rev. D **69**, 122004 (2004) [arXiv:gr-qc/0312088].
290. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions and charge asymmetries in $B^\pm \rightarrow \rho^\pm \pi^0$ and $B^\pm \rightarrow \rho^0 \pi^\pm$ decays, and search for $B^0 \rightarrow \rho^0 \pi^0$,” Phys. Rev. Lett. **93**, 051802 (2004) [arXiv:hep-ex/0311049].
291. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the mass and width of the η_c meson and of an $\eta_c(2S)$ candidate,” Phys. Rev. Lett. **92**, 142002 (2004) [arXiv:hep-ex/0311038].
292. B. Aubert *et al.* [BABAR Collaboration], “Limits on the decay-rate difference of neutral B mesons and on CP, T, and CPT violation in $B^0 \bar{B}^0$ oscillations,” Phys. Rev. Lett. **92**, 181801 (2004) [arXiv:hep-ex/0311037].
293. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fractions and CP-asymmetry of $B^- \rightarrow D^0(CP) K^-$ decays with the BaBar detector,” Phys. Rev. Lett. **92**, 202002 (2004) [arXiv:hep-ex/0311032].
294. B. Aubert *et al.* [BABAR Collaboration], “Measurement of time-dependent CP asymmetries and constraints on $\sin(2\beta + \gamma)$ with partial reconstruction of $B^0 \rightarrow D^{*\mp} \pi^\pm$ decays,” Phys. Rev. Lett. **92**, 251802 (2004) [arXiv:hep-ex/0310037].
295. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction for $B^\pm \rightarrow \chi_c^0 K^\pm$,” Phys. Rev. D **69**, 071103 (2004) [arXiv:hep-ex/0310015].
296. B. Aubert *et al.* [BABAR Collaboration], “Measurement of time-dependent CP asymmetries in $B^0 \rightarrow D^{*\pm} \pi^\mp$ decays and constraints on $\sin(2\beta + \gamma)$,” Phys. Rev. Lett. **92**, 251801 (2004) [arXiv:hep-ex/0309017].
297. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the branching fractions of charged B decays to $K^\pm \pi^\mp \pi^\pm$ final states,” Phys. Rev. D **70**, 092001 (2004) [arXiv:hep-ex/0308065].

298. B. Abbott *et al.* [LIGO Scientific Collaboration], “Analysis of LIGO data for gravitational waves from binary neutron stars,” *Phys. Rev. D* **69**, 122001 (2004) [arXiv:gr-qc/0308069].
299. B. Abbott *et al.* [LIGO Scientific Collaboration], “Setting upper limits on the strength of periodic gravitational waves using the first science data from the GEO 600 and LIGO detectors,” *Phys. Rev. D* **69**, 082004 (2004) [arXiv:gr-qc/0308050].
300. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B^0 \rightarrow K_2^*(1430)^0 \gamma$ and $B^+ \rightarrow K_2^*(1430)^+ \gamma$ branching fractions,” *Phys. Rev. D* **70**, 091105 (2004) [arXiv:hep-ex/0409035].
301. J. E. Brau, “Physics and Detectors for The Linear Collider: Charge To The Colloque (LCWS 2004),” Proceedings of the International Conference on Linear Colliders (LCWS 04), Paris, France, 2004.
302. J. E. Brau, M. Breidenbach and Y. Fujii, “The Silicon Detector (SiD) and Linear Collider Detector R&D in Asia and North America,” SLAC-PUB-11413 Proceedings of the 4th ECFA / DESY Workshop on Physics and Detectors for a 90-GeV to 800-GeV Linear e+ e- Collider, Amsterdam, The Netherlands, 2004.
303. K. Ackermann *et al.*, “Extended joint ECFA/DESY study on physics and detectors for a linear e+e- Collider, DESY-PROC-2004-01, Proceedings of the 4th ECFA / DESY Workshop on Physics and Detectors for a 90-GeV to 800-GeV Linear e+ e- Collider, Amsterdam, The Netherlands, 2004.
304. B. Aubert *et al.* [BABAR Collaboration], “Limit on the $B^0 \rightarrow \rho^0 \rho^0$ branching fraction and implications for the CKM angle α ,” *Phys. Rev. Lett.* **94**, 131801 (2005) [arXiv:hep-ex/0412067].
305. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions and charge asymmetries for exclusive B decays to charmonium,” *Phys. Rev. Lett.* **94**, 141801 (2005) [arXiv:hep-ex/0412062].
306. B. Aubert *et al.* [BABAR Collaboration], “Search for a charged partner of the X(3872) in the B meson decay $B \rightarrow X$ - K, $X^- \rightarrow J/\psi \pi^- \pi^0$,” *Phys. Rev. D* **71**, 031501 (2005) [arXiv:hep-ex/0412051].
307. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fraction and Dalitz distribution for $B^0 \rightarrow D^{(*)} \pm K^0 \pi^\mp$ decays,” *Phys. Rev. Lett.* **95**, 171802 (2005) [arXiv:hep-ex/0412040].
308. B. Aubert *et al.* [BABAR Collaboration], “Branching fractions and CP asymmetries in $B^0 \rightarrow \pi^0 \pi^0$, $B^+ \rightarrow \pi^+ \pi^0$ and $B^+ \rightarrow K^+ \pi^0$ decays and isospin analysis of the $B \rightarrow \pi\pi$ system,” *Phys. Rev. Lett.* **94**, 181802 (2005) [arXiv:hep-ex/0412037].
309. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the ratio $B(B^- \rightarrow D^{*0} K^-)/B(B^- \rightarrow D^{*0} \pi^-)$ and of the CP asymmetry of $B^- \rightarrow D^{*0}(\text{CP}+) K^-$ decays,” *Phys. Rev. D* **71**, 031102 (2005) [arXiv:hep-ex/0411091].
310. B. Aubert *et al.* [BABAR Collaboration], “A search for the decay $B^+ \rightarrow K^+ \nu \bar{\nu}$,” *Phys. Rev. Lett.* **94**, 101801 (2005) [arXiv:hep-ex/0411061].
311. B. Aubert *et al.* [BABAR Collaboration], “Measurements of B meson decays to ωK^* and $\omega \rho$,” *Phys. Rev. D* **71**, 031103 (2005) [arXiv:hep-ex/0411054].
312. B. Aubert *et al.* [BABAR Collaboration], “Ambiguity-free measurement of $\cos(2\beta)$: Time-integrated and time-dependent angular analyses of $B \rightarrow J/\psi K \pi$,” *Phys. Rev. D* **71**, 032005 (2005) [arXiv:hep-ex/0411016].
313. K. Abe *et al.* [SLD Collaboration], “Direct measurements of A(b) and A(c) using vertex/kaon charge tags at SLD,” *Phys. Rev. Lett.* **94**, 091801 (2005) [arXiv:hep-ex/0410042].
314. B. Abbott *et al.* [LIGO Scientific Collaboration], “Limits on gravitational wave emission from selected pulsars using LIGO data,” *Phys. Rev. Lett.* **94**, 181103 (2005) [arXiv:gr-qc/0410007].

315. B. Aubert *et al.* [BABAR Collaboration], “Search for lepton-flavor violation in the decay $\tau^- \rightarrow \ell^\mp h^\pm h^-$,” Nucl. Phys. Proc. Suppl. **144**, 167 (2005) [arXiv:hep-ex/0409036].
316. B. Aubert *et al.* [BABAR Collaboration], “Improved measurement of CP asymmetries in $B^0 \rightarrow (c\bar{c}) K^{(*)0}$ decays,” Phys. Rev. Lett. **94**, 161803 (2005) [arXiv:hep-ex/0408127].
317. B. Aubert *et al.* [BABAR Collaboration], “Search for the radiative penguin decays $B^+ \rightarrow \rho^+ \gamma$, $B^0 \rightarrow \rho^0 \gamma$, and $B^0 \rightarrow \omega \gamma$,” Phys. Rev. Lett. **94**, 011801 (2005) [arXiv:hep-ex/0408034].
318. B. Aubert *et al.* [BABAR Collaboration], “Search for the rare leptonic decay $B^- \rightarrow \tau^- \bar{\nu}_\tau$,” Phys. Rev. Lett. **95**, 041804 (2005) [arXiv:hep-ex/0407038].
319. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the branching fraction and CP-violation asymmetries in $B^0 \rightarrow f^0(980) K_S^0$,” Phys. Rev. Lett. **94**, 041802 (2005) [arXiv:hep-ex/0406040].
320. B. Aubert *et al.* [BABAR Collaboration], “Study of the $B \rightarrow J/\psi K^- \pi^+ \pi^-$ decay and measurement of the $B \rightarrow X(3872) K^-$ branching fraction,” Phys. Rev. D **71**, 071103 (2005) [arXiv:hep-ex/0406022].
321. B. Aubert *et al.* [BABAR Collaboration], “A measurement of the total width, the electronic width, and the mass of the $\Upsilon(10580)$ resonance,” Phys. Rev. D **72**, 032005 (2005) [arXiv:hep-ex/0405025].
322. B. Aubert *et al.* [BABAR Collaboration], “Search for the W-exchange decays $B^0 \rightarrow D_s^{*-} D_s^{*+}$,” Phys. Rev. D **72**, 111101 (2005) [arXiv:hep-ex/0510051].
323. M. Tzanov *et al.* [NuTeV Collaboration], “NuTeV structure function measurement,” Int. J. Mod. Phys. A **20**, 3759 (2005).
324. J. E. Brau, O. Igonkina, C. T. Potter and N. B. Sinev, “Investigation of radiation damage effects in neutron irradiated CCD,” Nucl. Instrum. Meth. A **549**, 117 (2005).
325. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching ratios $\Gamma(D_s^{*+} \rightarrow D_s^+ \pi^0)/\Gamma(D_s^{*+} \rightarrow D_s^+ \gamma)$ and $\Gamma(D^{*0} \rightarrow D^0 \pi^0)/\Gamma(D^{*0} \rightarrow D^0 \gamma)$,” Phys. Rev. D **72**, 091101 (2005) [arXiv:hep-ex/0508039].
326. B. Abbott *et al.* [LIGO Scientific Collaboration], “First all-sky upper limits from LIGO on the strength of periodic gravitational waves using the Hough transform,” Phys. Rev. D **72**, 102004 (2005) [arXiv:gr-qc/0508065v1].
327. B. Aubert *et al.* [BABAR Collaboration], “Search for decays of $B^0 \rightarrow e^+ e^-$, $B^0 \rightarrow \mu^+ \mu^-$, $B^0 \rightarrow e^\pm \mu^\mp$,” Phys. Rev. Lett. **94**, 221803 (2005).
328. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the $B \rightarrow X/s$ gamma branching fraction and photon spectrum from a sum of exclusive final states,” Phys. Rev. D **72**, 052004 (2005) [arXiv:hep-ex/0508004].
329. B. Aubert *et al.* [BABAR Collaboration], “A study of $b \rightarrow c$ and $b \rightarrow u$ interference in the decay $B^- \rightarrow (K^+ \pi^-) D K^{*-}$,” Phys. Rev. D **72**, 071104 (2005) [arXiv:hep-ex/0508001].
330. B. Abbott *et al.* [TAMA Collaboration], “Upper limits from the LIGO and TAMA detectors on the rate of gravitational-wave bursts,” Phys. Rev. D **72**, 122004 (2005) [arXiv:gr-qc/0507081].
331. B. Abbott *et al.* [LIGO Collaboration], “Upper limits on a stochastic background of gravitational waves,” Phys. Rev. Lett. **95**, 221101 (2005) [arXiv:astro-ph/0507254].
332. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the time-dependent CP-violating asymmetry in $B^0 \rightarrow K_S^0 \pi^0 \gamma$ decays,” Phys. Rev. D **72**, 051103 (2005) [arXiv:hep-ex/0507038].
333. B. Aubert *et al.* [BABAR Collaboration], “Dalitz plot analysis of $D^0 \rightarrow \bar{K}^0 K^+ K^-$,” Phys. Rev. D **72**, 052008 (2005) [arXiv:hep-ex/0507026].
334. B. Aubert *et al.* [BABAR Collaboration], “An amplitude analysis of the decay $B^\pm \rightarrow \pi^\pm \pi^\pm \pi^\mp$,” Phys. Rev. D **72**, 052002 (2005) [arXiv:hep-ex/0507025].

335. B. Aubert *et al.* [BABAR Collaboration], “Evidence for $B^+ \rightarrow \bar{K}^0 K^+$ and $B^0 \rightarrow K^0 \bar{K}^0$, and measurement of the branching fraction and search for direct CP violation in $B^+ \rightarrow K^0 \pi^+$,” Phys. Rev. Lett. **95**, 221801 (2005) [arXiv:hep-ex/0507023].
336. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B^+ \rightarrow p\bar{p}K^+$ branching fraction and study of the decay dynamics,” Phys. Rev. D **72**, 051101 (2005) [arXiv:hep-ex/0507012].
337. B. Aubert *et al.* [BABAR Collaboration], “A precision measurement of the Λ_c^+ baryon mass,” Phys. Rev. D **72**, 052006 (2005) [arXiv:hep-ex/0507009].
338. B. Aubert *et al.* [BABAR Collaboration], “Dalitz-plot analysis of the decays $B^\pm \rightarrow K^\pm \pi^\mp \pi^\pm$,” Phys. Rev. D **72**, 072003 (2005) [arXiv:hep-ex/0507004].
339. B. Aubert *et al.* [BABAR Collaboration], “Study of $B \rightarrow \pi l \nu$ and $B \rightarrow \rho l \nu$ decays and determination of $|V_{ub}|$,” Phys. Rev. D **72**, 051102 (2005) [arXiv:hep-ex/0507003].
340. B. Aubert *et al.* [BABAR Collaboration], “Measurement of CP observables for the decays $B^\pm \rightarrow D^0(\text{CP}) K^{*\pm}$,” Phys. Rev. D **72**, 071103 (2005) [arXiv:hep-ex/0507002].
341. B. Aubert *et al.* [BABAR Collaboration], “Measurement of time-dependent CP asymmetries and the CP-odd fraction in the decay $B^0 \rightarrow D^{*+} D^{*-}$,” Phys. Rev. Lett. **95**, 151804 (2005) [arXiv:hep-ex/0506082].
342. B. Aubert *et al.* [BABAR Collaboration], “Observation of a broad structure in the $\pi^+ \pi^- J/\psi$ mass spectrum around 4.26-GeV/ c^2 ,” Phys. Rev. Lett. **95**, 142001 (2005) [arXiv:hep-ex/0506081].
343. B. Aubert *et al.* [BABAR Collaboration], “Search for the rare decay $\bar{B}^0 \rightarrow D^{*0} \gamma$,” Phys. Rev. D **72**, 051106 (2005) [arXiv:hep-ex/0506070].
344. B. Aubert *et al.* [BABAR Collaboration], “Search for lepton-flavor and lepton-number violation in the decay $\tau \rightarrow \ell^\mp h^\pm h'^-$,” Phys. Rev. Lett. **95**, 191801 (2005) [arXiv:hep-ex/0506066].
345. B. Aubert *et al.* [BABAR Collaboration], “Measurement of double charmonium production in e^+e^- annihilations at $\sqrt{s} = 10.6\text{-GeV}$,” Phys. Rev. D **72**, 031101 (2005) [arXiv:hep-ex/0506062].
346. B. Aubert *et al.* [BABAR Collaboration], “Determination of $|V_{ub}|$ from measurements of the electron and neutrino momenta in inclusive semileptonic B decays,” Phys. Rev. Lett. **95**, 111801 (2005) [Erratum-ibid. **97**, 019903 (2006)] [arXiv:hep-ex/0506036].
347. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $\tau^- \rightarrow 4\pi^- 3\pi^+ (\pi^0) \nu_\tau$,” Phys. Rev. D **72**, 012003 (2005) [arXiv:hep-ex/0506007].
348. B. Aubert *et al.* [BABAR Collaboration], “Search for the rare decays $B^+ \rightarrow D^{(*)+} K_S^0$,” Phys. Rev. D **72**, 011102 (2005) [arXiv:hep-ex/0505099].
349. B. Aubert *et al.* [BABAR Collaboration], “Measurement of time-dependent CP asymmetries in $B^0 \rightarrow D^{*\pm} D^\mp$ decays,” Phys. Rev. Lett. **95**, 131802 (2005) [arXiv:hep-ex/0505092].
350. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction and decay rate asymmetry of $B^- \rightarrow D (\pi^+ \pi^- \pi^0) K^-$,” Phys. Rev. D **72**, 071102 (2005) [arXiv:hep-ex/0505084].
351. B. Abbott *et al.* [LIGO Scientific Collaboration], “Search for gravitational waves from primordial black hole binary coalescences in the galactic halo,” Phys. Rev. D **72**, 082002 (2005) [arXiv:gr-qc/0505042].
352. B. Abbott *et al.* [LIGO Scientific Collaboration], “Search for gravitational waves from galactic and extra-galactic binary neutron stars,” Phys. Rev. D **72**, 082001 (2005) [arXiv:gr-qc/0505041].
353. B. Abbott *et al.* [LIGO Scientific Collaboration], “Upper limits on gravitational wave bursts in LIGO’s second science run,” Phys. Rev. D **72**, 062001 (2005) [arXiv:gr-qc/0505029].

354. B. Aubert *et al.* [BABAR Collaborations], “Study of the $\tau^- \rightarrow 3h^- 2h^+ \nu_\tau$ decay,” Phys. Rev. D **72**, 072001 (2005) [arXiv:hep-ex/0505004].
355. B. Aubert *et al.* [BABAR Collaboration], “Search for $b \rightarrow u$ transitions in $B^- \rightarrow D^0 K^-$ and $B^- \rightarrow D^{*0} K^-$,” Phys. Rev. D **72**, 032004 (2005) [arXiv:hep-ex/0504047].
356. B. Aubert *et al.* [BABAR Collaboration], “Measurement of γ in $B^\mp \rightarrow D^{(*)} K^\mp$ decays with a Dalitz analysis of $D \rightarrow K_S^0 \pi^- \pi^+$,” Phys. Rev. Lett. **95**, 121802 (2005) [arXiv:hep-ex/0504039].
357. B. Aubert *et al.* [BABAR Collaboration], “Measurement of time-dependent CP-violating asymmetries and constraints on $\sin(2\beta+\gamma)$ with partial reconstruction of $B \rightarrow D^{*\mp} \pi^\pm$ decays,” Phys. Rev. D **71**, 112003 (2005) [arXiv:hep-ex/0504035].
358. B. Aubert *et al.* [BABAR Collaboration], “Production and decay of Ξ_c^0 at BABAR,” Phys. Rev. Lett. **95**, 142003 (2005) [arXiv:hep-ex/0504014].
359. B. Aubert *et al.* [BABAR Collaboration], “Evidence for the decay $B^\pm \rightarrow K^{*\pm} \pi^0$,” Phys. Rev. D **71**, 111101 (2005) [arXiv:hep-ex/0504009].
360. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction of $\Upsilon(4S) \rightarrow B^0 \bar{B}^0$,” Phys. Rev. Lett. **95**, 042001 (2005) [arXiv:hep-ex/0504001].
361. B. Aubert *et al.* [BABAR Collaboration], “Improved measurement of the CKM angle α using $B^0 \bar{B}^0 \rightarrow \rho^+ \rho^-$ decays,” Phys. Rev. Lett. **95**, 041805 (2005) [arXiv:hep-ex/0503049].
362. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions and charge asymmetries in B^+ decays to $\eta\pi^+$, ηK^+ , $\eta\rho^+$ and $\eta'\pi^+$, and search for B^0 decays to ηK^0 and $\eta\omega$,” Phys. Rev. Lett. **95**, 131803 (2005) [arXiv:hep-ex/0503035].
363. B. Aubert *et al.* [BABAR Collaboration], “Search for $B \rightarrow J/\psi D$ decays,” Phys. Rev. D **71**, 091103 (2005) [arXiv:hep-ex/0503021].
364. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction and the CP-violating asymmetry for the decay $B^0 \rightarrow K_S^0 \pi^0$,” Phys. Rev. D **71**, 111102 (2005) [arXiv:hep-ex/0503011].
365. K. Abe *et al.* [SLD Collaboration], “Measurement of the branching ratio of the Z^0 into heavy quarks,” Phys. Rev. D **71**, 112004 (2005) [arXiv:hep-ex/0503005].
366. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B^0 \rightarrow D^{*-} D_s^{*+}$ and $D_s^+ \rightarrow \phi\pi^+$ branching fractions,” Phys. Rev. D **71**, 091104 (2005) [arXiv:hep-ex/0502041].
367. B. Aubert *et al.* [BABAR Collaboration], “Search for lepton flavor violation in the decay $\tau \rightarrow \mu\gamma$,” Phys. Rev. Lett. **95**, 041802 (2005) [arXiv:hep-ex/0502032].
368. B. Aubert *et al.* [BABAR Collaboration], “The $e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-$, $K^+ K^- \pi^+\pi^-$, and $K^+ K^- K^+ K^-$ cross sections at center-of-mass energies 0.5-GeV - 4.5-GeV measured with initial-state radiation,” Phys. Rev. D **71**, 052001 (2005) [arXiv:hep-ex/0502025].
369. B. Aubert *et al.* [BABAR Collaboration], “Measurement of CP asymmetries in $B^0 \rightarrow \phi K^0$ and $B^0 \rightarrow K^+ K^- K_S^0$ decays,” Phys. Rev. D **71**, 091102 (2005) [arXiv:hep-ex/0502019].
370. B. Aubert *et al.* [BABAR Collaboration], “Measurements of branching fractions and time-dependent CP-violating asymmetries in $B \rightarrow \eta' K$ decays,” Phys. Rev. Lett. **94**, 191802 (2005) [arXiv:hep-ex/0502017].
371. B. Aubert *et al.* [BABAR Collaboration], “Search for strange-pentaquark production in e^+e^- annihilation at $\sqrt{s} = 10.58$ -GeV,” Phys. Rev. Lett. **95**, 042002 (2005) [arXiv:hep-ex/0502004].
372. B. Aubert *et al.* [BABAR Collaboration], “A search for CP violation and a measurement of the relative branching fraction in $D^+ \rightarrow K^- K^+ \pi^+$ decays,” Phys. Rev. D **71**, 091101 (2005) [arXiv:hep-ex/0501075].
373. B. Aubert *et al.* [BABAR Collaboration], “Improved measurements of CP-violating asymmetry amplitudes in $B^0 \rightarrow \pi^+\pi^-$ decays,” Phys. Rev. Lett. **95**, 151803 (2005) [arXiv:hep-ex/0501071].

374. B. Abbott *et al.* [LIGO Scientific Collaboration], “A search for gravitational waves associated with the gamma ray burst GRB030329 using the LIGO detectors,” *Phys. Rev. D* **72**, 042002 (2005) [arXiv:gr-qc/0501068].
375. B. Aubert *et al.* [BABAR Collaboration], “Search for factorization-suppressed $B \rightarrow \chi_c K^*$ decays,” *Phys. Rev. Lett.* **94**, 171801 (2005) [arXiv:hep-ex/0501061].
376. B. Aubert *et al.* [BABAR Collaboration], “Search for the radiative decay $B \rightarrow \phi\gamma$,” *Phys. Rev. D* **72**, 091103 (2005) [arXiv:hep-ex/0501038].
377. J. E. Brau, “R&D for Future Detectors,” *Int. J. Mod. Phys. A* **20**, 5276 (2005).
378. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $\overline{B}^0 \rightarrow D^{*+} \ell^- \overline{\nu}_\ell$ decay rate and $|V_{cb}|$,” *Phys. Rev. D* **71**, 051502 (2005) [arXiv:hep-ex/0408027].
379. J. E. Brau, “Concluding Remarks,” SNOWMASS-2005-PLEN0048, Proceedings of the 2005 International Linear Collider Physics and Detector Workshop and 2nd ILC Accelerator Workshop, Snowmass, Colorado, 14-27 Aug 2005.
380. J. E. Brau, T. Omori and R. Settles, “Arguments for Two Complementary Detectors at the ILC,” SNOWMASS-2005-PLEN0059, Proceedings of the 2005 International Linear Collider Physics and Detector Workshop and 2nd ILC Accelerator Workshop, Snowmass, Colorado, 14-27 Aug 2005.
381. J. Brau *et al.*, “Monolithic CMOS Pixel Detectors for ILC Vertex Detection,” SNOWMASS-2005-ALCPG1425, Proceedings of the 2005 International Linear Collider Physics and Detector Workshop and 2nd ILC Accelerator Workshop, Snowmass, Colorado, 14-27 Aug 2005.
382. B. Aubert *et al.* [BABAR Collaboration], “Observation of e^+e^- annihilations into the $C = +1$ hadronic final states $\rho^0\rho^0$ and $\phi\rho^0$,” *Phys. Rev. Lett.* **97**, 112002 (2006) [arXiv:hep-ex/0606054].
383. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $B^0 \rightarrow K_S^0 K_S^0 K_L^0$,” *Phys. Rev. D* **74**, 032005 (2006) [arXiv:hep-ex/0606031].
384. B. Aubert *et al.* [BABAR Collaboration], “Search for doubly charmed baryons Ξ_{cc}^+ and Ξ_{cc}^{++} in BABAR,” *Phys. Rev. D* **74**, 011103 (2006) [arXiv:hep-ex/0605075].
385. B. Aubert *et al.* [BABAR Collaboration], “Search for $B^+ \rightarrow \phi\pi^+$ and $B^0 \rightarrow \phi\pi^0$ decays,” *Phys. Rev. D* **74**, 011102 (2006) [arXiv:hep-ex/0605037].
386. B. Aubert *et al.* [BABAR Collaboration], “Study of $B \rightarrow D^{(*)} D_{s(J)}^{(*)}$ decays and measurement of D_s^- and $D_{sJ}^+(2460)$ branching fractions,” *Phys. Rev. D* **74**, 031103 (2006) [arXiv:hep-ex/0605036].
387. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $B^0 \rightarrow a_1^\pm \rho^\mp$,” *Phys. Rev. D* **74**, 031104 (2006) [arXiv:hep-ex/0605024].
388. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the η and η' transition form factors at $q^{*2} = 112\text{-GeV}^{*2}$,” *Phys. Rev. D* **74**, 012002 (2006) [arXiv:hep-ex/0605018].
389. B. Aubert *et al.* [BABAR Collaboration], “B meson decays to ωK^* , $\omega\rho$, $\omega\omega$, $\omega\phi$, and ωf_0 ,” *Phys. Rev. D* **74**, 051102 (2006) [arXiv:hep-ex/0605017].
390. B. Aubert *et al.* [BABAR Collaboration], “Search for B meson decays to $\eta' \eta' K$,” *Phys. Rev. D* **74**, 031105 (2006) [arXiv:hep-ex/0605008].
391. B. Aubert *et al.* [BABAR Collaboration], “Dalitz plot analysis of the decay $B^\pm \rightarrow K^\pm K^\pm K^\mp$,” *Phys. Rev. D* **74**, 032003 (2006) [arXiv:hep-ex/0605003].
392. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions and CP-violating charge asymmetries for B meson decays to $D^{(*)} \overline{D}^{(*)}$, and implications for the CKM angle γ ,” *Phys. Rev. D* **73**, 112004 (2006) [arXiv:hep-ex/0604037].

393. B. Aubert *et al.* [BABAR Collaboration], “Observation of $\Upsilon(4S)$ decays to $\pi^+\pi^-\Upsilon(1S)$ and $\pi^+\pi^-\Upsilon(2S)$,” Phys. Rev. Lett. **96**, 232001 (2006) [arXiv:hep-ex/0604031].
394. B. Aubert *et al.* [BABAR Collaboration], “A study of the $D_{sJ}^{*+}(2317)$ and $D_{sJ}^+(2460)$ mesons in inclusive $c\bar{c}$ production near $\sqrt{s} = 10.6$ GeV,” Phys. Rev. D **74**, 032007 (2006) [arXiv:hep-ex/0604030].
395. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B^- \rightarrow D^0 K^{*-}$ branching fraction,” Phys. Rev. D **73**, 111104 (2006) [arXiv:hep-ex/0604017].
396. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $\bar{B}^0 \rightarrow D^{(*)0} \bar{K}^{(*)0}$ branching fractions,” Phys. Rev. D **74**, 031101 (2006) [arXiv:hep-ex/0604016].
397. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $\tau^- \rightarrow 3\pi^- 2\pi^+ 2\pi^0 \nu_\tau$,” Phys. Rev. D **73**, 112003 (2006) [arXiv:hep-ex/0604014].
398. B. Aubert *et al.* [BABAR Collaboration], “Study of the decay $\bar{B}^0 \rightarrow D^{*+} \omega \pi^-$,” Phys. Rev. D **74**, 012001 (2006) [arXiv:hep-ex/0604009].
399. B. Aubert *et al.* [BABAR Collaboration], “Measurements of branching fractions, rate asymmetries, and angular distributions in the rare decays $B \rightarrow K \ell^+ \ell^-$ and $B \rightarrow K^* \ell^+ \ell^-$,” Phys. Rev. D **73**, 092001 (2006) [arXiv:hep-ex/0604007].
400. B. Aubert *et al.* [BABAR Collaboration], “Search for the charmed pentaquark candidate $\Theta_c(3100)^0$ in e^+e^- annihilations at $\sqrt{s} = 10.58$ GeV,” Phys. Rev. D **73**, 091101 (2006) [arXiv:hep-ex/0604006].
401. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions in radiative B decays to $\eta K \gamma$ and search for B decays to $\eta' K \gamma$,” Phys. Rev. D **74**, 031102 (2006) [arXiv:hep-ex/0603054].
402. B. Aubert *et al.* [BABAR Collaboration], “Search for T, CP and CPT violation in $B^0 \bar{B}^0$ mixing with inclusive dilepton events,” Phys. Rev. Lett. **96**, 251802 (2006) [arXiv:hep-ex/0603053].
403. B. Aubert *et al.* [BABAR Collaboration], “Observation of B^0 meson decay to $a_1(1260)^\pm \pi^\mp$,” Phys. Rev. Lett. **97**, 051802 (2006) [arXiv:hep-ex/0603050].
404. B. Aubert *et al.* [BABAR Collaboration], “Measurements of CP-violating asymmetries and branching fractions in B decays to ωK and $\omega \pi$,” Phys. Rev. D **74**, 011106 (2006) [arXiv:hep-ex/0603040].
405. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction limits for B^0 decays to $\eta' \eta$, $\eta' \pi^0$ and $\eta \pi^0$,” Phys. Rev. D **73**, 071102 (2006) [arXiv:hep-ex/0603013].
406. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the branching fraction and time-dependent CP asymmetries of $B^0 \rightarrow J/\psi \pi^0$ decays,” Phys. Rev. D **74**, 011101 (2006) [arXiv:hep-ex/0603012].
407. B. Aubert *et al.* [BABAR Collaboration], “Measurement of time-dependent CP asymmetries in $B^0 \rightarrow D^{(*)\pm} \pi^\pm$ and $B^0 \rightarrow D^\pm \rho^\pm$ decays,” Phys. Rev. D **73**, 111101 (2006) [arXiv:hep-ex/0602049].
408. B. Aubert *et al.* [BABAR Collaboration], “The $e^+e^- \rightarrow 3(\pi^+\pi^-)$, $2(\pi^+\pi^-\pi^0)$ and $K^+K^-2(\pi^+\pi^-)$ cross sections at center-of-mass energies from production threshold to 4.5-GeV measured with initial-state radiation,” Phys. Rev. D **73**, 052003 (2006) [arXiv:hep-ex/0602006].
409. B. Aubert *et al.* [BABAR Collaboration], “Determinations of $|V_{ub}|$ from inclusive semileptonic B decays with reduced model dependence,” Phys. Rev. Lett. **96**, 221801 (2006) [arXiv:hep-ex/0601046].
410. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the branching fractions and CP-asymmetries of $B^- \rightarrow D^0(CP)K^-$ decays,” Phys. Rev. D **73**, 051105 (2006) [arXiv:hep-ex/0512067].

411. B. Aubert *et al.* [BABAR Collaboration], “Search for the rare decays $B^0 \rightarrow D_s^* + a_0(2)^-$,” Phys. Rev. D **73**, 071103 (2006) [arXiv:hep-ex/0512031].
412. B. Aubert *et al.* [BABAR Collaboration], “Search for rare quark-annihilation decays, $B^- \rightarrow D_s^* \phi$,” Phys. Rev. D **73**, 011103 (2006) [arXiv:hep-ex/0512028].
413. B. Abbott *et al.* [LIGO Collaboration], “Joint LIGO and TAMA300 search for gravitational waves from inspiralling neutron star binaries,” Phys. Rev. D **73**, 102002 (2006) [arXiv:gr-qc/0512078].
414. B. Aubert *et al.* [BABAR Collaboration], “A study of $e^+e^- \rightarrow p\bar{p}$ using initial state radiation with BABAR,” Phys. Rev. D **73**, 012005 (2006) [arXiv:hep-ex/0512023].
415. B. Abbott *et al.* [LIGO Scientific Collaboration], “Search for gravitational wave bursts in LIGO’s third science run,” Class. Quant. Grav. **23**, S29 (2006) [arXiv:gr-qc/0511146].
416. B. Aubert *et al.* [BABAR Collaboration], “A search for the rare decay $B^0 \rightarrow \tau^+\tau^-$ at BABAR,” Phys. Rev. Lett. **96**, 241802 (2006) [arXiv:hep-ex/0511015].
417. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the absolute branching fractions of $B^\pm \rightarrow K^\pm X/(c\bar{c})$,” Phys. Rev. Lett. **96**, 052002 (2006) [arXiv:hep-ex/0510070].
418. B. Abbott *et al.* [LIGO Scientific Collaboration], “Search for gravitational waves from binary black hole inspirals in LIGO data,” Phys. Rev. D **73**, 062001 (2006) [arXiv:gr-qc/0509129].
419. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the inclusive electron spectrum in charmless semileptonic B decays near the kinematic endpoint and determination of $|V_{ub}|$,” Phys. Rev. D **73**, 012006 (2006) [arXiv:hep-ex/0509040].
420. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions and resonance contributions for $B^0 \rightarrow \bar{D}^0 K^+ \pi^-$ and search for $B^0 \rightarrow D^0 K^+ \pi^-$ decays,” Phys. Rev. Lett. **96**, 011803 (2006) [arXiv:hep-ex/0509036].
421. M. Tzanov *et al.* [NuTeV Collaboration], “Precise measurement of neutrino and anti-neutrino differential cross sections,” Phys. Rev. D **74**, 012008 (2006) [arXiv:hep-ex/0509010].
422. B. Aubert *et al.* [BABAR Collaboration], “Measurements of neutral B decay branching fractions to $K_S^0 \pi^+ \pi^-$ final states and the charge asymmetry of $B^0 \rightarrow K^{*+} \pi^-$,” Phys. Rev. D **73**, 031101 (2006) [arXiv:hep-ex/0508013].
423. B. Aubert *et al.* [BABAR Collaboration], “Search for lepton flavor violation in the decay $\tau^\pm \rightarrow e^\pm \gamma$,” Phys. Rev. Lett. **96**, 041801 (2006) [arXiv:hep-ex/0508012].
424. B. Aubert *et al.* [BABAR Collaboration], “Study of $J/\psi \pi^+ \pi^-$ states produced in $B^0 \rightarrow J/\psi \pi^+ \pi^- K^0$ and $B^- \rightarrow J/\psi \pi^+ \pi^- K^-$,” Phys. Rev. D **73**, 011101 (2006) [arXiv:hep-ex/0507090].
425. B. Aubert *et al.* [BABAR Collaboration], “A search for the decay $B^+ \rightarrow \tau^+ \nu_\tau$,” Phys. Rev. D **73**, 057101 (2006) [arXiv:hep-ex/0507069].
426. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the \bar{B}^0 lifetime and the $B^0 \bar{B}^0$ oscillation frequency using partially reconstructed $\bar{B}^0 \rightarrow D^{*+} \ell^- \bar{\nu}_\ell$ decays,” Phys. Rev. D **73**, 012004 (2006) [arXiv:hep-ex/0507054].
427. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the $B \rightarrow D^*$ form factors using the decay $\bar{B}^0 \rightarrow D^{*+} e^- \bar{\nu}_e$,” Phys. Rev. D **74**, 092004 (2006) [arXiv:hep-ex/0602023].
428. J. Brau, “The Science and Challenges for Future Detector Development in High Energy Physics,” Proceedings of International Symposium on Detector Development for Particle, Astroparticle and Synchrotron Radiation Experiments (SNIC 2006), Menlo Park, California, 3-6 Apr 2006, pp 0001.
429. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $D^+ \rightarrow \pi^+ \pi^0$ and $D^+ \rightarrow K^+ \pi^0$ branching fractions,” Phys. Rev. D **74**, 011107 (2006) [arXiv:hep-ex/0605044].
430. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the spin of the Omega- hyperon at BABAR,” Phys. Rev. Lett. **97**, 112001 (2006) [arXiv:hep-ex/0606039].

431. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay of a B^0 or \bar{B}^0 meson to $K^{*0}K^0$ or $K^{*0}\bar{K}^0$,” Phys. Rev. D **74**, 072008 (2006) [arXiv:hep-ex/0606050].
432. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the decays $B^0 \rightarrow \bar{D}^0 p\bar{p}$, $B^0 \rightarrow \bar{D}^{*0}p$, $B^0 \rightarrow D^- p\bar{p}\pi^+$, and $B^0 \rightarrow D^{*-} p\bar{p}\pi^+$,” Phys. Rev. D **74**, 051101 (2006) [arXiv:hep-ex/0607039].
433. B. Aubert *et al.* [BABAR Collaboration], “Search for $B^+ \rightarrow X(3872)K^+$, $X(3872) \rightarrow J/\psi\gamma$,” Phys. Rev. D **74**, 071101 (2006) [arXiv:hep-ex/0607050].
434. B. Aubert *et al.* [BABAR Collaboration], “Measurements of branching fractions, polarizations, and direct CP-violation asymmetries in $B \rightarrow \rho K^*$ and $B \rightarrow f^0(980)K^*$ decays,” Phys. Rev. Lett. **97**, 201801 (2006) [arXiv:hep-ex/0607057].
435. B. Aubert *et al.* [BABAR Collaboration], “Searches for B^0 decays to ηK^0 , $\eta\eta$, $\eta'\eta'$, $\eta\phi$, and $\eta'\phi$,” Phys. Rev. D **74**, 051106 (2006) [arXiv:hep-ex/0607063].
436. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction and photon energy moments of $B \rightarrow X/s\gamma$ and $A(\text{CP})(B \rightarrow X(\text{s+d})\gamma)$,” Phys. Rev. Lett. **97**, 171803 (2006) [arXiv:hep-ex/0607071].
437. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B \rightarrow \pi\ell\nu$ branching fraction and determination of $|V(ub)|$ with tagged B mesons,” Phys. Rev. Lett. **97**, 211801 (2006) [arXiv:hep-ex/0607089].
438. B. Aubert *et al.* [BABAR Collaboration], “Measurements of branching fraction, polarization, and charge asymmetry of $B^\pm \rightarrow \rho^\pm\rho^0$ and a search for $B^\pm \rightarrow \rho^\pm f^0(980)$,” Phys. Rev. Lett. **97**, 261801 (2006) [arXiv:hep-ex/0607092].
439. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the ratio $B(B^+ \rightarrow X\ell\nu)/B(B^0 \rightarrow X\ell\nu)$,” Phys. Rev. D **74**, 091105 (2006) [arXiv:hep-ex/0607111].
440. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction measurements of charged B decays to $K^{*+}K^+K^-$, $K^{*+}\pi^+K^-$, $K^{*+}K^+\pi^-$ and $K^{*+}\pi^+\pi^-$ final states,” Phys. Rev. D **74**, 051104 (2006) [arXiv:hep-ex/0607113].
441. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions and charge asymmetries in B decays to an η meson and a K^* meson,” Phys. Rev. Lett. **97**, 201802 (2006) [arXiv:hep-ex/0608005].
442. B. Aubert *et al.* [BABAR Collaboration], “Search for $D^0\bar{D}^0$ mixing and branching-ratio measurement in the decay $D^0 \rightarrow K^+\pi^-\pi^0$,” Phys. Rev. Lett. **97**, 221803 (2006) [arXiv:hep-ex/0608006].
443. B. Aubert *et al.* [BABAR Collaboration], “Precise branching ratio measurements of the decays $D^0 \rightarrow \pi^-\pi^+\pi^0$ and $D^0 \rightarrow K^-K^+\pi^0$,” Phys. Rev. D **74**, 091102 (2006) [arXiv:hep-ex/0608009].
444. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction and time-dependent CP asymmetry in the decay $B^0 \rightarrow D^{*+}D^{*-}K_S^0$,” Phys. Rev. D **74**, 091101 (2006) [arXiv:hep-ex/0608016].
445. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B^+ \rightarrow \bar{K}^0K^+$ and $B^0 \rightarrow K^0\bar{K}^0$,” Phys. Rev. Lett. **97**, 171805 (2006) [arXiv:hep-ex/0608036].
446. B. Aubert *et al.* [BABAR Collaboration], “Observation of an excited charm baryon Ω_c^* decaying to $\Omega_c^0\gamma$,” Phys. Rev. Lett. **97**, 232001 (2006) [arXiv:hep-ex/0608055].
447. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B^+ \rightarrow \phi\phi K^+$ and evidence for $B^0 \rightarrow \phi\phi K^0$ below η_c threshold,” Phys. Rev. Lett. **97**, 261803 (2006) [arXiv:hep-ex/0609027].
448. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the absolute branching fractions $B \rightarrow D\pi$, $D^*\pi$, $D^{**}\pi$ with a missing mass method,” Phys. Rev. D **74**, 111102 (2006) [arXiv:hep-ex/0609033].

449. B. Aubert *et al.* [BABAR Collaboration], “A structure at 2175-MeV in $e^+e^- \rightarrow \phi f^0(980)$ observed via initial-state radiation,” *Phys. Rev. D* **74**, 091103 (2006) [arXiv:hep-ex/0610018].
450. B. Aubert *et al.* [BABAR Collaboration], “Observation of the exclusive reaction $e^+e^- \rightarrow \phi\eta$ at $s^{1/2} = 10.58$ -GeV,” *Phys. Rev. D* **74**, 111103 (2006) [arXiv:hep-ex/0611028].
451. B. Aubert *et al.* [BABAR Collaboration], “Measurements of Λ_c^+ branching fractions of Cabibbo-suppressed decay modes involving Λ and Σ^0 ,” *Phys. Rev. D* **75**, 052002 (2007) [arXiv:hep-ex/0601017].
452. B. Aubert *et al.* [BABAR Collaboration], “Observation of a charmed baryon decaying to $D^0 p$ at a mass near 2.94 -GeV/ c^2 ,” *Phys. Rev. Lett.* **98**, 012001 (2007) [arXiv:hep-ex/0603052].
453. B. Aubert *et al.* [BABAR Collaboration], “Observation of decays $B^0 \rightarrow D_s^{*+}\pi^-$ and $B^0 \rightarrow D_s^{*-}K^+$,” *Phys. Rev. Lett.* **98**, 081801 (2007) [arXiv:hep-ex/0604012].
454. B. Abbott *et al.* [LIGO Scientific Collaboration], “Coherent searches for periodic gravitational waves from unknown isolated sources and Scorpius X-1: Results from the second LIGO science run,” *Phys. Rev. D* **76**, 082001 (2007) [arXiv:gr-qc/0605028].
455. B. Aubert *et al.* [BABAR Collaboration], “Study of inclusive B^- and \bar{B}^0 decays to flavor-tagged D , D_s and Λ_c^+ ,” *Phys. Rev. D* **75**, 072002 (2007) [arXiv:hep-ex/0606026].
456. B. Aubert *et al.* [BABAR Collaboration], “Search for the reactions $e^+e^- \rightarrow \mu^+\tau^-$ and $e^+e^- \rightarrow e^+\tau^-$,” *Phys. Rev. D* **75**, 031103 (2007) [arXiv:hep-ex/0607044].
457. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the pseudoscalar decay constant $f(D/s)$ using charm-tagged events in e^+e^- collisions at $s^{1/2} = 10.58$ -GeV,” *Phys. Rev. Lett.* **98**, 141801 (2007) [arXiv:hep-ex/0607094].
458. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B \rightarrow \eta'K^*$ and evidence for $B^+ \rightarrow \eta'\rho^+$,” *Phys. Rev. Lett.* **98**, 051802 (2007) [arXiv:hep-ex/0607109].
459. B. Aubert *et al.* [BABAR Collaboration], “Improved Measurements of the Branching Fractions for $B^0 \rightarrow \pi^+\pi^-$ and $B^0 \rightarrow K^+\pi^-$, and a Search for $B^0 \rightarrow K^+K^-$,” *Phys. Rev. D* **75**, 012008 (2007) [arXiv:hep-ex/0608003].
460. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the CP asymmetry and branching fraction of $B^0 \rightarrow \rho^0 K^0$,” *Phys. Rev. Lett.* **98**, 051803 (2007) [arXiv:hep-ex/0608051].
461. B. Abbott *et al.* [LIGO Collaboration], “Searching for a stochastic background of gravitational waves with LIGO,” *Astrophys. J.* **659**, 918 (2007) [arXiv:astro-ph/0608606].
462. B. Aubert *et al.* [BABAR Collaboration], “Inclusive Λ_b/c production in e^+e^- annihilations at $s^{1/2} = 10.54$ -GeV and in $\Upsilon(4S)$ decays,” *Phys. Rev. D* **75**, 012003 (2007) [arXiv:hep-ex/0609004].
463. B. Aubert *et al.* [BABAR Collaboration], “Observation of CP violation in $B^0 \rightarrow \eta'K^0$ decays,” *Phys. Rev. Lett.* **98**, 031801 (2007) [arXiv:hep-ex/0609052].
464. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction measurement of $\bar{B}^0 \rightarrow D^{(*)+}\pi^-$, $B^- \rightarrow D^{(*)0}\pi^-$ and isospin analysis of $\bar{B} \rightarrow D^{(*)}\pi$ decays,” *Phys. Rev. D* **75**, 031101 (2007) [arXiv:hep-ex/0610027].
465. B. Aubert *et al.* [BABAR Collaboration], “Search for lepton flavor violating decays $\tau^\pm \rightarrow \ell^\pm\pi^0, \ell^\pm\eta, \ell^\pm\eta'$,” *Phys. Rev. Lett.* **98**, 061803 (2007) [arXiv:hep-ex/0610067].
466. B. Aubert *et al.* [BABAR Collaboration], “Vector - tensor and vector - vector decay amplitude analysis of $B^0 \rightarrow \phi K^{*0}$,” *Phys. Rev. Lett.* **98**, 051801 (2007) [arXiv:hep-ex/0610073].
467. B. Aubert *et al.* [BABAR Collaboration], “Evidence for the rare decay $B^+ \rightarrow D_s^+\pi^0$,” *Phys. Rev. Lett.* **98**, 171801 (2007) [arXiv:hep-ex/0611030].
468. B. Aubert *et al.* [BABAR Collaboration], “Measurement of B decays to $\phi K\gamma$,” *Phys. Rev. D* **75**, 051102 (2007) [arXiv:hep-ex/0611037].

469. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction measurements of $B^+ \rightarrow \rho^+\gamma$, $B^0 \rightarrow \rho^0\gamma$, and $B^0 \rightarrow \omega\gamma$,” Phys. Rev. Lett. **98**, 151802 (2007) [arXiv:hep-ex/0612017].
470. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B^0 \rightarrow \pi^-\ell^+\nu$ form-factor shape and branching fraction, and determination of $|V(ub)|$ with a loose neutrino reconstruction technique,” Phys. Rev. Lett. **98**, 091801 (2007) [arXiv:hep-ex/0612020].
471. B. Aubert *et al.* [BABAR Collaboration], “Evidence for $B^0 \rightarrow \rho^0\rho^0$ decay and implications for the CKM angle alpha,” Phys. Rev. Lett. **98**, 111801 (2007) [arXiv:hep-ex/0612021].
472. B. Aubert *et al.* [BABAR Collaboration], “Measurements of CP-violating asymmetries in $B^0 \rightarrow a_1(1260)^\pm\pi^\mp$ decays,” Phys. Rev. Lett. **98**, 181803 (2007) [arXiv:hep-ex/0612050].
473. J. E. Brau, R. E. Frey, D. M. Strom, M. Breidenbach and C. Baltay, “Silicon detectors at the ILC,” Nucl. Instrum. Meth. A **579**, 567 (2007).
474. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the hadronic form-factor in $D^0 \rightarrow K^-e^+\nu_e$ decays,” Phys. Rev. D **76**, 052005 (2007) [arXiv:0704.0020 [hep-ex]].
475. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B^\pm \rightarrow \rho^\pm\pi^0$ branching fraction and direct CP asymmetry,” Phys. Rev. D **75**, 091103 (2007) [arXiv:hep-ex/0701035].
476. B. Aubert *et al.* [BABAR Collaboration], “Measurement of CP asymmetry in $B^0 \rightarrow K^0(S)\pi^0\pi^0$ decays,” Phys. Rev. D **76**, 071101 (2007) [arXiv:hep-ex/0702010].
477. B. Abbott *et al.* [LIGO Scientific Collaboration], “Upper limits on gravitational wave emission from 78 radio pulsars,” Phys. Rev. D **76**, 042001 (2007) [arXiv:gr-qc/0702039].
478. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B^+ \rightarrow \rho^+K^0$ and measurement of its branching fraction and charge asymmetry,” Phys. Rev. D **76**, 011103 (2007) [arXiv:hep-ex/0702043].
479. B. Aubert *et al.* [BABAR Collaboration], “Measurement of CP Asymmetries in $B^0 \rightarrow K_S^0K_S^0K_S^0$ Decays,” Phys. Rev. D **76**, 091101 (2007) [arXiv:hep-ex/0702046].
480. B. Aubert *et al.* [BABAR Collaboration], “Measurement of CP-violating asymmetries in $B^0 \rightarrow (\rho\pi)^0$ using a time-dependent Dalitz plot analysis,” Phys. Rev. D **76**, 012004 (2007) [arXiv:hep-ex/0703008].
481. B. Aubert *et al.* [BABAR Collaboration], “Observation of CP violation in $B^0 \rightarrow K^+\pi^-$ and $B^0 \rightarrow \pi^+\pi^-$,” Phys. Rev. Lett. **99**, 021603 (2007) [arXiv:hep-ex/0703016].
482. B. Aubert *et al.* [BABAR Collaboration], “Search for the rare decay B to $\pi\ell^+\ell^-$,” Phys. Rev. Lett. **99**, 051801 (2007) [arXiv:hep-ex/0703018].
483. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the time-dependent CP asymmetry in $B^0 \rightarrow D^{(*)0}(CP)h^0$ decays,” Phys. Rev. Lett. **99**, 081801 (2007) [arXiv:hep-ex/0703019].
484. B. Abbott *et al.* [LIGO Scientific Collaboration], “Upper limit map of a background of gravitational waves,” Phys. Rev. D **76**, 082003 (2007) [arXiv:astro-ph/0703234].
485. B. Abbott *et al.* [ALLEGRO Collaboration], “First cross-correlation analysis of interferometric and resonant-bar gravitational-wave data for stochastic backgrounds,” Phys. Rev. D **76**, 022001 (2007) [arXiv:gr-qc/0703068].
486. B. Aubert *et al.* [BABAR Collaboration], “Evidence for $D^0 - \bar{D}^0$ mixing,” Phys. Rev. Lett. **98**, 211802 (2007) [arXiv:hep-ex/0703020].
487. B. Abbott *et al.* [LIGO Scientific Collaboration], “Search for gravitational wave radiation associated with the pulsating tail of the SGR 1806-20 hyperflare of 27 December 2004 using LIGO,” Phys. Rev. D **76**, 062003 (2007) [arXiv:astro-ph/0703419].
488. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the relative branching fractions of $B \rightarrow D / D^* / D^{**} \ell^-\bar{\nu}_\ell$ decays in events with a fully reconstructed B meson,” Phys. Rev. D **76**, 051101 (2007) [arXiv:hep-ex/0703027].

489. B. Aubert *et al.* [BABAR Collaboration], “Production and decay of Ω_c^0 ,” Phys. Rev. Lett. **99**, 062001 (2007) [arXiv:hep-ex/0703030].
490. B. Aubert *et al.* [BABAR Collaboration], “Search for neutral B-meson decays to $a_0\pi$, a_0K , $\eta\rho^0$, and ηf^0 ,” Phys. Rev. D **75**, 111102 (2007) [arXiv:hep-ex/0703038].
491. B. Aubert *et al.* [BABAR Collaboration], “The $e^+e^- \rightarrow K^+K^-\pi^+\pi^-$, $K^+K^-\pi^0\pi^0$ and $K^+K^-K^+K^-$ Cross Sections Measured with Initial-State Radiation,” Phys. Rev. D **76**, 012008 (2007) [arXiv:0704.0630 [hep-ex]].
492. B. Aubert *et al.* [BABAR Collaboration], “Measurement of decay amplitudes of $B \rightarrow J/\psi K^*$, $\psi(2S) K^*$, and $\chi(c1) K^*$ with an angular analysis,” Phys. Rev. D **76**, 031102 (2007) [arXiv:0704.0522 [hep-ex]].
493. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction and charge asymmetry measurements in $B \rightarrow J/\psi\pi\pi$ decays,” Phys. Rev. D **76**, 031101 (2007) [arXiv:0704.1266 [hep-ex]].
494. B. Aubert *et al.* [BABAR Collaboration], “Amplitude Analysis of the decay $D^0 \rightarrow K^-K^+\pi^0$,” Phys. Rev. D **76**, 011102 (2007) [arXiv:0704.3593 [hep-ex]].
495. B. Aubert *et al.* [BABAR Collaboration], “Evidence of a broad structure at an invariant mass of 4.32-GeV/c² in the reaction $e^+e^- \rightarrow \pi^+\pi^-\psi(2S)$ measured at BaBar,” Phys. Rev. Lett. **98**, 212001 (2007) [arXiv:hep-ex/0610057].
496. B. Aubert *et al.* [BABAR Collaboration], “Search for $B^0 \rightarrow \phi(K^+\pi^-)$ decays with large $K^+\pi^-$ invariant mass,” Phys. Rev. D **76**, 051103 (2007) [arXiv:0705.0398 [hep-ex]].
497. B. Aubert *et al.* [BABAR Collaboration], “Search for $D^0 - \bar{D}^0$ mixing using doubly flavor tagged semileptonic decay modes,” Phys. Rev. D **76**, 014018 (2007) [arXiv:0705.0704 [hep-ex]].
498. B. Aubert *et al.* [BABAR Collaboration], “Measurement of CP-Violating Asymmetries in $B^0 \rightarrow D^{(*)\pm}D^\pm$,” Phys. Rev. Lett. **99**, 071801 (2007) [arXiv:0705.1190 [hep-ex]].
499. B. Aubert *et al.* [Babar Collaboration], “A Study of B^0 to $\rho^+\rho^-$ Decays and Constraints on the CKM Angle alpha,” Phys. Rev. D **76**, 052007 (2007) [arXiv:0705.2157 [hep-ex]].
500. B. Aubert *et al.* [BABARBar Collaboration], “Search for the decay $B^+ \rightarrow \bar{K}^{*0}(892)K^+$,” Phys. Rev. D **76**, 071103 (2007) [arXiv:0706.1059 [hep-ex]].
501. B. Aubert *et al.* [BABAR Collaboration], “Measurements of CP-Violating Asymmetries in the Decay $B^0 \rightarrow K^+K^-K^0$,” Phys. Rev. Lett. **99**, 161802 (2007) [arXiv:0706.3885 [hep-ex]].
502. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction and CP-violation charge asymmetry measurements for B-meson decays to ηK^\pm , $\eta\pi^\pm$, $\eta'K$, $\eta'\pi^\pm$, ωK , and $\omega\pi^\pm$,” Phys. Rev. D **76**, 031103 (2007) [arXiv:0706.3893 [hep-ex]].
503. B. Aubert *et al.* [BABAR Collaboration], “Search for Prompt Production of χ_c and X(3872) in e^+e^- Annihilations,” Phys. Rev. D **76**, 071102 (2007) [arXiv:0707.1633 [hep-ex]].
504. B. Aubert *et al.* [BABAR Collaboration], “Evidence for the $B^0 \rightarrow p\bar{p}K^{*0}$ and $B^\pm\eta_c K^{*+}$ decays and Study of the Decay Dynamics of B Meson Decays into $p\bar{p}h$ Final States,” Phys. Rev. D **76**, 092004 (2007) [arXiv:0707.1648 [hep-ex]].
505. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $\tau^- \rightarrow K^-\pi^0\nu_\tau$ Branching Fraction,” Phys. Rev. D **76**, 051104 (2007) [arXiv:0707.2922 [hep-ex]].
506. J. Brau (co-editor) *et al.*, “International Linear Collider Reference Design Report. 1: Executive summary. 2: Physics at the ILC. 3: Accelerator. 4: Detectors,” SLAC-R-857 (2007).
507. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the Branching Fractions of $B^0 \rightarrow K^{*0}K^+K^-$, $B^0 \rightarrow K^{*0}\pi^+K^-$, $B^0 \rightarrow K^{*0}K^+\pi^-$, and $B^0 \rightarrow K^{*0}\pi^+\pi^-$,” Phys. Rev. D **76**, 071104 (2007) [arXiv:0708.2543 [hep-ex]].

508. J. Brau, "Physics and Detectors for the International Linear Collider- - Charge to the 2007 Linear Collider Workshop (LCWS07)," *In the Proceedings of 2007 International Linear Collider Workshop (LCWS07 and ILC07)*, Hamburg, Germany, 30 May - 3 Jun 2007, pp PLE101,
509. J. Brau, "Development of an ILC vertex detector sensor with single bunch crossing tagging," *In the Proceedings of 2007 International Linear Collider Workshop (LCWS07 and ILC07)*, Hamburg, Germany, 30 May - 3 Jun 2007, pp TRK15.
510. R. Frey *et al.*, "A Silicon-Tungsten ECal with Integrated Electronics," *In the Proceedings of 2007 International Linear Collider Workshop (LCWS07 and ILC07)*, Hamburg, Germany, 30 May - 3 Jun 2007, pp CAL16 [arXiv:0710.2373 [physics.ins-det]].
511. D. Mason *et al.*, "Measurement of the Nucleon Strange-Antistrange Asymmetry at Next-to-Leading Order in QCD from NuTeV Dimuon Data," *Phys. Rev. Lett.* **99**, 192001 (2007).
512. J. E. Brau *et al.*, "Monolithic CMOS pixel detector for international linear collider vertex detection," *Pramana* **69**, 1009 (2007).
513. J. E. Brau *et al.*, "An electromagnetic calorimeter for the silicon detector concept," *Pramana* **69**, 1025 (2007).
514. J. E. Brau, O. Igonkina, N. B. Sinev and J. Strube, "Investigations into properties of charge traps created in CCDs by neutron and electron irradiation," *Pramana* **69**, 1093 (2007).
515. J. E. Brau, "Recent progress toward the International Linear Collider," *AIP Conf. Proc.* **928**, 194 (2007).
516. B. Aubert *et al.* [BABAR Collaboration], "Study of $e^+e^- \rightarrow \Lambda\bar{\Lambda}, \Lambda\bar{\Sigma}^0, \Sigma^0\bar{\Sigma}^0$ using Initial State Radiation with BaBar," *Phys. Rev. D* **76**, 092006 (2007) [arXiv:0709.1988 [hep-ex]].
517. B. Aubert *et al.* [BABAR Collaboration], "Improved Limits on the Lepton - Flavor Violating Decays $\tau^- \rightarrow \ell^- \ell^+ \ell^-$," *Phys. Rev. Lett.* **99**, 251803 (2007) [arXiv:0708.3650 [hep-ex]].
518. B. Aubert *et al.* [BABAR Collaboration], "Improved Measurement of Time-Dependent CP Asymmetries and the CP-Odd Fraction in the Decay $B^0 \rightarrow D^{*+}D^{*-}$," *Phys. Rev. D* **76**, 111102 (2007) [arXiv: 0708.1549 [hep-ex]].
519. B. Aubert *et al.* [BABAR Collaboration], "Measurement of $\cos 2\beta$ in $B^0 \rightarrow D^{(*)}h^0$ Decays with a Time-Dependent Dalitz Plot Analysis of $D \rightarrow K_S \pi^+ \pi^-$," *Phys. Rev. Lett.* **99**, 231802 (2007) [arXiv:0708.1544 [hep-ex]].
520. B. Aubert *et al.* [BABAR Collaboration], "Search for the decay $B^+ \rightarrow K^+ \tau^\mp \mu^\pm$," *Phys. Rev. Lett.* **99**, 201801 (2007) [arXiv: 0708.1303 [hep-ex]].
521. B. Aubert *et al.* [BABAR Collaboration], "Observation of the Decay $B^+ \rightarrow K^+ K^- \pi^+$," *Phys. Rev. Lett.* **99**, 221801 (2007) [arXiv:0708.0376 [hep-ex]].
522. B. Aubert *et al.* [BABAR Collaboration], "Search for $b \rightarrow u$ transitions in $B^- \rightarrow [K^+ \pi^- \pi^0]_D K^-$ " *Phys. Rev. D* **76**, 111101 (2007) [arXiv:0708.0182 [hep-ex]].
523. B. Aubert *et al.* [BABAR Collaboration], "Evidence for charged B meson decays to $a_1(1260)^\pm \pi^0$ and $a_1(1260)^0 \pi^\pm$," *Phys. Rev. Lett.* **99**, 261801 (2007) [arXiv:0708.0050 [hep-ex]].
524. B. Aubert *et al.* [BABAR Collaboration], "Observation of B-meson decays to $b_1 \pi$ and $b_1 K$," *Phys. Rev. Lett.* **99**, 241803 (2007) [arXiv:0707.4561 [hep-ex]].
525. B. Aubert *et al.* [BABAR Collaboration], "Study of $B^0 \rightarrow \pi^0 \pi^0$, $B \rightarrow \pi \pi^0$, and $B \rightarrow K \pi^0$ Decays, and Isospin Analysis of $B \rightarrow \pi \pi$ Decays," *Phys. Rev. D* **76**, 091102 (2007) [arXiv:0707.2798 [hep-ex]].
526. B. Aubert *et al.* [BABAR Collaboration], "A search for $B^+ \rightarrow \tau^+ \nu$," *Phys. Rev. D* **76**, 052002 (2007) [arXiv:0705.1820 [hep-ex]].

527. B. Aubert *et al.*, “Amplitude analysis of the $B^\pm \rightarrow \phi K^*(892)^\pm$ decay,” Phys. Rev. Lett. **99**, 201802 (2007) [arXiv:0705.1798 [hep-ex]].
528. B. Aubert *et al.* [BABAR Collaboration], “The $e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0$, $2(\pi^+\pi^-)\eta$, $K^+K^-\pi^+\pi^-\pi^0$ and $K^+K^-\pi^+\pi^-\eta$ Cross Sections Measured with Initial-State Radiation,” Phys. Rev. D **76**, 092005 (2007) [Erratum-ibid. D **77**, 119902 (2008)] [arXiv:0708.2461 [hep-ex]].
529. B. Abbott *et al.* [LIGO Scientific Collaboration], “Search for gravitational-wave bursts in LIGO data from the fourth science run,” Class. Quant. Grav. **24**, 5343 (2007) [Erratum-ibid. **25**, 039801 (2008)] [arXiv:0704.0943 [gr-qc]].
530. B. Aubert *et al.* [BABAR Collaboration], “Measurement of CP violation parameters with a Dalitz plot analysis of $B^\pm \rightarrow D(\pi^+\pi^-\pi^0)K^\pm$,” Phys. Rev. Lett. **99**, 251801 (2007) [arXiv:hep-ex/0703037].
531. B. Aubert *et al.* [BABAR Collaboration], “Improved Measurement of CP Violation in Neutral B Decays to $c\bar{c}s$, ’, Phys. Rev. Lett. **99**, 171803 (2007) [arXiv:hep-ex/0703021].
532. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Branching Fractions of the Radiative Charm Decays $D^0 \rightarrow \bar{K}^{*0}\gamma$ and $D^0 \rightarrow \phi\gamma$,” Phys. Rev. D **78**, 071101 (2008) [arXiv:0808.1838 [hep-ex]].
533. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Branching Fraction, Polarization, and CP Asymmetries in $B^0 \rightarrow \rho^0\rho^0$ Decay, and Implications for the CKM Angle alpha,” Phys. Rev. D **78**, 071104 (2008) [arXiv:0807.4977 [hep-ex]].
534. B. Aubert *et al.* [BABAR Collaboration], “Measurement of Time-Dependent CP Asymmetry in $B^0 \rightarrow K_S\pi^0\gamma$ Decays,” Phys. Rev. D **78**, 071102 (2008) [arXiv:0807.3103 [hep-ex]].
535. B. Aubert *et al.* [BABAR Collaboration], “Observation of the bottomonium ground state in the decay $\Upsilon(3S) \rightarrow \gamma\eta_b$,” Phys. Rev. Lett. **101**, 071801 (2008) [Erratum-ibid. **102**, 029901 (2009)] [arXiv:0807.1086 [hep-ex]].
536. B. Aubert *et al.* [BABAR Collaboration], “Observation and Polarization Measurements of $B^\pm \rightarrow \phi K_1^\pm$ and $B^\pm \rightarrow \phi K_2^{*\pm}$,” Phys. Rev. Lett. **101**, 161801 (2008) [arXiv:0806.4419 [hep-ex]].
537. B. Aubert *et al.* [BABAR Collaboration], “Observation of $e^+e^- \rightarrow \rho^+\rho^-$ near $\sqrt{s}=10.58$ GeV,” Phys. Rev. D **78**, 071103 (2008) [arXiv:0806.3893 [hep-ex]].
538. B. Aubert *et al.* [BABAR Collaboration], “A Measurement of CP Asymmetry in $b \rightarrow s\gamma$ using a Sum of Exclusive Final States,” Phys. Rev. Lett. **101**, 171804 (2008) [arXiv:0805.4796 [hep-ex]].
539. B. Aubert *et al.* [BABAR Collaboration], “Measurements of $B^- \rightarrow \pi, \eta, \eta'\ell\nu$ Branching Fractions and Determination of $|V_{ub}|$ with Semileptonically Tagged B Mesons,” Phys. Rev. Lett. **101**, 081801 (2008) [arXiv:0805.2408 [hep-ex]].
540. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B^{+-} \rightarrow b_1 + K^0$ and search for B-meson decays to b_1K^0 and $b_1\pi^0$,” Phys. Rev. D **78**, 011104 (2008) [arXiv:0805.1217 [hep-ex]].
541. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Mass Difference $m(B^0) - m(B^+)$,” Phys. Rev. D **78**, 011103 (2008) [arXiv:0805.0497 [hep-ex]].
542. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B \rightarrow \eta\rho^+$ and search for B^0 Decays to $\eta'\eta, \eta\pi^0, \eta'\pi^0$, and $\omega\pi^0$,” Phys. Rev. D **78**, 011107 (2008) [arXiv:0804.2422 [hep-ex]].
543. B. Aubert *et al.* [BABAR Collaboration], “Improved measurement of the CKM angle gamma in $B^\mp \rightarrow D^{(*)}K^{*\mp}$ decays with a Dalitz plot analysis of D decays to $K_S^0\pi^+\pi^-$ and $K_S^0K^+K^-$,” Phys. Rev. D **78**, 034023 (2008) [arXiv:0804.2089 [hep-ex]].
544. B. Aubert *et al.* [BABAR Collaboration], “Evidence for CP violation in $B^0 \rightarrow J/\Psi\pi^0$ decays,” Phys. Rev. Lett. **101**, 021801 (2008) [arXiv:0804.0896 [hep-ex]].

545. B. Aubert *et al.* [BABAR Collaboration], “Study of B Meson Decays with Excited η and η' Mesons,” Phys. Rev. Lett. **101**, 091801 (2008) [arXiv:0804.0411 [hep-ex]].
546. B. Aubert *et al.* [BABAR Collaboration], “Evidence for Direct CP Violation from Dalitz-plot analysis of $B^\pm \rightarrow K^\pm \pi^\pm \pi^\mp$,” Phys. Rev. D **78**, 012004 (2008) [arXiv:0803.4451 [hep-ex]].
547. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Branching Fractions of the Rare Decays $B^0 \rightarrow D_s^{(*)+} \pi^-$, $B^0 \rightarrow D_s^{(*)+} \rho^-$, and $B^0 \rightarrow D_s^{(*)-} K^{(*)+}$,” Phys. Rev. D **78**, 032005 (2008) [arXiv:0803.4296 [hep-ex]].
548. B. Abbott *et al.* [LIGO Scientific Collaboration], “Search for gravitational waves associated with 39 gamma-ray bursts using data from the second, third, and fourth LIGO runs,” Phys. Rev. D **77**, 062004 (2008).
549. B. Aubert *et al.* [BABAR Collaboration], “A study of $B \rightarrow X(3872) K$, with $X(3872) \rightarrow J/\Psi \pi^+ \pi^-$,” Phys. Rev. D **77**, 111101 (2008) [arXiv:0803.2838 [hep-ex]].
550. B. Abbott *et al.*, “Publisher’s Note: Upper limits on gravitational wave emission from 78 radio pulsars [Phys. Rev. D **76**, 042001 (2007)],” Phys. Rev. D **77**, 069905 (2008).
551. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Spin of the $\Xi(1530)$ Resonance,” Phys. Rev. D **78**, 034008 (2008) [arXiv:0803.1863 [hep-ex]].
552. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $\tau \rightarrow 3\pi\eta\nu$ Branching Fraction and a Search for a Second-Class Current in the $\tau \rightarrow \eta'(958)\pi\nu$ Decay,” Phys. Rev. D **77**, 112002 (2008) [arXiv:0803.0772 [hep-ex]].
553. B. Abbott *et al.* [LIGO Scientific Collaboration and Virgo Collaboration], “Astrophysically Triggered Searches for Gravitational Waves: Status and Prospects,” Class. Quant. Grav. **25**, 114051 (2008) [arXiv:0802.4320 [gr-qc]].
554. B. Aubert *et al.* [BABAR Collaboration], “Measurement of CP observables in $B^- \rightarrow D_{CP}^0 K^-$ decays,” Phys. Rev. D **77**, 111102 (2008) [arXiv:0802.4052 [hep-ex]].
555. B. Aubert *et al.* [BABAR Collaboration], “Search for CP Violation in Neutral D Meson Cabibbo-suppressed Three-body Decays,” Phys. Rev. D **78**, 051102 (2008) [arXiv:0802.4035 [hep-ex]].
556. B. Aubert *et al.* [BABAR Collaboration], “Searches for the decays $B^0 \rightarrow \ell^+ \tau^-$ and $B^+ \rightarrow \ell^+ \nu(\ell = e, \mu)$ using hadronic tag reconstruction,” Phys. Rev. D **77**, 091104 (2008) [arXiv:0801.0697 [hep-ex]].
557. B. Aubert *et al.* [BABAR Collaboration], “A Measurement of the Branching Fractions of exclusive $\bar{B} \rightarrow D^{(*)}(\pi)\ell^- \bar{\nu}$ Decays in Events with a Fully Reconstructed B Meson,” Phys. Rev. Lett. **100**, 151802 (2008) [arXiv:0712.3503 [hep-ex]].
558. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Decay $B^- \rightarrow D^{*0} e^- \bar{\nu}$,” Phys. Rev. Lett. **100**, 231803 (2008) [arXiv:0712.3493 [hep-ex]].
559. B. Aubert *et al.* [BABAR Collaboration], “Time-dependent Dalitz plot analysis of $B^0 \rightarrow D^{-(+)} K^0 \pi^{+(-)}$ decays,” Phys. Rev. D **77**, 071102 (2008) [arXiv:0712.3469 [hep-ex]].
560. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $D^0 - \bar{D}^0$ Mixing using the Ratio of Lifetimes for the Decays $D^0 \rightarrow K^- \pi^+$, $K^- K^+$, and $\pi^- \pi^+$,” Phys. Rev. D **78**, 011105 (2008) [arXiv:0712.2249 [hep-ex]].
561. B. Abbott *et al.* [LIGO Scientific Collaboration], “Search of S3 LIGO data for gravitational wave signals from spinning black hole and neutron star binary inspirals,” Phys. Rev. D **78**, 042002 (2008) [arXiv:0712.2050 [gr-qc]].
562. B. Aubert *et al.* [BABAR Collaboration], “Study of $B^0 \rightarrow \ell^+ \ell'^-$ decays ($\ell, \ell' = e, \mu$),” Phys. Rev. D **77**, 032007 (2008) [arXiv:0712.1516 [hep-ex]].

563. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B \rightarrow X_s \gamma$ Branching Fraction and Photon Energy Spectrum using the Recoil Method,” *Phys. Rev. D* **77**, 051103 (2008) [arXiv:0711.4889 [hep-ex]].
564. B. Aubert *et al.* [BABAR Collaboration], “Dalitz Plot Analysis of the Decay $B^0(\bar{B}^0) \rightarrow K^\pm \pi^\mp \pi^0$,” *Phys. Rev. D* **78**, 052005 (2008) [arXiv:0711.4417 [hep-ex]].
565. B. Aubert *et al.* [BABAR Collaboration], “Search for CPT and Lorentz Violation in $B^0 - \bar{B}^0$ Oscillations with Dilepton Events,” *Phys. Rev. Lett.* **100**, 131802 (2008) [arXiv:0711.2713 [hep-ex]].
566. B. Aubert *et al.* [BABAR Collaboration], “Observation of $Y(3940) \rightarrow J/\psi \omega$ in $B \rightarrow J/\psi \omega K$ at BABAR,” *Phys. Rev. Lett.* **101**, 082001 (2008) [arXiv:0711.2047 [hep-ex]].
567. B. Aubert *et al.* [BABAR Collaboration], “Search for Lepton Flavor Violating Decays $\tau^\pm \rightarrow \ell^\pm \omega$ ($\ell = e, \mu$),” *Phys. Rev. Lett.* **100**, 071802 (2008) [arXiv:0711.0980 [hep-ex]].
568. B. Aubert *et al.* [BABAR Collaboration], “A study of $\bar{B} \rightarrow \Xi_c \Lambda_c^-$ and $\bar{B} \rightarrow \Lambda_c^+ \Lambda_c^- \bar{K}$ decays at BABAR,” *Phys. Rev. D* **77**, 031101 (2008) [arXiv:0710.5775 [hep-ex]].
569. B. Aubert *et al.* [BABAR Collaboration], “A Study of Excited Charm-Strange Baryons with Evidence for new Baryons,” $\Xi_c(3055)^+$ and $\Xi_c(3123)^+$,” *Phys. Rev. D* **77**, 012002 (2008) [arXiv:0710.5763 [hep-ex]].
570. B. Aubert *et al.* [BABAR Collaboration], “Measurements of $e^+e^- \rightarrow K^+K^-\eta$, $K^+K^-\pi^0$ and $K_s K^+ \pi^-$ Cross Sections Using Initial State Radiation Events,” *Phys. Rev. D* **77**, 092002 (2008) [arXiv:0710.4451 [hep-ex]].
571. L. Baggio *et al.* [AURIGA Collaboration and LIGO Scientific Collaboration], “A Joint Search for Gravitational Wave Bursts with AURIGA and LIGO,” *Class. Quant. Grav.* **25**, 095004 (2008) [arXiv:0710.0497 [gr-qc]].
572. B. Aubert *et al.* [BABAR Collaboration], “Observation of B^+ Meson Decays to $a_1(1260)^+ K^0$ and B^0 to $a_1(1260)^- K^+$,” *Phys. Rev. Lett.* **100**, 051803 (2008) [arXiv:0709.4165 [hep-ex]].
573. B. Aubert *et al.* [BABAR Collaboration], “Search for CP Violation in the Decays $D^0 \rightarrow K^- K^+$ and $D^0 \rightarrow \pi^0 \pi^+$,” *Phys. Rev. Lett.* **100**, 061803 (2008) [arXiv:0709.2715 [hep-ex]].
574. B. Aubert *et al.* [BABAR Collaboration], “Observation of the Semileptonic Decays $B^{*-} \rightarrow D^* \tau \bar{\nu}$ and Evidence for $B^- \rightarrow D \tau \bar{\nu}$,” *Phys. Rev. Lett.* **100**, 021801 (2008) [arXiv:0709.1698 [hep-ex]].
575. B. Abbott *et al.* [LIGO Scientific Collaboration], “All-sky search for periodic gravitational waves in LIGO S4 data,” *Phys. Rev. D* **77**, 022001 (2008) [Erratum-ibid. *D* **80**, 129904 (2009)] [arXiv:0708.3818 [gr-qc]].
576. B. Aubert *et al.* [BABAR Collaboration], “Measurements of Partial Branching Fractions for $\bar{B}^- \rightarrow X_u l \bar{\nu}$ and Determination of $|V_{ub}|$,” *Phys. Rev. Lett.* **100**, 171802 (2008) [arXiv:0708.3702 [hep-ex]].
577. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B^0 \rightarrow K^{*0} \bar{K}^{*0}$ and search for $B^0 \rightarrow K^{*0} K^{*0}$,” *Phys. Rev. Lett.* **101**, 081801 (2008) [arXiv:0708.2248 [hep-ex]].
578. B. Aubert *et al.* [BABAR Collaboration], “Study of Resonances in Exclusive B Decays to $\bar{D}^* D^* K$,” *Phys. Rev. D* **77**, 011102 (2008) [arXiv:0708.1565 [hep-ex]].
579. B. Aubert *et al.* [BABAR Collaboration], “Search for the rare charmless hadronic decay $B^+ \rightarrow a_0^+ \pi^0$,” *Phys. Rev. D* **77**, 011101 (2008) [Erratum-ibid. *D* **77**, 039903 (2008) ERRATUM, D77, 019904 (2008)] [arXiv:0708.0963 [hep-ex]].
580. B. Aubert *et al.* [BABAR Collaboration], “Exclusive branching fraction measurements of three charged hadrons, $\tau^- \rightarrow \phi \pi^- K^- \nu_\tau$,” *Phys. Rev. Lett.* **100**, 011801 (2008) [arXiv:0707.2981 [hep-ex]].

581. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the CP-Violating Asymmetries in $B^0 \rightarrow K_S \pi^0$ and of the Branching Fraction of $B^0 \rightarrow K^0 \pi^0$,” Phys. Rev. D **77**, 012003 (2008) [arXiv:0707.2980 [hep-ex]].
582. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B^- \rightarrow D_s^{*+} K^- \pi^-$ and $\bar{B}^0 \rightarrow D_S^+ K_S \pi^-$ and Search for $\bar{B}^0 \rightarrow D_s^{*+} K_S \pi^-$ and $B^- \rightarrow D_s^{*+} K^- K^-$,” Phys. Rev. Lett. **100**, 171803 (2008) [arXiv:0707.1043 [hep-ex]].
583. B. Aubert *et al.* [BABAR Collaboration], “Search for the Decays $B^0 \rightarrow e^+ e^- \gamma$ and $B^0 \rightarrow \mu^+ \mu^- \gamma$,” Phys. Rev. D **77**, 011104 (2008) [arXiv:0706.2870 [hep-ex]].
584. B. Aubert *et al.* [BABAR Collaboration], “Determination of the Form Factors for the Decay $B^0 \rightarrow D^{*-} l^+ \nu_l$ and of the CKM Matrix Element $|V_{cb}|$,” Phys. Rev. D **77**, 032002 (2008) [arXiv: 0705.4008 [hep-ex]].
585. B. Abbott *et al.* [LIGO Scientific Collaboration], “Search for gravitational waves from binary inspirals in S3 and S4 LIGO data,” Phys. Rev. D **77**, 062002 (2008) [arXiv:0704.3368 [gr-qc]].
586. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the absolute branching fraction of $D^0 \rightarrow K^- \pi^+$,” Phys. Rev. Lett. **100**, 051802 (2008) [arXiv:0704.2080 [hep-ex]].
587. J. E. Brau, “Physics and detectors for the International Linear Collider,” IEEE Trans. Nucl. Sci. **55**, 2346 (2008).
588. B. Aubert *et al.* [BABAR Collaboration], “A Search for $B^+ \rightarrow \tau^+ \nu$ with Hadronic B tags,” Phys. Rev. D **77**, 011107 (2008) [arXiv:0708.2260 [hep-ex]].
589. B. Abbott *et al.* [LIGO Scientific Collaboration], “Implications for the Origin of GRB 070201 from LIGO Observations,” Astrophys. J. **681**, 1419 (2008) [arXiv:0711.1163 [astro-ph]].
590. B. Aubert *et al.* [BABAR Collaboration], “Study of B-meson decays to $\eta_c K^{(*)}$, $\eta_c(2S) K^{(*)}$ and $\eta_c \gamma K^{(*)}$,” Phys. Rev. D **78**, 012006 (2008) [arXiv:0804.1208 [hep-ex]].
591. B. Abbott *et al.* [LIGO Scientific Collaboration], “Beating the spin-down limit on gravitational wave emission from the Crab pulsar,” Astrophys. J. **683**, L45 (2008) [arXiv:0805.4758 [astro-ph]].
592. B. Aubert *et al.* [BABAR Collaboration], “Search for $B^0 \rightarrow K^{*+} K^{*-}$,” Phys. Rev. D **78**, 051103 (2008) [arXiv:0806.4467 [hep-ex]].
593. B. Aubert *et al.* [BABAR Collaboration], “Study of the decay $D_s^+ \rightarrow K^+ K^- e^+ \nu_e$,” Phys. Rev. D **78**, 051101 (2008) [arXiv:0807.1599 [hep-ex]].
594. B. Aubert *et al.* [BABAR Collaboration], “Study of hadronic transitions between Y states and observation of $Y(4S) \rightarrow \eta Y(1S)$ decay,” Phys. Rev. D **78**, 112002 (2008) [arXiv:0807.2014 [hep-ex]].
595. B. Aubert *et al.* [BABAR Collaboration], “Measurement of Ratios of Branching Fractions and CP-Violating Asymmetries of $B^\pm \rightarrow D^* K^\pm$ Decays,” Phys. Rev. D **78**, 092002 (2008) [arXiv:0807.2408 [hep-ex]].
596. B. Abbott *et al.* [LIGO Scientific Collaboration], “First joint search for gravitational-wave bursts in LIGO and GEO600 data,” Class. Quant. Grav. **25**, 245008 (2008) [arXiv:0807.2834 [gr-qc]].
597. B. Aubert *et al.* [BABAR Collaboration], “Searches for B meson decays to $\phi\phi$, $\phi\rho$, $\phi f^0(980)$, and $f^0(980)f^0(980)$ final states,” Phys. Rev. Lett. **101**, 201801 (2008) [arXiv:0807.3935 [hep-ex]].
598. B. Aubert *et al.* [BABAR Collaboration], “Measurements of $\mathcal{B}(\bar{B}^0 \rightarrow \Lambda_c^+ \bar{p})$ and $\mathcal{B}(B^- \rightarrow \Lambda_c^+ \bar{p} \pi^-)$ and Studies of $\Lambda_c^+ \pi^-$ Resonances,” Phys. Rev. D **78**, 112003 (2008) [arXiv:0807.4974 [hep-ex]].

599. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Branching Fractions of $\bar{B} \rightarrow D^{*}\ell^{-}\bar{\nu}_{\ell}$ decays in Events Tagged by a Fully Reconstructed B Meson,” Phys. Rev. Lett. **101**, 261802 (2008) [arXiv:0808.0528 [hep-ex]].
600. B. Aubert *et al.* [BABAR Collaboration], “Search for the highly suppressed decays $B^{-} \rightarrow K^{+}\pi^{-}\pi^{-}$ and $B^{-} \rightarrow K^{-}K^{-}\pi^{+}$,” Phys. Rev. D **78**, 091102 (2008) [arXiv:0808.0900 [hep-ex]].
601. B. Aubert *et al.* [BABAR Collaboration], “Search for $B \rightarrow K^{*}\nu\bar{\nu}$ decays,” Phys. Rev. D **78**, 072007 (2008) [arXiv:0808.1338 [hep-ex]].
602. B. Aubert *et al.* [BABAR Collaboration], “Measurements of Branching Fractions for $B^{+} \rightarrow \rho^{+}\gamma$, $B^{0} \rightarrow \rho^{0}\gamma$, and $B^{0} \rightarrow \omega\gamma$,” Phys. Rev. D **78**, 112001 (2008) [arXiv:0808.1379 [hep-ex]].
603. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B_{0} \rightarrow \chi_{c}^{0}K^{*0}$ and evidence for $B^{+} \rightarrow \chi_{c}^{0}K^{*+}$,” Phys. Rev. D **78**, 091101 (2008) [arXiv:0808.1487 [hep-ex]].
604. B. Abbott *et al.* [LIGO Scientific Collaboration], “Search for Gravitational Wave Bursts from Soft Gamma Repeaters,” Phys. Rev. Lett. **101**, 211102 (2008) [arXiv:0808.2050 [astro-ph]].
605. B. Aubert *et al.* [BABAR Collaboration], “Time-dependent and time-integrated angular analysis of $B \rightarrow \varphi K_{S}^{0}\pi^{0}$ and $\varphi K^{\pm}\pi^{\mp}$,” Phys. Rev. D **78**, 092008 (2008) [arXiv:0808.3586 [hep-ex]].
606. D. Freytag *et al.*, “KPiX, an array of self triggered charge sensitive cells generating digital time and amplitude information,” IEEE Nuclear Science Symposium Conference Record, 3447 - 3450 (2008). [SLAC-PUB-13462].
607. B. Aubert *et al.* [BABAR Collaboration], “Angular Distributions in the Decays $B \rightarrow K^{*}\ell^{+}\ell^{-}$,” Phys. Rev. D **79**, 031102 (2009) [arXiv:0804.4412 [hep-ex]].
608. B. Abbott *et al.* [LIGO Scientific Collaboration], “LIGO: The Laser Interferometer Gravitational-Wave Observatory,” Rept. Prog. Phys. **72**, 076901 (2009) [arXiv:0711.3041 [gr-qc]].
609. B. Aubert *et al.* [BABAR Collaboration], Phys. Rev. Lett. **102**, 091803 (2009) [arXiv:0807.4119 [hep-ex]].
610. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $B \rightarrow X\gamma$ Decays and Determination of $|V_{td}/V_{ts}|$,” Phys. Rev. Lett. **102**, 161803 (2009) [arXiv:0807.4975 [hep-ex]].
611. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $B(\tau^{-} \rightarrow \bar{K}^{0}\pi^{-}\nu_{\tau})$ using the BaBar detector,” Nucl. Phys. Proc. Suppl. **189**, 193 (2009) [arXiv:0808.1121 [hep-ex]].
612. B. Aubert *et al.* [BABAR Collaboration], “Measurement of Semileptonic B Decays into Orbitally Excited Charmed Mesons,” Phys. Rev. Lett. **103**, 051803 (2009) [arXiv:0808.0333 [hep-ex]].
613. B. Aubert *et al.* [BABAR Collaboration], “Dalitz Plot Analysis of $D_{s}^{+} \rightarrow \pi^{+}\pi^{-}\pi^{+}$,” Phys. Rev. D **79**, 032003 (2009) [arXiv:0808.0971 [hep-ex]].
614. B. Aubert *et al.* [BABAR Collaboration], “Measurements of time-dependent CP asymmetries in $B^{0} \rightarrow D^{(*)} + D^{(*)}$ - decays,” Phys. Rev. D **79**, 032002 (2009) [arXiv:0808.1866 [hep-ex]].
615. B. Aubert *et al.* [BABAR Collaboration], “Evidence for $X(3872) \rightarrow \psi_{2S}\gamma$ in $B^{\pm} \rightarrow X_{3872}K^{\pm}$ decays, and a study of $B \rightarrow c\bar{c}\gamma K$,” Phys. Rev. Lett. **102**, 132001 (2009) [arXiv:0809.0042 [hep-ex]].
616. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the Semileptonic Decays $\bar{B} \rightarrow D\ell\bar{\nu}$ and $\bar{B} \rightarrow D^{*}\ell\bar{\nu}$ Using a Global Fit to $DX\ell\bar{\nu}$ Final States,” Phys. Rev. D **79**, 012002 (2009) [arXiv:0809.0828 [hep-ex]].
617. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $D^{0} - \bar{D}^{0}$ mixing from a time-dependent amplitude analysis of $D^{0} \rightarrow K^{+}\pi^{-}\pi^{0}$ decays,” Phys. Rev. Lett. **103**, 211801 (2009) [arXiv:0807.4544 [hep-ex]].

618. B. Aubert *et al.* [BABAR Collaboration], “Measurement of time dependent CP asymmetry parameters in B^0 meson decays to ωK_S^0 , $\eta' K^0$, and $\pi^0 K_S^0$,” Phys. Rev. D **79**, 052003 (2009) [arXiv:0809.1174 [hep-ex]].
619. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $e^+e^- \rightarrow b\bar{b}$ cross section between $\sqrt{s} = 10.54$ -GeV and 11.20-GeV,” Phys. Rev. Lett. **102**, 012001 (2009) [arXiv:0809.4120 [hep-ex]].
620. B. Abbott *et al.* [LIGO Scientific Collaboration], “All-sky LIGO Search for Periodic Gravitational Waves in the Early S5 Data,” Phys. Rev. Lett. **102**, 111102 (2009) [arXiv:0810.0283 [gr-qc]].
621. B. Aubert *et al.* [BABAR Collaboration], “Search for the $Z(4430)^-$ at BABAR,” Phys. Rev. D **79**, 112001 (2009) [arXiv:0811.0564 [hep-ex]].
622. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $B^+ \rightarrow K_S^0 K_S^0 \pi^+$,” Phys. Rev. D **79**, 051101 (2009) [arXiv:0811.1979 [hep-ex]].
623. B. Abbott *et al.* [LIGO Scientific Collaboration], “Observation of a kilogram-scale oscillator near its quantum ground state,” New J. Phys. **11**, 073032 (2009).
624. B. Aubert *et al.* [BABAR Collaboration], “Search for Lepton Flavour Violating Decays $\tau \rightarrow \ell K_S^0$ with the BaBar Experiment,” Phys. Rev. D **79**, 012004 (2009) [arXiv:0812.3804 [hep-ex]].
625. B. P. Abbott *et al.* [LIGO Scientific Collaboration], “Search for Gravitational Waves from Low Mass Binary Coalescences in the First Year of LIGO’s S5 Data,” Phys. Rev. D **79**, 122001 (2009) [arXiv:0901.0302 [gr-qc]].
626. B. Aubert *et al.* [BABAR Collaboration], “Dalitz Plot Analysis of $B^- \rightarrow D^+ \pi^- \pi^-$,” Phys. Rev. D **79**, 112004 (2009) [arXiv:0901.1291 [hep-ex]].
627. B. Aubert *et al.* [BABAR Collaboration], “Improved Measurement of $B^+ \rightarrow \rho^+ \rho^0$ and Determination of the Quark-Mixing Phase Angle α ,” Phys. Rev. Lett. **102**, 141802 (2009) [arXiv:0901.3522 [hep-ex]].
628. B. Aubert *et al.* [BABAR Collaboration], “Observation of B Meson Decays to ωK^* and Improved Measurements for $\omega \rho$ and ωf_0 ,” Phys. Rev. D **79**, 052005 (2009) [arXiv:0901.3703 [hep-ex]].
629. B. Aubert *et al.* [BABAR Collaboration], “Measurement of Time-Dependent CP Asymmetry in $B^0 \rightarrow ccK(*)^0$ Decays,” Phys. Rev. D **79**, 072009 (2009) [arXiv:0902.1708 [hep-ex]].
630. B. Aubert *et al.* [BABAR Collaboration], “Dalitz Plot Analysis of $B^\pm \rightarrow \pi^\pm \pi^\pm \pi^\pm$ Decays,” Phys. Rev. D **79**, 072006 (2009) [arXiv:0902.2051 [hep-ex]].
631. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Semileptonic Decays $B \rightarrow D\tau^- \bar{\nu}_\tau$ and $B \rightarrow D^* \tau^- \bar{\nu}_\tau$,” Phys. Rev. D **79**, 092002 (2009) [arXiv:0902.2660 [hep-ex]].
632. B. Aubert *et al.* [BABAR Collaboration], “Search for the Rare Leptonic Decays $B^+ \rightarrow \ell^+ \nu_\ell \ell \ell$ ($\ell = e, \mu$),” Phys. Rev. D **79**, 091101 (2009) [arXiv:0903.1220 [hep-ex]].
633. B. Aubert *et al.* [BABAR Collaboration], “Improved limits on lepton flavor violating τ decays to $\ell\phi$, $\ell\rho$, ℓK^* and $\ell\bar{K}^*$,” Phys. Rev. Lett. **103**, 021801 (2009) [arXiv:0904.0339 [hep-ex]].
634. B. Aubert *et al.* [BABAR Collaboration], “Search for $b \rightarrow u$ transitions in $B^0 \rightarrow D^0 K^{*0}$ decays,” Phys. Rev. D **80**, 031102 (2009) [arXiv:0904.2112 [hep-ex]].
635. B. Aubert *et al.* [BABAR Collaboration], “Search for Second-Class Currents in $\tau \rightarrow \omega \pi^- \nu_\tau$,” Phys. Rev. Lett. **103**, 041802 (2009) [arXiv:0904.3080 [hep-ex]].
636. B. P. Abbott *et al.* [LIGO Scientific Collaboration], “First LIGO search for gravitational wave bursts from cosmic (super)strings,” Phys. Rev. D **80**, 062002 (2009) [arXiv:0904.4718 [astro-ph.CO]].

637. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Branching Fraction and $\bar{\Lambda}$ Polarization in $B^0 \rightarrow \bar{\Lambda} p \pi^-$,” Phys. Rev. D **79**, 112009 (2009) [arXiv:0904.4724 [hep-ex]].
638. B. P. Abbott *et al.* [LIGO Scientific Collaboration], “Stacked Search for Gravitational Waves from the 2006 SGR 1900+14 Storm,” Astrophys. J. **701**, L68 (2009) [arXiv:0905.0005 [astro-ph.HE]].
639. B. Aubert *et al.* [BABAR Collaboration], “Search for B^0 Meson Decays to $\pi^0 K_S^0 K_S^0$, $\eta K_S^0 K_S^0$, and $\eta' K_S^0 K_S^0$,” Phys. Rev. D **80**, 011101 (2009) [arXiv:0905.0868 [hep-ex]].
640. B. P. Abbott *et al.* [LIGO Scientific Collaboration], “Search for gravitational wave ring-downs from perturbed black holes in LIGO S4 data,” Phys. Rev. D **80**, 062001 (2009) [arXiv:0905.1654 [gr-qc]].
641. B. P. Abbott *et al.* [LIGO Scientific Collaboration], “Search for Gravitational Waves from Low Mass Compact Binary Coalescence in 186 Days of LIGO’s fifth Science Run,” Phys. Rev. D **80**, 047101 (2009) [arXiv:0905.3710 [gr-qc]].
642. B. Aubert *et al.* [BABAR Collaboration], “Search for Dimuon Decays of a Light Scalar Boson in Radiative Transitions $\Upsilon \rightarrow \gamma A_0$,” Phys. Rev. Lett. **103**, 081803 (2009) [arXiv:0905.4539 [hep-ex]].
643. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $\gamma\gamma^* \rightarrow \pi^0$ transition form factor,” Phys. Rev. D **80**, 052002 (2009) [arXiv:0905.4778 [hep-ex]].
644. B. Aubert *et al.* [BABAR Collaboration], “Search for B-meson decays to $b_1 \rho$ and $b_1 K^*$,” Phys. Rev. D **80**, 051101 (2009) [arXiv:0907.3485 [hep-ex]].
645. B. Aubert *et al.* [BABAR Collaboration], “Evidence for $B^+ \rightarrow \bar{K}^{*0} K^{*+}$,” Phys. Rev. D **79**, 051102 (2009) [arXiv:0901.1223 [hep-ex]].
646. B. Aubert *et al.* [BABAR Collaboration], “Evidence for the $\eta_b(1S)$ Meson in Radiative $\Upsilon(2S)$ Decay,” Phys. Rev. Lett. **103**, 161801 (2009) [arXiv:0903.1124 [hep-ex]].
647. B. Aubert *et al.* [BABAR Collaboration], “Exclusive Initial-State-Radiation Production of the $D\bar{D}$, $D\bar{D}^*$, and $D^*\bar{D}^*$ Systems,” Phys. Rev. D **79**, 092001 (2009) [arXiv:0903.1597 [hep-ex]].
648. B. Aubert *et al.* [BABAR Collaboration], “Constraints on the CKM angle γ in $B^0 \rightarrow \bar{D}^0(D^0)K^{*0}$ with a Dalitz analysis of $D^0 \rightarrow K_S \pi^+ \pi^-$,” Phys. Rev. D **79**, 072003 (2009) [arXiv:0805.2001 [hep-ex]].
649. B. Aubert *et al.* [BABAR Collaboration], “Branching Fractions and CP-Violating Asymmetries in Radiative B Decays to $\eta K \gamma$,” Phys. Rev. D **79**, 011102 (2009) [arXiv:0805.1317 [hep-ex]].
650. B. Abbott *et al.* [LIGO Scientific Collaboration], “The Einstein@Home search for periodic gravitational waves in LIGO S4 data,” Phys. Rev. D **79**, 022001 (2009) [arXiv:0804.1747 [gr-qc]].
651. B. P. Abbott *et al.* [LIGO Scientific Collaboration], “Search for High Frequency Gravitational Wave Bursts in the First Calendar Year of LIGO’s Fifth Science Run,” Phys. Rev. D **80**, 102002 (2009) [arXiv:0904.4910 [gr-qc]].
652. B. P. Abbott *et al.* [LIGO Scientific Collaboration], “Search for gravitational-wave bursts in the first year of the fifth LIGO science run,” Phys. Rev. D **80**, 102001 (2009) [arXiv:0905.0020 [gr-qc]].
653. B. P. Abbott *et al.* [LIGO Scientific Collaboration], “Einstein@Home search for periodic gravitational waves in early S5 LIGO data,” Phys. Rev. D **80**, 042003 (2009) [arXiv:0905.1705 [gr-qc]].
654. B. Aubert *et al.* [BABAR Collaboration], “Time-dependent amplitude analysis of $B^0 \rightarrow K_S^0 \pi^+ \pi^-$,” Phys. Rev. D **80**, 112001 (2009) [arXiv:0905.3615 [hep-ex]].

655. B. Aubert *et al.* [BABAR Collaboration], “Measurement of Branching Fractions and Asymmetries in $B \rightarrow K^*(892) \gamma$ Decays,” *Phys. Rev. Lett.* **103**, 211802 (2009) [arXiv:0906.2177 [hep-ex]].
656. B. Aubert *et al.* [BABAR Collaboration], “Search for a low-mass Higgs boson in $Y(3S) \rightarrow \gamma A^0$, $A^0 \rightarrow \tau^+ \tau^-$ at BABAR,” *Phys. Rev. Lett.* **103**, 181801 (2009) [arXiv:0906.2219 [hep-ex]].
657. B. Aubert *et al.* [BABAR Collaboration], “A Model-independent search for the decay $B^+ \rightarrow l^+ \nu_l \gamma$,” *Phys. Rev. D* **80**, 111105 (2009) [arXiv:0907.1681 [hep-ex]].
658. B. Aubert *et al.* [BABAR Collaboration], “B meson decays to charmless meson pairs containing eta or eta’ mesons,” *Phys. Rev. D* **80**, 112002 (2009) [arXiv:0907.1743 [hep-ex]].
659. B. Aubert *et al.* [BABAR Collaboration], “Observation and Polarization Measurement of $B^0 \rightarrow a_1(1260)^+ a_1(1260)^-$ Decay,” *Phys. Rev. D* **80**, 092007 (2009) [arXiv:0907.1776 [hep-ex]].
660. B. Aubert *et al.* [BABAR Collaboration], “Observation of the baryonic B-decay $\bar{B}^0 \rightarrow \Lambda_c^+ \bar{p} K^- \pi^+$,” *Phys. Rev. D* **80**, 051105 (2009) [arXiv:0907.4566 [hep-ex]].
661. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $D^0 - \bar{D}^0$ Mixing using the Ratio of Lifetimes for the Decays $D^0 \rightarrow K^- \pi^+$ and $K^+ K^-$,” *Phys. Rev. D* **80**, 071103 (2009) [arXiv:0908.0761 [hep-ex]].
662. B. Aubert *et al.* [BABAR Collaboration], “Study of D_{sJ} decays to $D^* K$ in inclusive $e^+ e^-$ interactions,” *Phys. Rev. D* **80**, 092003 (2009) [arXiv:0908.0806 [hep-ex]].
663. B. Aubert *et al.* [BABAR Collaboration], “A Search for Invisible Decays of the Upsilon(1S),” *Phys. Rev. Lett.* **103**, 251801 (2009) [arXiv:0908.2840 [hep-ex]].
664. B. Aubert *et al.* [BABAR Collaboration], “Precise measurement of the $e^+ e^- \rightarrow \pi^+ \pi^- (\gamma)$ cross section with the Initial State Radiation method at BABAR,” *Phys. Rev. Lett.* **103**, 231801 (2009) [arXiv:0908.3589 [hep-ex]].
665. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the τ Mass and Mass Difference of the τ^+ and τ^- at BaBar,” *Phys. Rev. D* **80**, 092005 (2009) [arXiv:0909.3562 [hep-ex]].
666. B. Aubert *et al.* [BABAR Collaboration], “Measurement of CP violation observables and parameters for the decays $B^\pm \rightarrow DK^{*\pm}$,” *Phys. Rev. D* **80**, 092001 (2009) [arXiv:0909.3981 [hep-ex]].
667. J. E. Brau, “Advances in detector technology,” *Proceedings of the European Physical Society Europhysics Conference on High Energy Physics, Krakow, PoS EPS-HEP 2009*, 018 (2009).
668. B. P. Abbott *et al.* [LIGO Scientific Collaboration and VIRGO Collaboration], “An Upper Limit on the Stochastic Gravitational-Wave Background of Cosmological Origin,” *Nature* **460**, 990 (2009) [arXiv:0910.5772 [astro-ph.CO]].
669. J. E. Brau, “Recent Developments in Detector Technology,” *Proceedings of the 2009 Meeting of the Division of Particles and Fields of the American Physical Society, Wayne State, MI, 2009*, edited by Paul E. Karchin and Alexey A. Petrov, eConf C090726 (2009). [arXiv:1003.2650 [physics.ins-det]].
670. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $|V_{kb}|$ and the Form-Factor Slope in $\bar{B} \rightarrow Dl^- \bar{n}u$ Decays in Events Tagged by a Fully Reconstructed B Meson,” *Phys. Rev. Lett.* **104**, 011802 (2010) [arXiv:0904.4063 [hep-ex]].
671. B. Aubert *et al.* [BABAR Collaboration], “Measurement and interpretation of moments in inclusive semileptonic decays $\bar{B} \rightarrow X_c l^- \bar{n}u$,” *Phys. Rev. D* **81**, 032003 (2010) [arXiv:0908.0415 [hep-ex]].
672. B. Aubert *et al.* [BABAR Collaboration], “Searches for Lepton Flavor Violation in the Decays $\tau \rightarrow e \gamma$ and $\tau \rightarrow \mu \gamma$,” *Phys. Rev. Lett.* **104**, 021802 (2010) [arXiv:0908.2381 [hep-ex]].

673. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions of B decays to $K_1(1270)\pi$ and $K_1(1400)\pi$ and determination of the CKM angle α from $B^0 \rightarrow a_1(1260)^\pm\pi^\pm$,” Phys. Rev. D **81**, 052009 (2010) [arXiv:0909.2171 [hep-ex]].
674. B. P. Abbott *et al.* [LIGO Scientific Collaboration, Virgo Collaboration], “Searches for gravitational waves from known pulsars with S5 LIGO data,” Astrophys. J. **713**, 671 (2010) [arXiv:0909.3583 [astro-ph.HE]].
675. B. Aubert *et al.* [BABAR Collaboration], “Observation of inclusive $D^{*\pm}$ production in the decay of $\Upsilon(1S)$,” Phys. Rev. D **81**, 011102 (2010) [arXiv:0911.2024 [hep-ex]].
676. J. P. Lees *et al.* [BABAR Collaboration], “Measurement of the $\gamma\gamma^* \rightarrow \eta_c$ transition form factor,” Phys. Rev. D **81**, 052010 (2010) [arXiv:1002.3000 [hep-ex]].
677. B. Aubert *et al.* [BABAR Collaboration], “A Search for $B^+ \rightarrow \ell^+\nu_\ell$ Recoiling Against $B^- \rightarrow D^0\ell^-\bar{\nu}X$,” Phys. Rev. D **81**, 051101 (2010) [arXiv:0809.4027 [hep-ex]].
678. B. P. Abbott *et al.* [Virgo Collaboration], “Search for gravitational-wave bursts associated with gamma-ray bursts using data from LIGO Science Run 5 and Virgo Science Run 1,” Astrophys. J. **715**, 1438 (2010) [arXiv:0908.3824 [astro-ph.HE]].
679. B. Aubert *et al.* [BABAR Collaboration], “Measurements of Charged Current Lepton Universality and $|V_{us}|$ using Tau Lepton Decays to $e^-\bar{\nu}_e\nu_\tau$, $\mu^-\bar{\nu}_\mu\nu_\tau$, $\pi^-\nu_\tau$, and $K^-\nu_\tau$,” Phys. Rev. Lett. **105**, 051602 (2010) [arXiv:0912.0242 [hep-ex]].
680. S. M. Tripathi *et al.*, “Gold-stud bump bonding for HEP applications,” JINST **5**, C08005 (2010).
681. J. Abadie *et al.* [LIGO Scientific Collaboration & Virgo Collaboration], “Search for gravitational-wave inspiral signals associated with short Gamma-Ray Bursts during LIGO’s fifth and Virgo’s first science run,” Astrophys. J. **715**, 1453 (2010) [arXiv:1001.0165 [astro-ph.HE]].
682. J. P. Lees *et al.* [BABAR Collaboration], “Search for Charged Lepton Flavor Violation in Narrow Upsilon Decays,” Phys. Rev. Lett. **104**, 151802 (2010) [arXiv:1001.1883 [hep-ex]].
683. B. Aubert *et al.* [BABAR Collaboration], “Observation of the $\chi_{c2}(2P)$ meson in the reaction $\gamma\gamma \rightarrow D\bar{D}$ at BABAR,” Phys. Rev. D **81**, 092003 (2010) [arXiv:1002.0281 [hep-ex]].
684. J. Abadie *et al.* [LIGO Scientific and Virgo Collaborations], “All-sky search for gravitational-wave bursts in the first joint LIGO-GEO-Virgo run,” Phys. Rev. D **81**, 102001 (2010) [arXiv:1002.1036 [gr-qc]].
685. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Test of lepton universality in Upsilon(1S) decays at BaBar,” Phys. Rev. Lett. **104**, 191801 (2010) [arXiv:1002.4358 [hep-ex]].
686. J. P. Lees *et al.* [BaBar Collaboration], “Limits on tau Lepton-Flavor Violating Decays in three charged leptons,” Phys. Rev. D **81**, 111101 (2010) [arXiv:1002.4550 [hep-ex]].
687. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Observation of the Rare Decay $B^0 \rightarrow K_s K^\pm \pi^\mp$,” Phys. Rev. D **82**, 031101 (2010) [arXiv:1003.0640 [hep-ex]].
688. J. Abadie *et al.* [LIGO Scientific Collaboration and Virgo Collaboration], “Predictions for the Rates of Compact Binary Coalescences Observable by Ground-based Gravitational-wave Detectors,” Class. Quant. Grav. **27**, 173001 (2010) [arXiv:1003.2480 [astro-ph.HE]].
689. G. Aad *et al.* [ATLAS Collaboration], “Charged-particle multiplicities in pp interactions at $\sqrt{s} = 900$ GeV measured with the ATLAS detector at the LHC,” Phys. Lett. B **688**, 21 (2010) [arXiv:1003.3124 [hep-ex]].
690. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Search for CP violation using T -odd correlations in $D^0 \rightarrow K^+K^-\pi^+\pi^-$ decays,” Phys. Rev. D **81**, 111103 (2010) [arXiv:1003.3397 [hep-ex]].
691. P. del Amo Sanchez *et al.* [BABAR Collaboration], “B-meson decays to $\eta'\rho$, $\eta'f_0$, and $\eta'K^*$,” Phys. Rev. D **82**, 011502 (2010) [arXiv:1004.0240 [hep-ex]].

692. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Measurement of $D^0 - \bar{D}^0$ mixing parameters using $D^0 \rightarrow K_S^0 \pi^+ \pi^-$ and $D^0 \rightarrow K_S^0 K^+ K^-$ decays,” Phys. Rev. Lett. **105**, 081803 (2010) [arXiv:1004.5053 [hep-ex]].
693. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Evidence for direct CP violation in the measurement of the Cabibbo-Kobayashi-Maskawa angle gamma with $B^\mp \rightarrow D^{(*)} K^{(*)\mp}$ decays,” Phys. Rev. Lett. **105**, 121801 (2010) [arXiv:1005.1096 [hep-ex]].
694. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Study of $B \rightarrow X \gamma$ Decays and Determination of $|V_{td}/V_{ts}|$,” Phys. Rev. D **82**, 051101 (2010) [arXiv:1005.4087 [hep-ex]].
695. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Evidence for the decay $X(3872) \rightarrow J/\psi \omega$,” Phys. Rev. D **82**, 011101 (2010) [arXiv:1005.5190 [hep-ex]].
696. J. Abadie *et al.* [LIGO Scientific Collaboration], “First search for gravitational waves from the youngest known neutron star,” Astrophys. J. **722**, 1504 (2010) [arXiv:1006.2535 [gr-qc]].
697. P. del Amo Sanchez *et al.* [Babar Collaboration], “Search for $b \rightarrow u$ transitions in $B^- \rightarrow DK^-$ and $B^- \rightarrow D^* K^-$ Decays,” Phys. Rev. D **82**, 072006 (2010) [arXiv:1006.4241 [hep-ex]].
698. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Measurement of CP observables in $B^\pm \rightarrow D_{CP} K^\pm$ decays and constraints on the CKM angle gamma,” Phys. Rev. D **82**, 072004 (2010) [arXiv:1007.0504 [hep-ex]].
699. B. Aubert *et al.* [BABAR Collaboration], “Observation of the decay $\bar{B}^0 \rightarrow \Lambda_c \bar{p} \pi^0$,” Phys. Rev. D **82**, 031102 (2010) [arXiv:1007.1370 [hep-ex]].
700. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Search for $f_J(2220)$ in radiative J/ψ decays,” Phys. Rev. Lett. **105**, 172001 (2010) [arXiv:1007.3526 [hep-ex]].
701. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Exclusive Production of $D_s^+ D_s^-$, $D_s^{*+} D_s^-$, and $D_s^{*+} D_s^{*-}$ via $e^+ e^-$ Annihilation with Initial-State-Radiation,” Phys. Rev. D **82**, 052004 (2010) [arXiv:1008.0338 [hep-ex]].
702. James E. Brau, John A. Jaros, and Hong Ma, “Advances in Calorimetry,” Ann. Rev. Nucl. Part. Sci. **60**, 615-644 (2010).
703. B. Aubert *et al.* [BABAR Collaboration], “A Search for $B^+ \rightarrow \ell^+ \nu_\ell$ Recoiling Against $B^- \rightarrow D^0 \ell^- \bar{\nu}_\ell X$,” Phys. Rev. D **81**, 051101 (2010) [arXiv:0912.2453 [hep-ex]].
704. G. Aad *et al.* [ATLAS Collaboration], “Readiness of the ATLAS Liquid Argon Calorimeter for LHC Collisions,” Eur. Phys. J. C **70**, 723 (2010) [arXiv:0912.2642 [physics.ins-det]].
705. G. Aad *et al.* [ATLAS Collaboration], “Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons,” Eur. Phys. J. C **70**, 755 (2010) [arXiv:1002.4189 [physics.ins-det]].
706. G. Aad *et al.* [ATLAS Collaboration], “The ATLAS Inner Detector commissioning and calibration,” Eur. Phys. J. C **70**, 787 (2010) [arXiv:1004.5293 [physics.ins-det]].
707. G. Aad *et al.* [ATLAS Collaboration], “The ATLAS Simulation Infrastructure,” Eur. Phys. J. C **70**, 823 (2010) [arXiv:1005.4568 [physics.ins-det]].
708. G. Aad *et al.* [ATLAS Collaboration], “Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays,” Eur. Phys. J. C **70**, 875 (2010) [arXiv:1006.4384 [physics.ins-det]].
709. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Observation of the $\Upsilon 1^3 D_J$ Bottomonium State through Decays to $\pi^+ \pi^- \Upsilon 1 S$,” Phys. Rev. D **82**, 111102 (2010) [arXiv:1004.0175 [hep-ex]].
710. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Search for $B^+ \rightarrow D^+ K^0$ and $B^+ \rightarrow D^+ K^{*0}$ decays,” Phys. Rev. D **82**, 092006 (2010) [arXiv:1005.0068 [hep-ex]].
711. J. Abadie *et al.* [LIGO Scientific and Virgo Collaborations], “Search for Gravitational Waves from Compact Binary Coalescence in LIGO and Virgo Data from S5 and VSR1,” Phys. Rev. D **82**, 102001 (2010) [arXiv:1005.4655 [gr-qc]].

712. G. Aad *et al.* [ATLAS Collaboration], “Performance of the ATLAS Detector using First Collision Data,” *JHEP* **1009**, 056 (2010) [arXiv:1005.5254 [hep-ex]].
713. B. Aubert *et al.* [BABAR Collaboration], “Correlated leading baryon-antibaryon production in $e^+e^- \rightarrow c\bar{c} \rightarrow \Lambda_c^+ \bar{\Lambda}_c^- X$,” *Phys. Rev. D* **82**, 091102 (2010) [arXiv:1006.2216 [hep-ex]].
714. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Search for B^+ meson decay to $a_1^+ K^{*0}$,” *Phys. Rev. D* **82**, 091101 (2010) [arXiv:1007.2732 [hep-ex]].
715. J. Abadie *et al.* [LIGO Scientific Collaboration], “Calibration of the LIGO Gravitational Wave Detectors in the Fifth Science Run,” *Nucl. Instrum. Meth. A* **624**, 223 (2010) [arXiv:1007.3973 [gr-qc]].
716. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Dalitz-plot Analysis of $B^0 \rightarrow \bar{D}^0 \pi^+ \pi^-$,” *PoS ICHEP 2010*, 250 (2010) [arXiv:1007.4464 [hep-ex]].
717. G. Aad *et al.* [ATLAS Collaboration], “Readiness of the ATLAS Tile Calorimeter for LHC collisions,” *Eur. Phys. J. C* **70**, 1193 (2010) [arXiv:1007.5423 [physics.ins-det]].
718. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Measurement of the Absolute Branching Fractions for $D_s^- \rightarrow \ell^- \bar{\nu}_\ell$ and Extraction of the Decay Constant f_{D_s} ,” *Phys. Rev. D* **82**, 091103 (2010) [*Phys. Rev. D* **91**, no. 1, 019901 (2015)] [arXiv:1008.4080 [hep-ex]].
719. G. Aad *et al.* [ATLAS Collaboration], “Search for New Particles in Two-Jet Final States in 7 TeV Proton-Proton Collisions with the ATLAS Detector at the LHC,” *Phys. Rev. Lett.* **105**, 161801 (2010) [arXiv:1008.2461 [hep-ex]].
720. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Observation of new resonances decaying to $D\pi$ and $D^*\pi$ in inclusive e^+e^- collisions near $\sqrt{s}=10.58$ GeV,” *Phys. Rev. D* **82**, 111101 (2010) [arXiv:1009.2076 [hep-ex]].
721. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Search for the Rare Decay $B \rightarrow K\nu\bar{\nu}$,” *Phys. Rev. D* **82**, 112002 (2010) [arXiv:1009.1529 [hep-ex]].
722. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the $W \rightarrow \ell\nu$ and $Z/\gamma^* \rightarrow \ell\ell$ production cross sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *JHEP* **1012**, 060 (2010) [arXiv:1010.2130 [hep-ex]].
723. G. Aad *et al.* [ATLAS Collaboration], “Observation of a Centrality-Dependent Dijet Asymmetry in Lead-Lead Collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS Detector at the LHC,” *Phys. Rev. Lett.* **105**, 252303 (2010) [arXiv:1011.6182 [hep-ex]].
724. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Search for Production of Invisible Final States in Single-Photon Decays of $\Upsilon(1S)$,” *Phys. Rev. Lett.* **107**, 021804 (2011) [arXiv:1007.4646 [hep-ex]].
725. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Study of $B \rightarrow \pi\ell\nu$ and $B \rightarrow \rho\ell\nu$ Decays and Determination of $|V_{ub}|$,” *Phys. Rev. D* **83**, 032007 (2011) [arXiv:1005.3288 [hep-ex]].
726. G. Aad *et al.* [ATLAS Collaboration], “Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector,” *Eur. Phys. J. C* **71**, 1512 (2011) [arXiv:1009.5908 [hep-ex]].
727. G. Aad *et al.* [ATLAS Collaboration], “Search for Quark Contact Interactions in Dijet Angular Distributions in pp Collisions at $\sqrt{s} = 7$ TeV Measured with the ATLAS Detector,” *Phys. Lett. B* **694**, 327 (2011) [arXiv:1009.5069 [hep-ex]].
728. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Measurement of the $B^0 \rightarrow \pi^- \ell^+ \nu$ and $B^+ \rightarrow \eta^{(\prime)} \ell^+ \nu$ Branching Fractions, the $B^0 \rightarrow \pi^- \ell^+ \nu$ and $B^+ \rightarrow \eta \ell^+ \nu$ Form-Factor Shapes, and Determination of $|V_{ub}|$,” *Phys. Rev. D* **83**, 052011 (2011) [arXiv:1010.0987 [hep-ex]].
729. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Search for the Decay $B^0 \rightarrow \gamma\gamma$,” *Phys. Rev. D* **83**, 032006 (2011) [arXiv:1010.2229 [hep-ex]].

730. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Measurement of the $B \rightarrow \bar{D}^{(*)}D^{(*)}K$ branching fractions,” *Phys. Rev. D* **83**, 032004 (2011) [arXiv:1011.3929 [hep-ex]].
731. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Studies of $\tau^- \rightarrow \eta K^- \nu_\tau$ and $\tau^- \rightarrow \eta \pi^- \nu_\tau$ at BaBar and a search for a second-class current,” *Phys. Rev. D* **83**, 032002 (2011) [arXiv:1011.3917 [hep-ex]].
732. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Dalitz plot analysis of $D_s^+ \rightarrow K^+ K^- \pi^+$,” *Phys. Rev. D* **83**, 052001 (2011) [arXiv:1011.4190 [hep-ex]].
733. J. Abadie *et al.* [LIGO Scientific and Virgo Collaborations], “Search for Gravitational Wave Bursts from Six Magnetars,” *Astrophys J* **734**, L35 (2011) [arXiv:1011.4079 [astro-ph.HE]].
734. G. Aad *et al.* [ATLAS Collaboration], “Studies of the performance of the ATLAS detector using cosmic-ray muons,” *Eur Phys J C* **71**, 1593 (2011) [arXiv:1011.6665 [physics.ins-det]].
735. J. Abadie *et al.* [LIGO Scientific Collaboration], “A search for gravitational waves associated with the August 2006 timing glitch of the Vela pulsar,” *Phys. Rev. D* **83**, 042001 (2011) [Phys. Rev. D **83**, 069902 (2011)] [arXiv:1011.1357 [gr-qc]].
736. G. Aad *et al.* [ATLAS Collaboration], “Measurement of underlying event characteristics using charged particles in pp collisions at $\sqrt{s} = 900\text{GeV}$ and 7 TeV with the ATLAS detector,” *Phys. Rev. D* **83**, 112001 (2011) [arXiv:1012.0791 [hep-ex]].
737. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Analysis of the $D^+ \rightarrow K^- \pi^+ e^+ \nu_e$ decay channel,” *Phys. Rev. D* **83**, 072001 (2011) [arXiv:1012.1810 [hep-ex]].
738. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV,” *Eur. Phys. J. C* **71**, 1577 (2011) [arXiv:1012.1792 [hep-ex]].
739. G. Aad *et al.* [ATLAS Collaboration], “Search for Diphoton Events with Large Missing Transverse Energy in 7 TeV Proton-Proton Collisions with the ATLAS Detector,” *Phys. Rev. Lett.* **106**, 121803 (2011) [arXiv:1012.4272 [hep-ex]].
740. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Observation of the Decay $B^- \rightarrow D_s^{(*)+} K^- \ell^- \bar{\nu}_\ell$,” *Phys. Rev. Lett.* **107**, 041804 (2011) [arXiv:1012.4158 [hep-ex]].
741. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Measurements of branching fractions, polarizations, and direct CP-violation asymmetries in $B^+ \rightarrow \rho^0 K^{*+}$ and $B^+ \rightarrow f^0(980)K^{*+}$ decays,” *Phys. Rev. D* **83**, 051101 (2011) [arXiv:1012.4044 [hep-ex]].
742. G. Aad *et al.* [ATLAS Collaboration], “Charged-particle multiplicities in pp interactions measured with the ATLAS detector at the LHC,” *New J. Phys.* **13**, 053033 (2011) [arXiv:1012.5104 [hep-ex]].
743. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Measurement of partial branching fractions of inclusive charmless B meson decays to K^+ , K^0 , and π^+ ,” *Phys. Rev. D* **83**, 031103 (2011) [arXiv:1012.5031 [hep-ex]].
744. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. D* **83**, 052005 (2011) [arXiv:1012.4389 [hep-ex]].
745. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the centrality dependence of J/ψ yields and observation of Z production in lead-lead collisions with the ATLAS detector at the LHC,” *Phys. Lett. B* **697**, 294 (2011) [arXiv:1012.5419 [hep-ex]].
746. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the production cross section for W-bosons in association with jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **698**, 325 (2011) [arXiv:1012.5382 [hep-ex]].

747. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **71**, 1846 (2011) [arXiv:1109.6833 [hep-ex]].
748. G. Aad *et al.* [ATLAS Collaboration], “Study of Jet Shapes in Inclusive Jet Production in pp Collisions at $\sqrt{s} = 7$ TeV using the ATLAS Detector,” *Phys. Rev. D* **83**, 052003 (2011) [arXiv:1101.0070 [hep-ex]].
749. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Measurement of the $\gamma\gamma^* \rightarrow \eta$ and $\gamma\gamma^* \rightarrow \eta'$ transition form factors,” *Phys. Rev. D* **84**, 052001 (2011) [arXiv:1101.1142 [hep-ex]].
750. G. Aad *et al.* [ATLAS Collaboration], “Luminosity Determination in pp Collisions at $\sqrt{s} = 7$ TeV Using the ATLAS Detector at the LHC,” *Eur. Phys. J. C* **71**, 1630 (2011) [arXiv:1101.2185 [hep-ex]].
751. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Searches for the baryon- and lepton-number violating decays $B^0 \rightarrow \Lambda_c^+ \ell^-$, $B^- \rightarrow \Lambda \ell^-$, and $B^- \rightarrow \bar{\Lambda} \ell^-$,” *Phys. Rev. D* **83**, 091101 (2011) [arXiv:1101.3830 [hep-ex]].
752. G. Aad *et al.* [ATLAS Collaboration], “Search for Massive Long-lived Highly Ionising Particles with the ATLAS Detector at the LHC,” *Phys. Lett. B* **698**, 353 (2011) [arXiv:1102.0459 [hep-ex]].
753. G. Aad *et al.* [ATLAS Collaboration], “Search for supersymmetry using final states with one lepton, jets, and missing transverse momentum with the ATLAS detector in $\sqrt{s} = 7$ TeV pp ,” *Phys. Rev. Lett.* **106**, 131802 (2011) [arXiv:1102.2357 [hep-ex]].
754. G. Aad *et al.* [ATLAS Collaboration], “Measurement of Dijet Azimuthal Decorrelations in pp Collisions at $\sqrt{s} = 7$ TeV,” *Phys. Rev. Lett.* **106**, 172002 (2011) [arXiv:1102.2696 [hep-ex]].
755. J. Abadie *et al.* [LIGO Scientific and Virgo Collaborations], “Search for gravitational waves from binary black hole inspiral, merger and ringdown,” *Phys. Rev. D* **83**, 122005 (2011) [Erratum-ibid. *D* **86**, 069903 (2012)] [arXiv:1102.3781 [gr-qc]].
756. J. P. Lees *et al.* [BABAR Collaboration], “Evidence for the $h_b(1P)$ meson in the decay $\Upsilon(3S) \rightarrow \pi^0 h_b(1P)$,” *Phys. Rev. D* **84**, 091101 (2011) [arXiv:1102.4565 [hep-ex]].
757. G. Aad *et al.* [ATLAS Collaboration], “Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions,” *Phys. Lett. B* **701**, 186 (2011) [arXiv:1102.5290 [hep-ex]].
758. G. Aad *et al.* [ATLAS Collaboration], “Search for high-mass states with one lepton plus missing transverse momentum in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **701**, 50 (2011) [arXiv:1103.1391 [hep-ex]].
759. G. Aad *et al.* [ATLAS Collaboration], “Measurements of underlying-event properties using neutral and charged particles in pp collisions at 900 GeV and 7 TeV with the ATLAS detector at the LHC,” *Eur. Phys. J. C* **71**, 1636 (2011) [arXiv:1103.1816 [hep-ex]].
760. G. Aad *et al.* [ATLAS Collaboration], “Search for stable hadronising squarks and gluinos with the ATLAS experiment at the LHC,” *Phys. Lett. B* **701**, 1 (2011) [arXiv:1103.1984 [hep-ex]].
761. J. P. Lees *et al.* [BABAR Collaboration], “Measurement of the mass and width of the $D_{s1}(2536)^+$ meson,” *Phys. Rev. D* **83**, 072003 (2011) [arXiv:1103.2675 [hep-ex]].
762. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the Muon Charge Asymmetry from W Bosons Produced in pp Collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **701**, 31 (2011) [arXiv:1103.2929 [hep-ex]].

763. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Observation of $\eta_c(1S)$ and $\eta_c(2S)$ decays to $K^+K^-\pi^+\pi^-\pi^0$ in two-photon interactions,” *Phys. Rev. D* **84**, 012004 (2011) [arXiv:1103.3971 [hep-ex]].
764. G. Aad *et al.* [ATLAS Collaboration], “Search for New Physics in Dijet Mass and Angular Distributions in pp Collisions at $\sqrt{s} = 7$ TeV Measured with the ATLAS Detector,” *New J. Phys.* **13**, 053044 (2011) [arXiv:1103.3864 [hep-ex]].
765. G. Aad *et al.* [ATLAS Collaboration], “Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in final states with missing transverse momentum and b-jets,” *Phys. Lett. B* **701**, 398 (2011) [arXiv:1103.4344 [hep-ex]].
766. G. Aad *et al.* [ATLAS Collaboration], “Search for a heavy particle decaying into an electron and a muon with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC,” *Phys. Rev. Lett.* **106**, 251801 (2011) [arXiv:1103.5559 [hep-ex]].
767. G. Aad *et al.* [ATLAS Collaboration], “Search for high mass dilepton resonances in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment,” *Phys. Lett. B* **700**, 163 (2011) [arXiv:1103.6218 [hep-ex]].
768. G. Aad *et al.* [ATLAS Collaboration], “Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS experiment,” *Eur. Phys. J. C* **71**, 1682 (2011) [arXiv:1103.6214 [hep-ex]].
769. G. Aad *et al.* [ATLAS Collaboration], “Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS detector,” *Eur. Phys. J. C* **71**, 1647 (2011) [arXiv:1103.6208 [hep-ex]].
770. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Search for CP violation in the decay $D^\pm \rightarrow K_S^0 \pi^\pm$,” *Phys. Rev. D* **83**, 071103 (2011) [arXiv:1011.5477 [hep-ex]].
771. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the Inelastic Proton-Proton Cross-Section at $\sqrt{s} = 7$ TeV with the ATLAS Detector,” *Nature Commun.* **2**, 463 (2011) [arXiv:1104.0326 [hep-ex]].
772. J. Abadie *et al.* [LIGO Scientific and Virgo Collaborations], “Beating the spin-down limit on gravitational wave emission from the Vela pulsar,” *Astrophys. J.* **737**, 93 (2011) [arXiv:1104.2712 [astro-ph.HE]].
773. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the differential cross-sections of inclusive, prompt and non-prompt J/ψ production in proton-proton collisions at $\sqrt{s} = 7$ TeV,” *Nucl. Phys. B* **850**, 387 (2011) [arXiv:1104.3038 [hep-ex]].
774. G. Aad *et al.* [ATLAS Collaboration], “Search for pair production of first or second generation leptoquarks in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC,” *Phys. Rev. D* **83**, 112006 (2011) [arXiv:1104.4481 [hep-ex]].
775. J. P. Lees *et al.* [BABAR Collaboration], “Search for $b \rightarrow u$ Transitions in $B^\pm \rightarrow [K^\mp \pi^\pm \pi^0]_D K^\pm$ Decays,” *Phys. Rev. D* **84**, 012002 (2011) [arXiv:1104.4472 [hep-ex]].
776. G. Aad *et al.* [ATLAS Collaboration], “Search for Contact Interactions in Dimuon Events from pp Collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector,” *Phys. Rev. D* **84**, 011101 (2011) [arXiv:1104.4398 [hep-ex]].
777. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the WW cross section in $\sqrt{s} = 7$ TeV pp collisions with ATLAS,” *Phys. Rev. Lett.* **107**, 041802 (2011) [arXiv:1104.5225 [hep-ex]].
778. J. P. Lees *et al.* [BABAR Collaboration], “Study of radiative bottomonium transitions using converted photons,” *Phys. Rev. D* **84**, 072002 (2011) [*Phys. Rev. D* **84**, 099901 (2011)] [arXiv:1104.5254 [hep-ex]].

779. J. P. Lees *et al.* [BABAR Collaboration], “Search for CP violation using T -odd correlations in $D^+ \rightarrow K^+ K_S^0 \pi^+ \pi^-$ and $D_s^+ \rightarrow K^+ K_S^0 \pi^+ \pi^-$ decays,” *Phys. Rev. D* **84**, 031103 (2011) [arXiv:1105.4410 [hep-ex]].
780. J. P. Lees *et al.* [BABAR Collaboration], “Study of di-pion bottomonium transitions and search for the $h_b(1P)$ state,” *Phys. Rev. D* **84**, 011104 (2011) [arXiv:1105.4234 [hep-ex]].
781. J. P. Lees *et al.* [BABAR Collaboration], “Measurements of branching fractions and CP asymmetries and studies of angular distributions for $B \rightarrow \phi \phi K$ decays,” *Phys. Rev. D* **84**, 012001 (2011) [arXiv:1105.5159 [hep-ex]].
782. G. Aad *et al.* [ATLAS Collaboration], “Measurement of $W\gamma$ and $Z\gamma$ production in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS Detector,” *JHEP* **1109**, 072 (2011) [arXiv:1106.1592 [hep-ex]].
783. G. Aad *et al.* [ATLAS Collaboration], “Limits on the production of the Standard Model Higgs Boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **71**, 1728 (2011) [arXiv:1106.2748 [hep-ex]].
784. G. Aad *et al.* [ATLAS Collaboration], “Search for Heavy Long-Lived Charged Particles with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV,” *Phys. Lett. B* **703**, 428 (2011) [arXiv:1106.4495 [hep-ex]].
785. G. Aad *et al.* [ATLAS Collaboration], “Search for new phenomena with the monojet and missing transverse momentum signature using the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions,” *Phys. Lett. B* **705**, 294 (2011) [arXiv:1106.5327 [hep-ex]].
786. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the $\Upsilon(1S)$ Production Cross-Section in pp Collisions at $\sqrt{s} = 7$ TeV in ATLAS,” *Phys. Lett. B* **705**, 9 (2011) [arXiv:1106.5325 [hep-ex]].
787. G. Aad *et al.* [ATLAS Collaboration], “Search for Diphoton Events with Large Missing Transverse Energy with 36 pb^{-1} of 7 TeV Proton-Proton Collision Data with the ATLAS Detector,” *Eur. Phys. J. C* **71**, 1744 (2011) [arXiv:1107.0561 [hep-ex]].
788. G. Aad *et al.* [ATLAS Collaboration], “Measurement of dijet production with a veto on additional central jet activity in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector,” *JHEP* **1109**, 053 (2011) [arXiv:1107.1641 [hep-ex]].
789. G. Aad *et al.* [ATLAS Collaboration], “Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy,” *Eur. Phys. J. C* **71**, 1763 (2011) [arXiv:1107.2092 [hep-ex]].
790. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the transverse momentum distribution of Z/γ^* bosons in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **705**, 415 (2011) [arXiv:1107.2381 [hep-ex]].
791. G. Aad *et al.* [ATLAS Collaboration], “Properties of jets measured from tracks in proton-proton collisions at center-of-mass energy $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. D* **84**, 054001 (2011) [arXiv:1107.3311 [hep-ex]].
792. J. P. Lees *et al.* [BABAR Collaboration], “Searches for Rare or Forbidden Semileptonic Charm Decays,” *Phys. Rev. D* **84**, 072006 (2011) [arXiv:1107.4465 [hep-ex]].
793. G. Aad *et al.* [ATLAS Collaboration], “Search for neutral MSSM Higgs bosons decaying to $\tau^+ \tau^-$ pairs in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **705**, 174 (2011) [arXiv:1107.5003 [hep-ex]].
794. J. P. Lees *et al.* [BABAR Collaboration], “Branching Fraction Measurements of the Color-Suppressed Decays $\bar{B}^0 \rightarrow D^{(*)0} \pi^0$, $D^{(*)0} \eta$, $D^{(*)0} \omega$, and $D^{(*)0} \eta'$ and Measurement of the Polarization in the Decay $\bar{B}^0 \rightarrow D^{*0} \omega$,” *Phys. Rev. D* **84**, 112007 (2011) [Erratum-ibid. *D* **87**, no. 3, 039901 (2013)] [arXiv:1107.5751 [hep-ex]].

795. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the inclusive isolated prompt photon cross-section in pp collisions at $\sqrt{s}=7$ TeV using 35 pb^{-1} of ATLAS data,” *Phys. Lett. B* **706**, 150 (2011) [arXiv:1108.0253 [hep-ex]].
796. G. Aad *et al.* [ATLAS Collaboration], “Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector,” *JHEP* **1110**, 107 (2011) [arXiv:1108.0366 [hep-ex]].
797. G. Aad *et al.* [ATLAS Collaboration], “Search for a heavy gauge boson decaying to a charged lepton and a neutrino in 1 fb^{-1} of pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector,” *Phys. Lett. B* **705**, 28 (2011) [arXiv:1108.1316 [hep-ex]].
798. G. Aad *et al.* [ATLAS Collaboration], “Search for dilepton resonances in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector,” *Phys. Rev. Lett.* **107**, 272002 (2011) [arXiv:1108.1582 [hep-ex]].
799. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the $Z \rightarrow \tau\tau$ Cross Section with the ATLAS Detector,” *Phys. Rev. D* **84**, 112006 (2011) [arXiv:1108.2016 [hep-ex]].
800. J. P. Lees *et al.* [BABAR Collaboration], “Search for hadronic decays of a light Higgs boson in the radiative decay $\Upsilon \rightarrow \gamma A^0$,” *Phys. Rev. Lett.* **107**, 221803 (2011) [arXiv:1108.3549 [hep-ex]].
801. J. P. Lees *et al.* [BABAR Collaboration], “Study of $\Upsilon(3S, 2S) \rightarrow \eta\Upsilon(1S)$ and $\Upsilon(3S, 2S) \rightarrow \pi^+\pi^-\Upsilon(1S)$ hadronic transitions,” *Phys Rev D* **84**, 092003 (2011) [arXiv:1108.5874 [hep-ex]].
802. J. P. Lees *et al.* [BABAR Collaboration], “Observation of the baryonic B decay $\bar{B}^0 \rightarrow \Lambda_c^+\bar{\Lambda}K^-$,” *Phys. Rev. D* **84**, 071102 (2011) [Erratum-*Phys. Rev. D* **85**, 039903 (2012)] [arXiv:1108.3211 [hep-ex]].
803. C. Baltay, W. Emmet, D. Rabinowitz, J. Brau, N. Sinev and D. Strom, “Chronopixel Vertex Detectors for Future Linear Colliders,” Proceedings of the DPF-2011 Conference, arXiv:1109.2811 [physics.ins-det].
804. J. P. Lees *et al.* [BABAR Collaboration], “Observation of the rare decay $B^+ \rightarrow K^+\pi^0\pi^0$ and measurement of the quasi-two body contributions $B^+ \rightarrow K^*(892)^+\pi^0$, $B^+ \rightarrow f_0(980)K^+$ and $B^+ \rightarrow \chi_{c0}K^+$,” *Phys. Rev. D* **84**, 092007 (2011) [arXiv:1109.0143 [hep-ex]].
805. J. Abadie *et al.*, “Directional limits on persistent gravitational waves using LIGO S5 science data,” *Phys. Rev. Lett.* **107**, 271102 (2011) [arXiv:1109.1809 [astro-ph.CO]].
806. G. Aad *et al.* [ATLAS Collaboration], “Search for a Standard Model Higgs boson in the $H \rightarrow ZZ \rightarrow \ell^+\ell^-\nu\bar{\nu}$ decay channel with the ATLAS detector,” *Phys. Rev. Lett.* **107**, 221802 (2011) [arXiv:1109.3357 [hep-ex]].
807. G. Aad *et al.* [ATLAS Collaboration], “Search for the Higgs boson in the $H \rightarrow WW \rightarrow \ell\nu jj$ decay channel in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector,” *Phys. Rev. Lett.* **107**, 231801 (2011) [arXiv:1109.3615 [hep-ex]].
808. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector,” *Eur. Phys. J. C* **71**, 1795 (2011) [arXiv:1109.5816 [hep-ex]].
809. G. Aad *et al.* [ATLAS Collaboration], “Search for the Standard Model Higgs boson in the decay channel $H \rightarrow ZZ^* \rightarrow 4\ell$ with the ATLAS detector,” *Phys. Lett. B* **705**, 435 (2011) [arXiv:1109.5945 [hep-ex]].
810. G. Aad *et al.* [ATLAS Collaboration], “Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector,” *JHEP* **1111**, 099 (2011) [arXiv:1110.2299 [hep-ex]].

811. G. Aad *et al.* [ATLAS Collaboration], “Search for Massive Colored Scalars in Four-Jet Final States in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS Detector,” *Eur. Phys. J. C* **71**, 1828 (2011) [arXiv:1110.2693 [hep-ex]].
812. M. Woods *et al.*, “Development of Readout Interconnections for the Si-W Calorimeter of SiD,” *JINST* **6**, C12050 (2011) [arXiv:1110.6924 [physics.ins-det]].
813. J. Brau *et al.* (editors), “International Linear Collider Physics and Detectors: 2011 Status Report, ILC-REPORT-2011-033 (2011) 109p.
814. J. P. Lees *et al.* [BABAR Collaboration], “Amplitude Analysis of $B^0 \rightarrow K^+\pi^-\pi^0$ and Evidence of Direct CP Violation in $B \rightarrow K^*\pi$ decays,” *Phys. Rev. D* **83**, 112010 (2011) [arXiv:1105.0125 [hep-ex]].
815. G. Aad *et al.* [ATLAS Collaboration], “Search for the Standard Model Higgs boson in the two photon decay channel with the ATLAS detector at the LHC,” *Phys. Lett. B* **705**, 452 (2011) [arXiv:1108.5895 [hep-ex]].
816. G. Aad *et al.* [ATLAS Collaboration], “Search for a heavy neutral particle decaying into an electron and a muon using 1 fb^{-1} of ATLAS data,” *Eur. Phys. J. C* **71**, 1809 (2011) [arXiv:1109.3089 [hep-ex]].
817. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the isolated di-photon cross-section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. D* **85**, 012003 (2012) [arXiv:1107.0581 [hep-ex]].
818. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7$ TeV in dilepton final states with ATLAS,” *Phys. Lett. B* **707**, 459 (2012) [arXiv:1108.3699 [hep-ex]].
819. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the $W \rightarrow \tau\nu$ Cross Section in pp Collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment,” *Phys. Lett. B* **706**, 276 (2012) [arXiv:1108.4101 [hep-ex]].
820. G. Aad *et al.* [ATLAS Collaboration], “A measurement of the ratio of the W and Z cross sections with exactly one associated jet in pp collisions at $\sqrt{s} = 7$ TeV with ATLAS,” *Phys. Lett. B* **708**, 221 (2012) [arXiv:1108.4908 [hep-ex]].
821. G. Aad *et al.* [ATLAS Collaboration], “Search for a heavy Standard Model Higgs boson in the channel $H \rightarrow ZZ \rightarrow \ell\ell qq$ using the ATLAS detector,” *Phys. Lett. B* **707**, 27 (2012) [arXiv:1108.5064 [hep-ex]].
822. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the pseudorapidity and transverse momentum dependence of the elliptic flow of charged particles in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector,” *Phys. Lett. B* **707**, 330 (2012) [arXiv:1108.6018 [hep-ex]].
823. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the centrality dependence of the charged particle pseudorapidity distribution in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector,” *Phys. Lett. B* **710**, 363 (2012) [arXiv:1108.6027 [hep-ex]].
824. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the Transverse Momentum Distribution of W Bosons in pp Collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector,” *Phys. Rev. D* **85**, 012005 (2012) [arXiv:1108.6308 [hep-ex]].
825. G. Aad *et al.* [ATLAS Collaboration], “Search for New Physics in the Dijet Mass Distribution using 1 fb^{-1} of pp Collision Data at $\sqrt{s} = 7$ TeV collected by the ATLAS Detector,” *Phys. Lett. B* **708**, 37 (2012) [arXiv:1108.6311 [hep-ex]].
826. G. Aad *et al.* [ATLAS Collaboration], “Measurements of the electron and muon inclusive cross-sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **707**, 438 (2012) [arXiv:1109.0525 [hep-ex]].

827. J. P. Lees *et al.* [BABAR Collaboration], “Search for CP Violation in the Decay $\tau^- \rightarrow \pi^- K_S^0 (\geq 0\pi^0) \nu_\tau$,” Phys. Rev. D **85**, 031102 (2012) [Erratum-ibid. D **85**, 099904 (2012)] [arXiv:1109.1527 [hep-ex]].
828. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the cross section for the production of a W boson in association with b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” Phys. Lett. B **707**, 418 (2012) [arXiv:1109.1470 [hep-ex]].
829. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the cross-section for b-jets produced in association with a Z boson at $\sqrt{s} = 7$ TeV with the ATLAS detector,” Phys. Lett. B **706**, 295 (2012) [arXiv:1109.1403 [hep-ex]].
830. G. Aad *et al.* [ATLAS Collaboration], “Search for displaced vertices arising from decays of new heavy particles in 7 TeV pp collisions at ATLAS,” Phys. Lett. B **707**, 478 (2012) [arXiv:1109.2242 [hep-ex]].
831. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Implementation and testing of the first prompt search for gravitational wave transients with electromagnetic counterparts,” Astron. Astrophys. **539**, A124 (2012).
832. G. Aad *et al.* [ATLAS Collaboration], “Search for New Phenomena in $t\bar{t}$ Events With Large Missing Transverse Momentum in Proton-Proton Collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector,” Phys. Rev. Lett. **108**, 041805 (2012) [arXiv:1109.4725 [hep-ex]].
833. G. Aad *et al.* [ATLAS Collaboration], “Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions,” Phys. Lett. B **710**, 67 (2012) [arXiv:1109.6572 [hep-ex]].
834. G. Aad *et al.* [ATLAS Collaboration], “Search for supersymmetry in final states with jets, missing transverse momentum and one isolated lepton in $\sqrt{s} = 7$ TeV pp collisions using 1 fb^{-1} of ATLAS data,” Phys. Rev. D **85**, 012006 (2012) [arXiv:1109.6606 [hep-ex]].
835. J. Abadie *et al.* [LIGO Scientific and Virgo Collaborations], “All-sky Search for Periodic Gravitational Waves in the Full S5 LIGO Data,” Phys. Rev. D **85**, 022001 (2012) [arXiv:1110.0208 [gr-qc]].
836. G. Aad *et al.* [ATLAS Collaboration], “Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data,” Eur. Phys. J. C **72**, 1909 (2012) [arXiv:1110.3174 [hep-ex]].
837. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the ZZ production cross section and limits on anomalous neutral triple gauge couplings in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” Phys. Rev. Lett. **108**, 041804 (2012) [arXiv:1110.5016 [hep-ex]].
838. J. P. Lees *et al.* [BABAR Collaboration], “A Measurement of the Semileptonic Branching Fraction of the B_s Meson,” Phys. Rev. D **85**, 011101 (2012) [arXiv:1110.5600 [hep-ex]].
839. J. P. Lees *et al.* [BABAR Collaboration], “Search for $\bar{B} \rightarrow \Lambda_c^+ X \ell^- \nu$ Decays in Events With a Fully Reconstructed B Meson,” Phys Rev D **85**, 011102 (2012) [arXiv:1110.6005 [hep-ex]].
840. G. Aad *et al.* [ATLAS Collaboration], “Searches for supersymmetry with the ATLAS detector using final states with two leptons and missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions,” Phys. Lett. B **709**, 137 (2012) [arXiv:1110.6189 [hep-ex]].
841. G. Aad *et al.* [ATLAS Collaboration], “A study of the material in the ATLAS inner detector using secondary hadronic interactions,” JINST **7**, P01013 (2012) [arXiv:1110.6191 [hep-ex]].
842. G. Aad *et al.* [ATLAS Collaboration], “Search for strong gravity signatures in same-sign dimuon final states using the ATLAS detector at the LHC,” Phys. Lett. B **709**, 322 (2012) [arXiv:1111.0080 [hep-ex]].

843. G. Aad *et al.* [ATLAS Collaboration], “ K_S^0 and Λ production in pp interactions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector at the LHC,” *Phys. Rev. D* **85**, 012001 (2012) [arXiv:1111.1297 [hep-ex]].
844. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the production cross section for Z/γ^* in association with jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. D* **85**, 032009 (2012) [arXiv:1111.2690 [hep-ex]].
845. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the $W^\pm Z$ production cross section and limits on anomalous triple gauge couplings in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **709**, 341 (2012) [arXiv:1111.5570 [hep-ex]].
846. J. P. Lees *et al.* [BABAR Collaboration], “Search for the $Z_1(4050)^+$ and $Z_2(4250)^+$ states in $\bar{B}^0 \rightarrow \chi_{c1} K^- \pi^+$ and $B^+ \rightarrow \chi_{c1} K_S^0 \pi^+$,” *Phys. Rev. D* **85**, 052003 (2012) [arXiv:1111.5919 [hep-ex]].
847. G. Aad *et al.* [ATLAS Collaboration], “Search for the Higgs boson in the $H \rightarrow WW^* \rightarrow \ell\nu\ell\nu$ decay channel in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. Lett.* **108**, 111802 (2012) [arXiv:1112.2577 [hep-ex]].
848. G. Aad *et al.* [ATLAS Collaboration], “Measurement of $D^{*\pm}$ meson production in jets from pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. D* **85**, 052005 (2012) [arXiv:1112.4432 [hep-ex]].
849. G. Aad *et al.* [ATLAS Collaboration], “Search for first generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector,” *Phys. Lett. B* **709**, 158 (2012) [Erratum-ibid. **711**, 442 (2012)] [arXiv:1112.4828 [hep-ex]].
850. G. Aad *et al.* [ATLAS Collaboration], “Performance of Missing Transverse Momentum Reconstruction in Proton-Proton Collisions at 7 TeV with ATLAS,” *Eur. Phys. J. C* **72**, 1844 (2012) [arXiv:1108.5602 [hep-ex]].
851. G. Aad *et al.* [ATLAS Collaboration], “Performance of the ATLAS Trigger System in 2010,” *Eur. Phys. J. C* **72**, 1849 (2012) [arXiv:1110.1530 [hep-ex]].
852. G. Aad *et al.* [ATLAS Collaboration], “A particle consistent with the Higgs Boson observed with the ATLAS Detector at the Large Hadron Collider,” *Science* **338**, 1576 (2012).
853. G. Aad *et al.* [ATLAS Collaboration], “Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the Standard Model with the ATLAS detector,” *Phys. Rev. D* **85**, 032004 (2012) [arXiv:1201.1091 [hep-ex]].
854. G. Aad *et al.* [ATLAS Collaboration], “Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV,” *Eur. Phys. J. C* **72**, 1926 (2012) [arXiv:1201.2808 [hep-ex]].
855. G. Aad *et al.* [ATLAS Collaboration], “Combined search for the Standard Model Higgs boson using up to 4.9 fb^{-1} of pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC,” *Phys. Lett. B* **710**, 49 (2012) [arXiv:1202.1408 [hep-ex]].
856. G. Aad *et al.* [ATLAS Collaboration], “Search for the Standard Model Higgs boson in the diphoton decay channel with 4.9 fb^{-1} of pp collisions at $\sqrt{s} = 7$ TeV with ATLAS,” *Phys. Rev. Lett.* **108**, 111803 (2012) [arXiv:1202.1414 [hep-ex]].
857. G. Aad *et al.* [ATLAS Collaboration], “Search for the Standard Model Higgs boson in the decay channel $H \rightarrow ZZ^* \rightarrow 4\ell$ with 4.8 fb^{-1} of pp collision data at $\sqrt{s} = 7$ TeV with ATLAS,” *Phys. Lett. B* **710**, 383 (2012) [arXiv:1202.1415 [hep-ex]].
858. J. P. Lees *et al.* [BABAR Collaboration], “Cross Sections for the Reactions $e^+e^- \rightarrow K^+K^-\pi^+\pi^-$, $K^+K^-\pi^0\pi^0$, and $K^+K^-K^+K^-$ Measured Using Initial-State Radiation Events,” *Phys. Rev. D* **86**, 012008 (2012) [arXiv:1103.3001 [hep-ex]].

859. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the inclusive W^\pm and Z/γ cross sections in the electron and muon decay channels in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. D* **85**, 072004 (2012) [arXiv:1109.5141 [hep-ex]].
860. J. P. Lees *et al.* [BABAR Collaboration], “Search for the Decay $D^0 \rightarrow \gamma\gamma$ and Measurement of the Branching Fraction for $D^0 \rightarrow \pi^0\pi^0$,” *Phys. Rev. D* **85**, 091107 (2012) [arXiv:1110.6480 [hep-ex]].
861. J. P. Lees *et al.* [BABAR Collaboration], “Amplitude analysis and measurement of the time-dependent CP asymmetry of $B^0 \rightarrow K_S^0 K_S^0 K_S^0$ decays,” *Phys. Rev. D* **85**, 054023 (2012) [arXiv:1111.3636 [hep-ex]].
862. G. Aad *et al.* [ATLAS Collaboration], “Search for Diphoton Events with Large Missing Transverse Momentum in 1 fb^{-1} of 7 TeV Proton-Proton Collision Data with the ATLAS Detector,” *Phys. Lett. B* **710**, 519 (2012) [arXiv:1111.4116 [hep-ex]].
863. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Observation and study of the baryonic B -meson decays $B \rightarrow D^{(*)}p\bar{p}(\pi)(\pi)$,” *Phys. Rev. D* **85**, 092017 (2012) [arXiv:1111.4387 [hep-ex]].
864. J. Abadie *et al.* [LIGO and Virgo Collaborations], “Search for Gravitational Waves from Low Mass Compact Binary Coalescence in LIGO’s Sixth Science Run and Virgo’s Science Runs 2 and 3,” *Phys. Rev. D* **85**, 082002 (2012) [arXiv:1111.7314 [gr-qc]].
865. J. P. Lees *et al.* [BABAR Collaboration], “Study of $\bar{B} \rightarrow X_u \ell \bar{\nu}$ decays in $B\bar{B}$ events tagged by a fully reconstructed B-meson decay and determination of $\|V_{ub}\|$,” *Phys. Rev. D* **86**, 032004 (2012) [arXiv:1112.0702 [hep-ex]].
866. G. Aad *et al.* [ATLAS Collaboration], “Search for Extra Dimensions using diphoton events in 7 TeV proton-proton collisions with the ATLAS detector,” *Phys. Lett. B* **710**, 538 (2012) [arXiv:1112.2194 [hep-ex]].
867. G. Aad *et al.* [ATLAS Collaboration], “Search for production of resonant states in the photon-jet mass distribution using pp collisions at $\sqrt{s} = 7$ TeV collected by the ATLAS detector,” *Phys. Rev. Lett.* **108**, 211802 (2012) [arXiv:1112.3580 [hep-ex]].
868. J. P. Lees *et al.* [BABAR Collaboration], “ B^0 meson decays to $\rho^0 K^{*0}$, $f_0 K^{*0}$, and $\rho^- K^{*+}$, including higher K^* resonances,” *Phys. Rev. D* **85**, 072005 (2012) [arXiv:1112.3896 [hep-ex]].
869. G. Aad *et al.* [ATLAS Collaboration], “Search for scalar bottom pair production with the ATLAS detector in pp Collisions at $\sqrt{s} = 7$ TeV,” *Phys. Rev. Lett.* **108**, 181802 (2012) [arXiv:1112.3832 [hep-ex]].
870. G. Aad *et al.* [ATLAS Collaboration], “Search for contact interactions in dilepton events from pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **712**, 40 (2012) [arXiv:1112.4462 [hep-ex]].
871. J. Abadie *et al.* [LIGO Scientific and Virgo Collaborations], “Upper limits on a stochastic gravitational-wave background using LIGO and Virgo interferometers at 600-1000 Hz,” *Phys. Rev. D* **85**, 122001 (2012) [arXiv:1112.5004 [gr-qc]].
872. G. Aad *et al.* [ATLAS Collaboration], “Observation of a new χ_b state in radiative transitions to $\Upsilon(1S)$ and $\Upsilon(2S)$ at ATLAS,” *Phys. Rev. Lett.* **108**, 152001 (2012) [arXiv:1112.5154 [hep-ex]].
873. G. Aad *et al.* [ATLAS Collaboration], “Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **712**, 22 (2012) [arXiv:1112.5755 [hep-ex]].
874. G. Aad *et al.* [ATLAS Collaboration], “Measurement of inclusive jet and dijet production in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector,” *Phys. Rev. D* **86**, 014022 (2012) [arXiv:1112.6297 [hep-ex]].

875. G. Aad *et al.* [ATLAS Collaboration], “Study of jets produced in association with a W boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. D* **85**, 092002 (2012) [arXiv:1201.1276 [hep-ex]].
876. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel,” *Phys. Lett. B* **711**, 244 (2012) [arXiv:1201.1889 [hep-ex]].
877. G. Aad *et al.* [ATLAS Collaboration], “Search for excited leptons in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. D* **85**, 072003 (2012) [arXiv:1201.3293 [hep-ex]].
878. J. Abadie *et al.* [LIGO Scientific Collaboration], “Implications For The Origin Of GRB 051103 From LIGO Observations,” *Astrophys. J.* **755**, 2 (2012) [arXiv:1201.4413 [astro-ph.HE]].
879. G. Aad *et al.* [ATLAS Collaboration], “Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector,” *Eur. Phys. J. C* **72**, 1965 (2012) [arXiv:1201.5595 [hep-ex]].
880. J. P. Lees *et al.* [BaBar Collaboration], “Initial-State Radiation Measurement of the $e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-$ Cross Section,” *Phys. Rev. D* **85**, 112009 (2012) [arXiv:1201.5677 [hep-ex]].
881. J. Abadie *et al.* [LIGO Scientific and Virgo Collaborations], “Search for Gravitational Waves from Intermediate Mass Binary Black Holes,” *Phys. Rev. D* **85**, 102004 (2012) [arXiv:1201.5999 [gr-qc]].
882. J. P. Lees *et al.* [BABAR Collaboration], “Study of CP violation in Dalitz-plot analyses of $B^0 \rightarrow K^+K^-K_S^0$, $B^+ \rightarrow K^+K^-K^+$, and $B^+ \rightarrow K_S^0K_S^0K^+$,” *Phys. Rev. D* **85**, 112010 (2012) [arXiv:1201.5897 [hep-ex]].
883. J. P. Lees *et al.* [BABAR Collaboration], “Search for Low-Mass Dark-Sector Higgs Bosons,” *Phys. Rev. Lett.* **108**, 211801 (2012) [arXiv:1202.1313 [hep-ex]].
884. J. Abadie *et al.* [LIGO Scientific and Virgo Collaborations], “All-sky search for gravitational-wave bursts in the second joint LIGO-Virgo run,” *Phys. Rev. D* **85**, 122007 (2012) [arXiv:1202.2788 [gr-qc]].
885. G. Aad *et al.* [ATLAS Collaboration], “Search for pair production of a heavy up-type quark decaying to a W boson and a b quark in the lepton+jets channel with the ATLAS detector,” *Phys. Rev. Lett.* **108**, 261802 (2012) [arXiv:1202.3076 [hep-ex]].
886. G. Aad *et al.* [ATLAS Collaboration], “Search for pair-produced heavy quarks decaying to Wq in the two-lepton channel at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. D* **86**, 012007 (2012) [arXiv:1202.3389 [hep-ex]].
887. J. P. Lees *et al.* [BABAR Collaboration], “Search for lepton-number violating processes in $B^+ \rightarrow h^-\ell^+\ell^+$ decays,” *Phys. Rev. D* **85**, 071103 (2012) [arXiv:1202.3650 [hep-ex]].
888. G. Aad *et al.* [ATLAS Collaboration], “Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7$ TeV,” *Eur. Phys. J. C* **72**, 1993 (2012) [arXiv:1202.4847 [hep-ex]].
889. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector using final states with two high-pt leptons,” *JHEP* **1205**, 059 (2012) [arXiv:1202.4892 [hep-ex]].
890. G. Aad *et al.* [ATLAS Collaboration], “Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *JHEP* **1204**, 069 (2012) [arXiv:1202.5520 [hep-ex]].
891. G. Aad *et al.* [ATLAS Collaboration], “Search for down-type fourth generation quarks with the ATLAS detector in events with one lepton and hadronically decaying W bosons,” *Phys. Rev. Lett.* **109**, 032001 (2012) [arXiv:1202.6540 [hep-ex]].

892. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the azimuthal ordering of charged hadrons with the ATLAS detector,” *Phys. Rev. D* **86**, 052005 (2012) [arXiv:1203.0419 [hep-ex]].
893. G. Aad *et al.* [ATLAS Collaboration], “Search for FCNC single top-quark production at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **712**, 351 (2012) [arXiv:1203.0529 [hep-ex]].
894. G. Aad *et al.* [ATLAS Collaboration], “Search for new particles decaying to ZZ using final states with leptons and jets with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions,” *Phys. Lett. B* **712**, 331 (2012) [arXiv:1203.0718 [hep-ex]].
895. G. Aad *et al.* [ATLAS Collaboration], “Search for a light Higgs boson decaying to long-lived weakly-interacting particles in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. Lett.* **108**, 251801 (2012) [arXiv:1203.1303 [hep-ex]].
896. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment,” *Eur. Phys. J. C* **72**, 2001 (2012) [arXiv:1203.2165 [hep-ex]].
897. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the azimuthal anisotropy for charged particle production in $\sqrt{s_{NN}} = 2.76$ TeV lead-lead collisions with the ATLAS detector,” *Phys. Rev. C* **86**, 014907 (2012) [arXiv:1203.3087 [hep-ex]].
898. G. Aad *et al.* [ATLAS Collaboration], “Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector,” *JHEP* **1207**, 019 (2012) [arXiv:1203.3100 [hep-ex]].
899. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. D* **85**, 092014 (2012) [arXiv:1203.3161 [hep-ex]].
900. G. Aad *et al.* [ATLAS Collaboration], “Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **72**, 2151 (2012) [arXiv:1203.3172 [hep-ex]].
901. G. Aad *et al.* [ATLAS Collaboration], “Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC,” *JHEP* **1205**, 157 (2012) [arXiv:1203.3549 [hep-ex]].
902. G. Aad *et al.* [ATLAS Collaboration], “Determination of the strange quark density of the proton from ATLAS measurements of the $W \rightarrow \ell\nu$ and $Z \rightarrow \ell\ell$ cross sections,” *Phys. Rev. Lett.* **109**, 012001 (2012) [arXiv:1203.4051 [hep-ex]].
903. G. Aad *et al.* [ATLAS Collaboration], “Observation of spin correlation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector,” *Phys. Rev. Lett.* **108**, 212001 (2012) [arXiv:1203.4081 [hep-ex]].
904. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the charge asymmetry in top quark pair production in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector,” *Eur. Phys. J. C* **72**, 2039 (2012) [arXiv:1203.4211 [hep-ex]].
905. G. Aad *et al.* [ATLAS Collaboration], “Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment,” *JHEP* **1205**, 128 (2012) [arXiv:1203.4606 [hep-ex]].
906. G. Aad *et al.* [ATLAS Collaboration], “Measurement of $t\bar{t}$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector,” *Eur. Phys. J. C* **72**, 2043 (2012) [arXiv:1203.5015 [hep-ex]].
907. J. Aasi *et al.* [VIRGO Collaboration], “The characterization of Virgo data and its impact on gravitational-wave searches,” *Class. Quant. Grav.* **29**, 155002(2012)[arXiv:1203.5613[gr-qc]].

908. G. Aad *et al.* [ATLAS Collaboration], “Search for heavy neutrinos and right-handed W bosons in events with two leptons and jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **72**, 2056 (2012) [arXiv:1203.5420 [hep-ex]].
909. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the top quark mass with the template method in the $t\bar{t} \rightarrow$ lepton + jets channel using ATLAS data,” *Eur. Phys. J. C* **72**, 2046 (2012) [arXiv:1203.5755 [hep-ex]].
910. G. Aad *et al.* [ATLAS Collaboration], “Search for gluinos in events with two same-sign leptons, jets and missing transverse momentum with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV,” *Phys. Rev. Lett.* **108**, 241802 (2012) [arXiv:1203.5763 [hep-ex]].
911. G. Aad *et al.* [ATLAS Collaboration], “Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in final states with missing transverse momentum and b^- jets with the ATLAS detector,” *Phys. Rev. D* **85**, 112006 (2012) [arXiv:1203.6193 [hep-ex]].
912. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the WW cross section in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector and limits on anomalous gauge couplings,” *Phys. Lett. B* **712**, 289 (2012) [arXiv:1203.6232 [hep-ex]].
913. G. Aad *et al.* [ATLAS Collaboration], “Search for events with large missing transverse momentum, jets, and at least two tau leptons in 7 TeV proton-proton collision data with the ATLAS detector,” *Phys. Lett. B* **714**, 180 (2012) [arXiv:1203.6580 [hep-ex]].
914. G. Aad *et al.* [ATLAS Collaboration], “Search for the decay $B_s^0 \rightarrow \mu\mu$ with the ATLAS detector,” *Phys. Lett. B* **713**, 387 (2012) [arXiv:1204.0735 [hep-ex]].
915. G. Aad *et al.* [ATLAS Collaboration], “Search for pair production of a new quark that decays to a Z boson and a bottom quark with the ATLAS detector,” *Phys. Rev. Lett.* **109**, 071801 (2012) [arXiv:1204.1265 [hep-ex]].
916. G. Aad *et al.* [ATLAS Collaboration], “Search for resonant WZ production in the $WZ \rightarrow \ell\nu\ell'\ell'$ channel in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector,” *Phys. Rev. D* **85**, 112012 (2012) [arXiv:1204.1648 [hep-ex]].
917. J. P. Lees *et al.* [BABAR Collaboration], “Study of the reaction $e^+e^- \rightarrow J/\psi\pi^+\pi^-$ via initial-state radiation at BaBar,” *Phys. Rev. D* **86**, 051102 (2012) [arXiv:1204.2158 [hep-ex]].
918. G. Aad *et al.* [ATLAS Collaboration], “Search for charged Higgs bosons decaying via $H^+ \rightarrow \tau\nu$ in top quark pair events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *JHEP* **1206**, 039 (2012) [arXiv:1204.2760 [hep-ex]].
919. G. Aad *et al.* [ATLAS Collaboration], “Search for supersymmetry with jets, missing transverse momentum and at least one hadronically decaying τ lepton in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **714**, 197 (2012) [arXiv:1204.3852 [hep-ex]].
920. J. P. Lees *et al.* [BABAR Collaboration], “Measurement of Branching Fractions and Rate Asymmetries in the Rare Decays $B \rightarrow K^{(*)}\ell^+\ell^-$,” *Phys. Rev. D* **86**, 032012 (2012) [arXiv:1204.3933 [hep-ex]].
921. G. Aad *et al.* [ATLAS Collaboration], “Search for TeV-scale gravity signatures in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 7$ TeV,” *Phys. Lett. B* **716**, 122 (2012) [arXiv:1204.4646 [hep-ex]].
922. G. Aad *et al.* [ATLAS Collaboration], “Search for supersymmetry in events with three leptons and missing transverse momentum in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector,” *Phys. Rev. Lett.* **108**, 261804 (2012) [arXiv:1204.5638 [hep-ex]].
923. G. Aad *et al.* [ATLAS Collaboration], “Measurement of τ polarization in $W \rightarrow \tau\nu$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV,” *Eur. Phys. J. C* **72**, 2062 (2012) [arXiv:1204.6720 [hep-ex]].

924. G. Aad *et al.* [ATLAS Collaboration], “Search for scalar top quark pair production in natural gauge mediated supersymmetry models with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV,” *Phys. Lett. B* **715**, 44 (2012) [arXiv:1204.6736 [hep-ex]].
925. A. Collaboration *et al.* [ATLAS Collaboration], “Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector,” *Eur. Phys. J. C* **72**, 2157 (2012) [arXiv:1205.0701 [hep-ex]].
926. G. Aad *et al.* [ATLAS Collaboration], “Search for lepton flavour violation in the $e\mu$ continuum with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC,” *Eur. Phys. J. C* **72**, 2040 (2012) [arXiv:1205.0725 [hep-ex]].
927. G. Aad *et al.* [ATLAS Collaboration], “Search for tb resonances in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. Lett.* **109**, 081801 (2012) [arXiv:1205.1016 [hep-ex]].
928. P. A. Evans *et al.* [LIGO Scientific Collaboration], “Swift follow-up observations of candidate gravitational-wave transient events,” *Astrophys. J. Suppl.* **203**, 28 (2012) [arXiv:1205.1124 [astro-ph.HE]].
929. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the top quark pair cross section with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV using final states with an electron or a muon and a hadronically decaying τ lepton,” *Phys. Lett. B* **717**, 89 (2012) [arXiv:1205.2067 [hep-ex]].
930. J. Abadie *et al.* [LIGO Scientific Collaboration], “Search for gravitational waves associated with gamma-ray bursts during LIGO science run 6 and Virgo science runs 2 and 3,” *Astrophys. J.* **760**, 12 (2012) [arXiv:1205.2216 [astro-ph.HE]].
931. J. P. Lees *et al.* [BABAR Collaboration], “Precise Measurement of the $e^+e^- \rightarrow \pi^+\pi^-(\gamma)$ Cross Section with the Initial-State Radiation Method at BABAR,” *Phys. Rev. D* **86**, 032013 (2012) [arXiv:1205.2228 [hep-ex]].
932. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the W boson polarization in top quark decays with the ATLAS detector,” *JHEP* **1206**, 088 (2012) [arXiv:1205.2484 [hep-ex]].
933. G. Aad *et al.* [ATLAS Collaboration], “Measurement of $W\gamma$ and $Z\gamma$ production cross sections in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous triple gauge couplings with the ATLAS detector,” *Phys. Lett. B* **717**, 49 (2012) [arXiv:1205.2531 [hep-ex]].
934. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the t -channel single top-quark production cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **717**, 330 (2012) [arXiv:1205.3130 [hep-ex]].
935. G. Aad *et al.* [ATLAS Collaboration], “A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7$ TeV,” *Eur. Phys. J. C* **72**, 2083 (2012) [arXiv:1205.5371 [hep-ex]].
936. J. P. Lees *et al.* [BaBar Collaboration], “Evidence for an excess of $\bar{B} \rightarrow D^{(*)}\tau^-\bar{\nu}_\tau$ decays,” *Phys. Rev. Lett.* **109**, 101802 (2012) [arXiv:1205.5442 [hep-ex]].
937. G. Aad *et al.* [ATLAS Collaboration], “Evidence for the associated production of a W boson and a top quark in ATLAS at $\sqrt{s} = 7$ TeV,” *Phys. Lett. B* **716**, 142 (2012) [arXiv:1205.5764 [hep-ex]].
938. G. Aad *et al.* [ATLAS Collaboration], “Search for a Standard Model Higgs boson in the $H \rightarrow ZZ \rightarrow l^+l^-\nu\bar{\nu}$ decay channel using 4.7 fb^{-1} of $\sqrt{s} = 7$ TeV data with the ATLAS detector,” *Phys. Lett. B* **717**, 29 (2012) [arXiv:1205.6744 [hep-ex]].
939. G. Aad *et al.* [ATLAS Collaboration], “A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s} = 7$ TeV,” *JHEP* **1209**, 139 (2012) [arXiv:1206.0257 [hep-ex]].

940. G. Aad *et al.* [ATLAS Collaboration], “Search for the Standard Model Higgs boson in the $H \rightarrow WW(*) \rightarrow \ell\nu\ell\nu$ decay mode with 4.7 fb^{-1} of ATLAS data at $\sqrt{s} = 7 \text{ TeV}$,” Phys. Lett. B **716**, 62 (2012) [arXiv:1206.0756 [hep-ex]].
941. G. Aad *et al.* [ATLAS Collaboration], “Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions,” JHEP **1207**, 167 (2012) [arXiv:1206.1760 [hep-ex]].
942. J. P. Lees *et al.* [BABAR Collaboration], “Search for resonances decaying to $\eta_c\pi^+\pi^-$ in two-photon interactions,” Phys. Rev. D **86**, 092005 (2012) [arXiv:1206.2008 [hep-ex]].
943. G. Aad *et al.* [ATLAS Collaboration], “Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$,” Eur. Phys. J. C **72**, 2211 (2012) [arXiv:1206.2135 [hep-ex]].
944. G. Aad *et al.* [ATLAS Collaboration], “Search for a standard model Higgs boson in the mass range 200 - 600-GeV in the $H \rightarrow ZZ \rightarrow \ell^+\ell^-q\bar{q}$ decay channel with the ATLAS detector,” Phys. Lett. B **717**, 70 (2012) [arXiv:1206.2443 [hep-ex]].
945. J. P. Lees *et al.* [BABAR Collaboration], “Improved Limits on B^0 Decays to Invisible Final States and to $\nu\bar{\nu}\gamma$,” Phys. Rev. D **86**, 051105 (2012) [arXiv:1206.2543 [hep-ex]].
946. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the b-hadron production cross section using decays to $D^*\mu^-X$ final states in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector,” Nucl. Phys. B **864**, 341 (2012) [arXiv:1206.3122 [hep-ex]].
947. G. Aad *et al.* [ATLAS Collaboration], “ATLAS measurements of the properties of jets for boosted particle searches,” Phys. Rev. D **86**, 072006 (2012) [arXiv:1206.5369 [hep-ex]].
948. J. P. Lees *et al.* [BABAR Collaboration], “Search for the decay modes $D^0 \rightarrow e^+e^-$, $D^0 \rightarrow \mu^+\mu^-$, and $D^0 \rightarrow e\mu$,” Phys. Rev. D **86**, 032001 (2012) [arXiv:1206.5419 [hep-ex]].
949. G. Aad *et al.* [ATLAS Collaboration], “Search for the Standard Model Higgs boson in the H to $\tau^+\tau^-$ decay mode in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with ATLAS,” JHEP **1209**, 070 (2012) [arXiv:1206.5971 [hep-ex]].
950. G. Aad *et al.* [ATLAS Collaboration], “Search for the Higgs boson in the $H \rightarrow WW \rightarrow \ell\nu jj$ decay channel at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector,” Phys. Lett. B **718**, 391 (2012) [arXiv:1206.6074 [hep-ex]].
951. G. Aad *et al.* [ATLAS Collaboration], “Search for the Standard Model Higgs boson produced in association with a vector boson and decaying to a b -quark pair with the ATLAS detector,” Phys. Lett. B **718**, 369 (2012) [arXiv:1207.0210 [hep-ex]].
952. G. Aad *et al.* [ATLAS Collaboration], “Combined search for the Standard Model Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector,” Phys. Rev. D **86**, 032003 (2012) [arXiv:1207.0319 [hep-ex]].
953. G. Aad *et al.* [ATLAS Collaboration], “A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector,” JHEP **1209**, 041 (2012) [arXiv:1207.2409 [hep-ex]].
954. J. P. Lees *et al.* [BaBar Collaboration], “Exclusive Measurements of $b \rightarrow s\gamma$ Transition Rate and Photon Energy Spectrum,” Phys. Rev. D **86**, 052012 (2012) [arXiv:1207.2520 [hep-ex]].
955. J. P. Lees *et al.* [BABAR Collaboration], “Study of $X(3915) \rightarrow J/\psi\omega$ in two-photon collisions,” Phys. Rev. D **86**, 072002 (2012) [arXiv:1207.2651 [hep-ex]].
956. J. P. Lees *et al.* [BaBar Collaboration], “Precision Measurement of the $B \rightarrow X_s\gamma$ Photon Energy Spectrum, Branching Fraction, and Direct CP Asymmetry $A_{CP}(B \rightarrow X_{s+d}\gamma)$,” Phys. Rev. Lett. **109**, 191801 (2012) [arXiv:1207.2690 [hep-ex]].

957. G. Aad *et al.* [ATLAS Collaboration], “Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector,” *Eur. Phys. J. C* **72**, 2174 (2012) [arXiv:1207.4686 [hep-ex]].
958. J. P. Lees *et al.* [BABAR Collaboration], “Measurement of $B(B \rightarrow X_s \gamma)$, the $B \rightarrow X_s \gamma$ photon energy spectrum, and the direct CP asymmetry in $B \rightarrow X_{s+d} \gamma$ decays,” *Phys. Rev. D* **86**, 112008 (2012) [arXiv:1207.5772 [hep-ex]].
959. J. P. Lees *et al.* [BABAR Collaboration], “Observation of Time Reversal Violation in the B^0 Meson System,” *Phys. Rev. Lett.* **109**, 211801 (2012) [arXiv:1207.5832 [hep-ex]].
960. G. Aad *et al.* [ATLAS Collaboration], “Search for magnetic monopoles in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector,” *Phys. Rev. Lett.* **109**, 261803 (2012) [arXiv:1207.6411 [hep-ex]].
961. G. Aad *et al.* [ATLAS Collaboration], “Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC,” *Phys. Lett. B* **716**, 1 (2012) [arXiv:1207.7214 [hep-ex]].
962. J. P. Lees *et al.* [Babar Collaboration], “A search for the decay modes $B^\pm \rightarrow h^\pm \tau l$,” *Phys. Rev. D* **86**, 012004 (2012) [arXiv:1204.2852 [hep-ex]].
963. J. P. Lees *et al.* [BaBar Collaboration], “The branching fraction of $\tau^- \rightarrow \pi^- K_S^0 K_S^0 (\pi^0) \nu_\tau$ decays,” *Phys. Rev. D* **86**, 092013 (2012) [arXiv:1208.0376 [hep-ex]].
964. G. Aad *et al.* [ATLAS Collaboration], “Underlying event characteristics and their dependence on jet size of charged-particle jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. D* **86**, 072004 (2012) [arXiv:1208.0563 [hep-ex]].
965. G. Aad *et al.* [ATLAS Collaboration], “Time-dependent angular analysis of the decay $B_s^0 \rightarrow J/\psi \phi$ and extraction of $\Delta\Gamma_s$ and the CP-violating weak phase ϕ_s by ATLAS,” *JHEP* **1212**, 072 (2012) [arXiv:1208.0572 [hep-ex]].
966. J. P. Lees *et al.* [BABAR Collaboration], “Branching fraction and form-factor shape measurements of exclusive charmless semileptonic B decays, and determination of $|V_{ub}|$,” *Phys. Rev. D* **86**, 092004 (2012) [arXiv:1208.1253 [hep-ex]].
967. J. P. Lees *et al.* [BABAR Collaboration], “Measurement of the Time-Dependent CP Asymmetry of Partially Reconstructed $B^0 \rightarrow D^{*+} D^{*-}$ Decays,” *Phys. Rev. D* **86**, 112006 (2012) [arXiv:1208.1282 [hep-ex]].
968. G. Aad *et al.* [ATLAS Collaboration], “Measurement of WZ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **72**, 2173 (2012) [arXiv:1208.1390 [hep-ex]].
969. G. Aad *et al.* [ATLAS Collaboration], “Search for a supersymmetric partner to the top quark in final states with jets and missing transverse momentum at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. Lett.* **109**, 211802 (2012) [arXiv:1208.1447 [hep-ex]].
970. G. Aad *et al.* [ATLAS Collaboration], “Search for direct top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 7$ TeV pp collisions using 4.7 fb^{-1} of ATLAS data,” *Phys. Rev. Lett.* **109**, 211803 (2012) [arXiv:1208.2590 [hep-ex]].
971. J. P. Lees *et al.* [BaBar Collaboration], “Study of the baryonic B decay $B^- \rightarrow \Sigma_c^{++} \bar{p} \pi^- \pi^-$,” *Phys. Rev. D* **86**, 091102 (2012) [arXiv:1208.3086 [hep-ex]].
972. G. Aad *et al.* [ATLAS Collaboration], “Search for light scalar top quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions,” *Eur. Phys. J. C* **72**, 2237 (2012) [arXiv:1208.4305 [hep-ex]].

973. G. Aad *et al.* [ATLAS Collaboration], “Further search for supersymmetry at $\sqrt{s} = 7$ TeV in final states with jets, missing transverse momentum and isolated leptons with the ATLAS detector,” *Phys. Rev. D* **86**, 092002 (2012) [arXiv:1208.4688 [hep-ex]].
974. G. Aad *et al.* [ATLAS Collaboration], “Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s} = 7$ TeV with ATLAS,” *JHEP* **1211**, 033 (2012) [arXiv:1208.6256 [hep-ex]].
975. G. Aad *et al.* [ATLAS Collaboration], “Search for diphoton events with large missing transverse momentum in 7 TeV proton-proton collision data with the ATLAS detector,” *Phys. Lett. B* **718**, 411 (2012) [arXiv:1209.0753 [hep-ex]].
976. G. Aad *et al.* [ATLAS Collaboration], “Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *JHEP* **1211**, 138 (2012) [arXiv:1209.2535 [hep-ex]].
977. J. P. Lees *et al.* [BaBar Collaboration], “Study of high-multiplicity 3-prong and 5-prong tau decays at BABAR,” *Phys. Rev. D* **86**, 092010 (2012) [arXiv:1209.2734 [hep-ex]].
978. G. Aad *et al.* [ATLAS Collaboration], “Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC,” *JHEP* **1211**, 094 (2012) [arXiv:1209.4186 [hep-ex]].
979. G. Aad *et al.* [ATLAS Collaboration], “ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7$ TeV,” *Eur. Phys. J. C* **72**, 2241 (2012) [arXiv:1209.4446 [hep-ex]].
980. G. Aad *et al.* [ATLAS Collaboration], “Search for resonant top plus jet production in $t\bar{t} +$ jets events with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV,” *Phys. Rev. D* **86**, 091103 (2012) [arXiv:1209.6593 [hep-ex]].
981. J. E. Brau, R. M. Godbole, F. R. L. Diberder, M. A. Thomson, H. Weerts, G. Weiglein, J. D. Wells and H. Yamamoto, “The Physics Case for an e^+e^- Linear Collider,” LC-REP-2012-071; ILC ESD-2012/4; CLIC-Note-949; arXiv:1210.0202 [hep-ex].
982. G. Aad *et al.* [ATLAS Collaboration], “Search for Supersymmetry in Events with Large Missing Transverse Momentum, Jets, and at Least One Tau Lepton in 7 TeV Proton-Proton Collision Data with the ATLAS Detector,” *Eur. Phys. J. C* **72**, 2215 (2012) [arXiv:1210.1314 [hep-ex]].
983. G. Aad *et al.* [ATLAS Collaboration], “Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector,” *JHEP* **1212**, 124 (2012) [arXiv:1210.4457 [hep-ex]].
984. G. Aad *et al.* [ATLAS Collaboration], “Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *JHEP* **1212**, 007 (2012) [arXiv:1210.4538 [hep-ex]].
985. G. Aad *et al.* [ATLAS Collaboration], “Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC,” *JHEP* **1212**, 086 (2012) [arXiv:1210.4813 [hep-ex]].
986. G. Aad *et al.* [ATLAS Collaboration], “Search for doubly-charged Higgs bosons in like-sign dilepton final states at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **72**, 2244 (2012) [arXiv:1210.5070 [hep-ex]].
987. J. Brau, M. Breidenbach, R. Frey, D. Freytag, C. Gallagher, N. Graf, G. Haller and R. Herbst *et al.*, “A silicon-tungsten electromagnetic calorimeter with integrated electronics for the International Linear Collider,” *J. Phys. Conf. Ser.* **404**, 012067 (2012).

988. G. Aad *et al.* [ATLAS Collaboration], “Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV,” *Eur. Phys. J. C* **73**, 2261 (2013) [arXiv:1207.5644 [hep-ex]].
989. J. Aasi *et al.* [The LIGO Scientific and the Virgo Collaboration], “Einstein@Home all-sky search for periodic gravitational waves in LIGO S5 data,” *Phys. Rev. D* **87**, 042001 (2013) [arXiv:1207.7176 [gr-qc]].
990. G. Aad *et al.* [ATLAS Collaboration], “Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using 4.7 fb^{-1} of $\sqrt{s} = 7$ TeV proton-proton collision data,” *Phys. Rev. D* **87**, 012008 (2013) [arXiv:1208.0949 [hep-ex]].
991. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector,” *Phys. Lett. B* **719**, 220 (2013) [arXiv:1208.1967 [hep-ex]].
992. G. Aad *et al.* [ATLAS Collaboration], “Search for new phenomena in the WW to $lv\ell'\nu'$ final state in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **718**, 860 (2013) [arXiv:1208.2880 [hep-ex]].
993. G. Aad *et al.* [ATLAS Collaboration], “Search for direct slepton and gaugino production in final states with two leptons and missing transverse momentum with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV,” *Phys. Lett. B* **718**, 879 (2013) [arXiv:1208.2884 [hep-ex]].
994. G. Aad *et al.* [ATLAS Collaboration], “Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector,” *Phys. Lett. B* **718**, 841 (2013) [arXiv:1208.3144 [hep-ex]].
995. J. P. Lees *et al.* [BABAR Collaboration], “Measurement of $D^0 - \bar{D}^0$ Mixing and CP Violation in Two-Body D^0 Decays,” *Phys. Rev. D* **87**, 012004 (2013) [arXiv:1209.3896 [hep-ex]].
996. G. Aad *et al.* [ATLAS Collaboration], “Search for dark matter candidates and large extra dimensions in events with a photon and missing transverse momentum in pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. Lett.* **110**, 011802 (2013) [arXiv:1209.4625 [hep-ex]].
997. J. Aasi *et al.* [LIGO Scientific and Virgo Collaborations], “Search for Gravitational Waves from Binary Black Hole Inspiral, Merger and Ringdown in LIGO-Virgo Data from 2009-2010,” *Phys. Rev. D* **87**, **022002** (2013) [arXiv:1209.6533 [gr-qc]].
998. J. P. Lees *et al.* [BABAR Collaboration], “Search for di-muon decays of a low-mass Higgs boson in radiative decays of the $\Upsilon(1S)$,” *Phys. Rev. D* **87**, **031102**, (2013) (R) [arXiv:1210.0287 [hep-ex]].
999. G. Aad *et al.* [ATLAS Collaboration], “ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s} = 7$ TeV,” *JHEP* **1301**, 029 (2013) [arXiv:1210.1718 [hep-ex]].
1000. G. Aad *et al.* [ATLAS Collaboration], “Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV,” *Eur. Phys. J. C* **73**, 2263 (2013) [arXiv:1210.4826 [hep-ex]].
1001. G. Aad *et al.* [ATLAS Collaboration], “Search for pair production of heavy top-like quarks decaying to a high- p_T W boson and a b quark in the lepton plus jets final state at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **718**, 1284 (2013) [arXiv:1210.5468 [hep-ex]].
1002. G. Aad *et al.* [ATLAS Collaboration], “Measurement of Z boson Production in Pb+Pb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS Detector,” *Phys. Rev. Lett.* **110**, 022301 (2013) [arXiv:1210.6486 [hep-ex]].

1003. G. Aad *et al.* [ATLAS Collaboration], “A search for high-mass resonances decaying to $\tau^+\tau^-$ in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **719**, 242 (2013) [arXiv:1210.6604 [hep-ex]].
1004. G. Aad *et al.* [ATLAS Collaboration], “Search for long-lived, heavy particles in final states with a muon and multi-track displaced vertex in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **719**, 280 (2013) [arXiv:1210.7451 [hep-ex]].
1005. G. Aad *et al.* [ATLAS Collaboration], “Search for contact interactions and large extra dimensions in dilepton events from pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. D* **87**, 015010 (2013) [arXiv:1211.1150 [hep-ex]].
1006. G. Aad *et al.* [ATLAS Collaboration], “Search for supersymmetry in events with photons, bottom quarks, and missing transverse momentum in proton-proton collisions at a centre-of-mass energy of 7 TeV with the ATLAS detector,” *Phys. Lett. B* **719**, 261 (2013) [arXiv:1211.1167 [hep-ex]].
1007. G. Aad *et al.* [ATLAS Collaboration], “Measurement of isolated-photon pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *JHEP* **1301**, 086 (2013) [arXiv:1211.1913 [hep-ex]].
1008. G. Aad *et al.* [ATLAS Collaboration], “Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s} = 7$ TeV,” *JHEP* **1301**, 116 (2013) [arXiv:1211.2202 [hep-ex]].
1009. G. Aad *et al.* [ATLAS Collaboration], “A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **719**, 299 (2013) [arXiv:1212.5409 [hep-ex]].
1010. G. Aad *et al.* [ATLAS Collaboration], “Jet energy measurement with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV,” *Eur. Phys. J. C* **73**, 2304 (2013) [arXiv:1112.6426 [hep-ex]].
1011. S. Adrian-Martinez *et al.* [LIGO Scientific and Virgo Collaborations], “A First Search for coincident Gravitational Waves and High Energy Neutrinos using LIGO, Virgo and ANTARES data from 2007,” *JCAP* **1306**, 008 (2013) [arXiv:1205.3018 [astro-ph.HE]].
1012. G. Aad *et al.* [ATLAS Collaboration], “Search for light top squark pair production in final states with leptons and b^- jets with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions,” *Phys. Lett. B* **720**, 13 (2013) [arXiv:1209.2102 [hep-ex]].
1013. G. Aad *et al.* [ATLAS Collaboration], “Search for displaced muonic lepton jets from light Higgs boson decay in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **721**, 32 (2013) [arXiv:1210.0435 [hep-ex]].
1014. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **73**, 2301 (2013) [arXiv:1210.0441 [hep-ex]].
1015. G. Aad *et al.* [ATLAS Collaboration], “Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector,” *JHEP* **1304**, 075 (2013) [arXiv:1210.4491 [hep-ex]].
1016. G. Aad *et al.* [ATLAS Collaboration], “Jet energy resolution in proton-proton collisions at $\sqrt{s} = 7$ TeV recorded in 2010 with the ATLAS detector,” *Eur. Phys. J. C* **73**, 2306 (2013) [arXiv:1210.6210 [hep-ex]].
1017. G. Aad *et al.* [ATLAS Collaboration], “Search for Extra Dimensions in diphoton events using proton-proton collisions recorded at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC,” *New J. Phys.* **15**, 043007 (2013) [arXiv:1210.8389 [hep-ex]].

1018. G. Aad *et al.* [ATLAS Collaboration], “Searches for heavy long-lived sleptons and R-Hadrons with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **720**, 277 (2013) [arXiv:1211.1597 [hep-ex]].
1019. G. Aad *et al.* [ATLAS Collaboration], “Search for the neutral Higgs bosons of the Minimal Supersymmetric Standard Model in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” JHEP **1302**, 095 (2013) [arXiv:1211.6956 [hep-ex]].
1020. G. Aad *et al.* [ATLAS Collaboration], “Measurement of angular correlations in Drell-Yan lepton pairs to probe Z/gamma* boson transverse momentum at $\sqrt{s} = 7$ TeV with the ATLAS detector,” Phys. Lett. B **720**, 32 (2013) [arXiv:1211.6899 [hep-ex]].
1021. G. Aad *et al.* [ATLAS Collaboration], “Search for a heavy narrow resonance decaying to $e\mu$, $e\tau$, or $\mu\tau$ with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC,” Phys. Lett. B **723**, 15 (2013) [arXiv:1212.1272].
1022. G. Aad *et al.* [ATLAS Collaboration], “Observation of Associated Near-side and Away-side Long-range Correlations in $\sqrt{s_{NN}}=5.02$ TeV Proton-lead Collisions with the ATLAS Detector,” Phys. Rev. Lett. **110**, 182302 (2013) [arXiv:1212.5198 [hep-ex]].
1023. G. Moortgat-Pick, I. Fleck, S. Riemann, F. Simon, O. S. Adeyemi, G. Alexander, M. S. Amjad and V. V. Andreev *et al.*, “Helmholtz Alliance Linear Collider Forum : Proceedings of the Workshops Hamburg, Munich, Hamburg 2010-2012, Germany,” DESY 12-123H.
1024. G. Aad *et al.* [ATLAS Collaboration], “Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC,” Eur. Phys. J. C **73**, 2305 (2013) [arXiv:1203.1302 [hep-ex]].
1025. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the $t\bar{t}$ production cross section in the τ +jets channel using the ATLAS detector,” Eur. Phys. J. C **73**, 2328 (2013) [arXiv:1211.7205 [hep-ex]].
1026. G. Aad *et al.* [ATLAS Collaboration], “Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS experiment,” JHEP **1303**, 076 (2013) [arXiv:1212.3572 [hep-ex]].
1027. G. Aad *et al.* [ATLAS Collaboration], “Search for a light charged Higgs boson in the decay channel $H^+ \rightarrow c\bar{s}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” Eur. Phys. J. C **73**, 2465 (2013) [arXiv:1302.3694 [hep-ex]].
1028. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC,” JHEP **1311**, 183 (2013) [arXiv:1305.2942 [hep-ex]].
1029. B. Aubert *et al.* [BABAR Collaboration], “The BABAR Detector: Upgrades, Operation and Performance,” Nucl. Instrum. Meth. A **729**, 615 (2013) [arXiv:1305.3560 [physics.ins-det]].
1030. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the high-mass Drell-Yan differential cross-section in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector,” Phys. Lett. B **725**, 223 (2013) [arXiv:1305.4192 [hep-ex]].
1031. G. Aad *et al.* [ATLAS Collaboration], “Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC,” Phys. Lett. B **726**, 88 (2013) [Phys. Lett. B **734**, 406 (2014)] [arXiv:1307.1427 [hep-ex]].
1032. G. Aad *et al.* [ATLAS Collaboration], “Evidence for the spin-0 nature of the Higgs boson using ATLAS data,” Phys. Lett. B **726**, 120 (2013) [arXiv:1307.1432 [hep-ex]].
1033. G. Aad *et al.* [ATLAS Collaboration], “Dynamics of isolated-photon plus jet production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” Nucl. Phys. B **875**, 483 (2013) [arXiv:1307.6795 [hep-ex]].

1034. G. Aad *et al.* [ATLAS Collaboration], “Search for direct third-generation squark pair production in final states with missing transverse momentum and two b -jets in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector,” JHEP **1310**, 189 (2013) [arXiv:1308.2631 [hep-ex]].
1035. B. Barish and J. E. Brau, “The International Linear Collider,” Int. J. Mod. Phys. A **28**, no. 27, 1330039 (2013) [arXiv:1311.3397 [physics.acc-ph]].
1036. G. Aad *et al.* [ATLAS Collaboration], “Search for single b^* -quark production with the ATLAS detector at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **721**, 171 (2013) [arXiv:1301.1583 [hep-ex]].
1037. J. P. Lees *et al.* [BaBar Collaboration], “Time-Integrated Luminosity Recorded by the BABAR Detector at the PEP-II e^+e^- Collider,” Nucl. Instrum. Meth. A **726**, 203 (2013) [arXiv:1301.2703 [hep-ex]].
1038. G. Aad *et al.* [ATLAS Collaboration], “Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” JHEP **1301**, 131 (2013) [arXiv:1210.2852 [hep-ex]].
1039. G. Aad *et al.* [ATLAS Collaboration], “Search for long-lived, multi-charged particles in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector,” Phys. Lett. B **722**, 305 (2013) [arXiv:1301.5272 [hep-ex]].
1040. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the Λ_b lifetime and mass in the ATLAS experiment,” Phys. Rev. D **87**, no. 3, 032002 (2013) [arXiv:1207.2284 [hep-ex]].
1041. G. Aad *et al.* [ATLAS Collaboration], “Measurement of k_T splitting scales in $W \rightarrow \ell\nu$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector,” Eur. Phys. J. C **73**, 2432 (2013) [arXiv:1302.1415 [hep-ex]].
1042. J. P. Lees *et al.* [BaBar Collaboration], “Branching fraction measurement of $B \rightarrow \omega\ell\nu$ decays,” Phys. Rev. D **87**, 032004 (2013) [arXiv:1205.6245 [hep-ex]].
1043. G. Aad *et al.* [ATLAS Collaboration], “Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector,” New J. Phys. **15**, 043009 (2013) [arXiv:1302.4403 [hep-ex]].
1044. J. Brau, M. Breidenbach, A. Dragone, G. Fields, R. Frey, D. Freytag, M. Freytag and C. Gallagher *et al.*, “KPiX - A 1,024 Channel Readout ASIC for the ILC,” IEEE Nuclear Science Symposium, DOI:10.1109/NSSMIC.2012.6551433.
1045. G. Aad *et al.* [ATLAS Collaboration], “Search for new phenomena in events with three charged leptons at $\sqrt{s} = 7$ TeV with the ATLAS detector,” Phys. Rev. D **87**, no. 5, 052002 (2013) [arXiv:1211.6312 [hep-ex]].
1046. G. Aad *et al.* [ATLAS Collaboration], “Measurement of Upsilon production in 7 TeV pp collisions at ATLAS,” Phys. Rev. D **87**, no. 5, 052004 (2013) [arXiv:1211.7255 [hep-ex]].
1047. J. P. Lees *et al.* [BaBar Collaboration], “Search for direct CP violation in singly Cabibbo-suppressed $D^\pm \rightarrow K^+K^-\pi^{\pm}pm$ decays,” Phys. Rev. D **87**, no. 5, 052010 (2013) [arXiv:1212.1856 [hep-ex]].
1048. G. Aad *et al.* [ATLAS Collaboration], “Measurement with the ATLAS detector of multi-particle azimuthal correlations in p+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV,” Phys. Lett. B **725**, 60 (2013) [arXiv:1303.2084 [hep-ex]].
1049. J. P. Lees *et al.* [BaBar Collaboration], “Search for CP violation in the Decays $D^\pm \rightarrow K_s^0 K^\pm$, $D_s^\pm \rightarrow K_s^0 K^\pm$, and $D_s^\pm \rightarrow K_s^0 \pi^\pm$,” Phys. Rev. D **87**, no. 5, 052012 (2013) [arXiv:1212.3003 [hep-ex]].
1050. G. Aad *et al.* [ATLAS Collaboration], “Measurement of ZZ production in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous ZZZ and $ZZ\gamma$ couplings with the ATLAS detector,” JHEP **1303**, 128 (2013) [arXiv:1211.6096 [hep-ex]].

1051. J. P. Lees *et al.* [BaBar Collaboration], “Observation of direct CP violation in the measurement of the Cabibbo-Kobayashi-Maskawa angle gamma with $B^\pm \rightarrow D^{(*)}K^{(*)\pm}$ decays,” Phys. Rev. D **87**, 052015 (2013) [arXiv:1301.1029 [hep-ex]].
1052. G. Aad *et al.* [ATLAS Collaboration], “Measurement of hard double-parton interactions in $W(\rightarrow l\nu)+2$ jet events at $\sqrt{s}=7$ TeV with the ATLAS detector,” New J. Phys. **15**, 033038 (2013) [arXiv:1301.6872 [hep-ex]].
1053. G. Aad *et al.* [ATLAS Collaboration], “Multi-channel search for squarks and gluinos in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector,” Eur. Phys. J. C **73**, 2362 (2013) [arXiv:1212.6149 [hep-ex]].
1054. J. Brau, P. Grannis, M. Harrison, M. Peskin, M. Ross and H. Weerts, “The International Linear Collider,” arXiv:1304.2586 [physics.acc-ph].
1055. J. P. Lees *et al.* [BaBar Collaboration], “Study of $e^+e^- \rightarrow p\bar{p}$ via initial-state radiation at BABAR,” Phys. Rev. D **87**, 092005 (2013) [arXiv:1302.0055 [hep-ex]].
1056. J. P. Lees *et al.* [Babar Collaboration], “Study of the decay $\bar{B}^0 \rightarrow \Lambda_c^+ \bar{p} \pi^+ \pi^-$ and its intermediate states,” Phys. Rev. D **87**, 092004 (2013) [arXiv:1302.0191 [hep-ex]].
1057. G. Aad *et al.* [ATLAS Collaboration], “A search for $t\bar{t}$ resonances in the lepton plus jets final state with ATLAS using 4.7 fb^{-1} of pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. D **88**, 012004 (2013) [arXiv:1305.2756 [hep-ex]].
1058. G. Aad *et al.* [ATLAS Collaboration], “Measurement of W^+W^- production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector and limits on anomalous WWZ and $WW\gamma$ couplings,” Phys. Rev. D **87**, 112001 (2013) [arXiv:1210.2979 [hep-ex]].
1059. G. Aad *et al.* [ATLAS Collaboration], “Measurements of $W\gamma$ and $Z\gamma$ production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC,” Phys. Rev. D **87**, 112003 (2013) [Phys. Rev. D **91**, no. 11, 119901 (2015)] [arXiv:1302.1283 [hep-ex]].
1060. J. P. Lees *et al.* [BaBar Collaboration], “Search for $B \rightarrow K^{(*)}\nu\bar{\nu}$ and invisible quarkonium decays,” Phys. Rev. D **87**, 112005 (2013) [arXiv:1303.7465 [hep-ex]].
1061. G. Aad *et al.* [ATLAS Collaboration], “Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” JHEP **1306**, 033 (2013) [arXiv:1303.0526 [hep-ex]].
1062. G. Aad *et al.* [ATLAS Collaboration], “Search for resonant diboson production in the $l\nu jj$ decay channels with the ATLAS detector at 7 TeV,” Phys. Rev. D **87**, 112006 (2013) [arXiv:1305.0125 [hep-ex]].
1063. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” JHEP **1306**, 084 (2013) [arXiv:1302.2929 [hep-ex]].
1064. T. Behnke, J. E. Brau, B. Foster, J. Fuster, M. Harrison, J. M. Paterson, M. Peskin and M. Stanitzki *et al.*, “The International Linear Collider Technical Design Report - Volume 1: Executive Summary,” arXiv:1306.6327 [physics.acc-ph].
1065. T. Behnke, J. E. Brau, P. N. Burrows, J. Fuster, M. Peskin, M. Stanitzki, Y. Sugimoto and S. Yamada *et al.*, “The International Linear Collider Technical Design Report - Volume 4: Detectors,” arXiv:1306.6329 [physics.ins-det].
1066. G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **111**, 152301 (2013) [arXiv:1306.6469 [hep-ex]].
1067. G. Aad *et al.* [ATLAS Collaboration], “Search for nonpointing photons in the diphoton and E_T^{miss} final state in $\sqrt{s}=7$ TeV proton-proton collisions using the ATLAS detector,” Phys. Rev. D **88**, no. 1, 012001 (2013) [arXiv:1304.6310 [hep-ex]].

1068. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” JHEP **1307**, 032 (2013) [arXiv:1304.7098 [hep-ex]].
1069. G. Aad *et al.* [ATLAS Collaboration], “Characterisation and mitigation of beam-induced backgrounds observed in the ATLAS detector during the 2011 proton-proton run,” JINST **8**, P07004 (2013) [arXiv:1303.0223 [hep-ex]].
1070. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of CP-violating asymmetries in $B^0 \rightarrow (\rho\pi)^0$ decays using a time-dependent Dalitz plot analysis,” Phys. Rev. D **88**, 012003 (2013) [arXiv:1304.3503 [hep-ex]].
1071. J. Aasi *et al.* [The LIGO Scientific Collaboration], “Enhancing the sensitivity of the LIGO gravitational wave detector by using squeezed states of light,” Nature Photon. **7**, 613 (2013) [arXiv:1310.0383 [quant-ph]].
1072. G. Aad *et al.* [ATLAS Collaboration], “Measurement of top quark polarization in top-antitop events from proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector,” Phys. Rev. Lett. **111**, 232002 (2013) [arXiv:1307.6511 [hep-ex]].
1073. G. Aad *et al.* [ATLAS Collaboration], “Triggers for displaced decays of long-lived neutral particles in the ATLAS detector,” JINST **8**, P07015 (2013) [arXiv:1305.2284 [hep-ex]].
1074. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 2.76$ TeV and comparison to the inclusive jet cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector,” Eur. Phys. J. C **73**, 2509(2013) [arXiv:1304.4739 [hep-ex]].
1075. G. Aad *et al.* [ATLAS Collaboration], “Measurement of charged-particle event shape variables in $\sqrt{s} = 7$ TeV proton-proton interactions with the ATLAS detector,” Phys. Rev. D **88**, 032004 (2013) [arXiv:1207.6915 [hep-ex]].
1076. J. P. Lees *et al.* [BaBar Collaboration], “Search for a light Higgs boson decaying to two gluons or $s\bar{s}$ in the radiative decays of $\Upsilon(1S)$,” Phys. Rev. D **88**, 031701 (2013) [arXiv:1307.5306 [hep-ex]].
1077. J. P. Lees *et al.* [BaBar Collaboration], “Evidence of $B \rightarrow \tau\nu$ decays with hadronic B tags,” Phys. Rev. D **88**, 031102 (2013) [arXiv:1207.0698 [hep-ex]].
1078. G. Aad *et al.* [ATLAS Collaboration], “Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC,” Eur. Phys. J. C **73**, 2518 (2013) [arXiv:1302.4393 [hep-ex]].
1079. G. Aad *et al.* [ATLAS Collaboration], “Search for microscopic black holes in a like-sign dimuon final state using large track multiplicity with the ATLAS detector,” Phys. Rev. D **88**, 072001 (2013) [arXiv:1308.4075 [hep-ex]].
1080. J. P. Lees *et al.* [BaBar Collaboration], “Production of charged pions, kaons and protons in e^+e^- annihilations into hadrons at $\sqrt{s} = 10.54$ GeV,” Phys. Rev. D **88**, 032011 (2013) [arXiv:1306.2895 [hep-ex]].
1081. J. P. Lees *et al.* [BaBar Collaboration], “A Search for the Rare Decays $B \rightarrow \pi\ell^+\ell^-$ and $B^0 \rightarrow \eta\ell^+\ell^-$,” Phys. Rev. D **88**, 032012 (2013) [arXiv:1303.6010 [hep-ex]].
1082. J. P. Lees *et al.* [BaBar Collaboration], “Precision Measurement of the $e^+e^- \rightarrow K^+K^-(\gamma)$ Cross Section with the Initial-State Radiation Method at BaBar,” Phys. Rev. D **88**, 032013 (2013) [arXiv:1306.3600 [hep-ex]].
1083. J. P. Lees *et al.* [BaBar Collaboration], “Search for CP Violation in B^0B^0 bar Mixing using Partial Reconstruction of $B^0 \rightarrow D^{*-}X\ell^+\nu_\ell$ and a Kaon Tag,” Phys. Rev. Lett. **111**, 101802 (2013) [arXiv:1305.1575 [hep-ex]].

1084. J. Aasi *et al.* [LIGO and Virgo Collaborations], “Parameter estimation for compact binary coalescence signals with the first generation gravitational-wave detector network,” *Phys. Rev. D* **88**, 062001 (2013) [arXiv:1304.1775 [gr-qc]].
1085. G. Aad *et al.* [ATLAS Collaboration], “Search for excited electrons and muons in $\sqrt{s}=8$ TeV proton-proton collisions with the ATLAS detector,” *New J. Phys.* **15**, 093011 (2013) [arXiv:1308.1364 [hep-ex]].
1086. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of the $D^*(2010)^+$ natural line width and the $D^*(2010)^+ - D^0$ mass difference,” *Phys. Rev. D* **88**, 052003 (2013) [arXiv:1304.5009 [hep-ex]].
1087. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of the $D^*(2010)^+$ meson width and the $D^*(2010)^+ - D^0$ mass difference,” *Phys. Rev. Lett.* **111**, 111801 (2013) [Phys. Rev. Lett. **111**, 111801 (2013)] [arXiv:1304.5657 [hep-ex]].
1088. G. Aad *et al.* [ATLAS Collaboration], “Performance of jet substructure techniques for large- R jets in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector,” *JHEP* **1309**, 076 (2013) [arXiv:1306.4945 [hep-ex]].
1089. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the differential cross-section of B^+ meson production in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS,” *JHEP* **1310**, 042 (2013) [arXiv:1307.0126 [hep-ex]].
1090. J. P. Lees *et al.* [BaBar Collaboration], “Search for a Low-Mass Scalar Higgs Boson Decaying to a Tau Pair in Single-Photon Decays of Upsilon(1S),” *Phys. Rev. D* **88**, 071102 (2013) [arXiv:1210.5669 [hep-ex], arXiv:1210.5669 [hep-ex]].
1091. G. Aad *et al.* [ATLAS Collaboration], “Search for charginos nearly mass-degenerate with the lightest neutralino based on a disappearing-track signature in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Rev. D* **88**, 112006 (2013) [arXiv:1310.3675 [hep-ex]].
1092. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of the $B^+ \rightarrow \omega \ell^+ \nu$ branching fraction with semileptonically tagged B mesons,” *Phys. Rev. D* **88**, 072006 (2013) [arXiv:1308.2589 [hep-ex]].
1093. G. Aad *et al.* [ATLAS Collaboration], “Search for long-lived stopped R-hadrons decaying out-of-time with pp collisions using the ATLAS detector,” *Phys. Rev. D* **88**, 112003 (2013) [arXiv:1310.6584 [hep-ex]].
1094. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of the $e^+e^- \rightarrow p\bar{p}$ cross section in the energy range from 3.0 to 6.5 GeV,” *Phys. Rev. D* **88**, 072009 (2013) [arXiv:1308.1795 [hep-ex]].
1095. S. Dawson, A. Gritsan, H. Logan, J. Qian, C. Tully, R. Van Kooten, A. Ajaib and A. Anastassov *et al.*, “Higgs Working Group Report of the Snowmass 2013 Community Planning Study,” arXiv:1310.8361 [hep-ex].
1096. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of an Excess of $B \rightarrow D(*)\tau\nu$ Decays and Implications for Charged Higgs Bosons,” *Phys. Rev. D* **88**, 072012 (2013) [arXiv:1303.0571 [hep-ex]].
1097. G. Aad *et al.* [ATLAS Collaboration], “Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS experiment,” *JHEP* **1310**, 130 (2013) [*JHEP* **1401**, 109 (2014)] [arXiv:1308.1841 [hep-ex]].
1098. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the top quark charge in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *JHEP* **1311**, 031 (2013) [arXiv:1307.4568 [hep-ex]].

1099. Y. Gershtein, M. Luty, M. Narain, L. -T. Wang, D. Whiteson, K. Agashe, L. Apanasevich and G. Artoni *et al.*, “New Particles Working Group Report of the Snowmass 2013 Community Summer Study,” arXiv:1311.0299 [hep-ex].
1100. K. Agashe *et al.* [Top Quark Working Group Collaboration], “Snowmass 2013 Top quark working group report,” arXiv:1311.2028 [hep-ph].
1101. J. Aasi *et al.* [LIGO Scientific and Virgo Collaborations], “A directed search for continuous Gravitational Waves from the Galactic Center,” Phys. Rev. D **88**, 102002 (2013) [arXiv:1309.6221 [gr-qc]].
1102. G. Aad *et al.* [ATLAS Collaboration], “Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7$ TeV using the ATLAS detector,” Eur. Phys. J. C **73**, 2676 (2013) [arXiv:1307.5749 [hep-ex]].
1103. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of the Mass of the D^0 Meson,” Phys. Rev. D **88**, 071104 (2013) [arXiv:1308.1151 [hep-ex]].
1104. J. Aasi *et al.* [The LIGO Scientific and the Virgo Collaborations], “Search for long-lived gravitational-wave transients coincident with long gamma-ray bursts,” Phys. Rev. D **88**, 122004 (2013) [arXiv:1309.6160 [astro-ph.HE]].
1105. G. Aad *et al.* [ATLAS Collaboration], “Standalone vertex finding in the ATLAS muon spectrometer,” JINST **9**, P02001 (2014) [arXiv:1311.7070 [physics.ins-det]].
1106. G. Aad *et al.* [ATLAS Collaboration], “Search for new phenomena in photon+jet events collected in proton–proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Phys. Lett. B **728**, 562 (2014) [arXiv:1309.3230 [hep-ex]].
1107. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the mass difference between top and anti-top quarks in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector,” Phys. Lett. B **728**, 363 (2014) [arXiv:1310.6527 [hep-ex]].
1108. J. P. Lees *et al.* [BaBar Collaboration], “Search for lepton-number violating $B^+ \rightarrow X^- \ell^+ \ell'^+$ decays,” Phys. Rev. D **89**, 011102 (2014) [arXiv:1310.8238 [hep-ex]].
1109. G. Aad *et al.* [ATLAS Collaboration], “Search for dark matter in events with a hadronically decaying W or Z boson and missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector,” Phys. Rev. Lett. **112**, 041802 (2014) [arXiv:1309.4017 [hep-ex]].
1110. G. Aad *et al.* [ATLAS Collaboration], “Study of heavy-flavor quarks produced in association with top-quark pairs at $\sqrt{s} = 7$ TeV using the ATLAS detector,” Phys. Rev. D **89**, no. 7, 072012 (2014) [arXiv:1304.6386 [hep-ex]].
1111. J. Aasi *et al.* [The LIGO Scientific Collaboration], “Gravitational waves from known pulsars: results from the initial detector era,” Astrophys. J. **785**, 119 (2014) [arXiv:1309.4027 [astro-ph.HE]].
1112. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of Collins asymmetries in inclusive production of charged pion pairs in e^+e^- annihilation at BABAR,” Phys. Rev. D **90**, no. 5, 052003 (2014) [arXiv:1309.5278 [hep-ex]].
1113. J. Aasi *et al.* [LIGO Scientific and Virgo Collaborations], “First Searches for Optical Counterparts to Gravitational-wave Candidate Events,” Astrophys. J. Suppl. **211**, 7 (2014) [arXiv:1310.2314 [astro-ph.IM]].
1114. J. Aasi *et al.* [LIGO Scientific and Virgo Collaborations], “Constraints on cosmic strings from the LIGO-Virgo gravitational-wave detectors,” Phys. Rev. Lett. **112**, 131101 (2014) [arXiv:1310.2384 [gr-qc]].
1115. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the inclusive isolated prompt photons cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector using 4.6 fb^{-1} ,” Phys. Rev. D **89**, no. 5, 052004 (2014) [arXiv:1311.1440 [hep-ex]].

1116. G. Aad *et al.* [ATLAS Collaboration], “Search for Quantum Black Hole Production in High-Invariant-Mass Lepton+Jet Final States Using pp Collisions at $\sqrt{s} = 8$ TeV and the ATLAS Detector,” *Phys. Rev. Lett.* **112**, no. 9, 091804 (2014) [arXiv:1311.2006 [hep-ex]].
1117. J. Aasi *et al.* [LIGO and Virgo Collaborations], “Application of a Hough search for continuous gravitational waves on data from the fifth LIGO science run,” *Class. Quant. Grav.* **31**, 085014 (2014) [arXiv:1311.2409 [gr-qc]].
1118. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector,” *JHEP* **1402**, 107 (2014) [arXiv:1311.6724 [hep-ex]].
1119. J. P. Lees *et al.* [BaBar Collaboration], “Evidence for the decay $B^0 \rightarrow \omega\omega$ and search for $B^0 \rightarrow \omega\phi$,” *Phys. Rev. D* **89**, no. 5, 051101 (2014) [arXiv:1312.0056 [hep-ex]].
1120. G. Aad *et al.* [ATLAS Collaboration], “Search for a multi-Higgs-boson cascade in $W^+Wb\bar{b}$ events with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV,” *Phys. Rev. D* **89**, no. 3, 032002 (2014) [arXiv:1312.1956 [hep-ex]].
1121. G. Aad *et al.* [ATLAS Collaboration], “Measurement of dijet cross sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector,” *JHEP* **1405**, 059 (2014) [arXiv:1312.3524 [hep-ex]].
1122. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of the $B \rightarrow X_s\ell^+\ell^-$ branching fraction and search for direct CP violation from a sum of exclusive final states,” *Phys. Rev. Lett.* **112**, 211802 (2014) [arXiv:1312.5364 [hep-ex]].
1123. J. P. Lees *et al.* [BaBar Collaboration], “Search for the decay $\bar{B}^0 \rightarrow \Lambda_c^+\bar{p}p\bar{p}$,” *Phys. Rev. D* **89**, no. 7, 071102 (2014) [arXiv:1312.6800 [hep-ex]].
1124. J. Aasi *et al.* [LIGO Scientific and Virgo and NINJA-2 Collaborations], “The NINJA-2 project: Detecting and characterizing gravitational waveforms modelled using numerical binary black hole simulations,” *Class. Quant. Grav.* **31**, 115004 (2014) [arXiv:1401.0939 [gr-qc]].
1125. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the production cross section of prompt J/ψ mesons in association with a W^\pm boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *JHEP* **1404**, 172 (2014) [arXiv:1401.2831 [hep-ex]].
1126. J. P. Lees *et al.* [BaBar Collaboration], “Evidence for the baryonic decay $\bar{B}^0 \rightarrow D^0\Lambda\bar{\Lambda}$,” *Phys. Rev. D* **89**, no. 11, 112002 (2014) [arXiv:1401.5990 [hep-ex]].
1127. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector,” *JHEP* **1404**, 031 (2014) [arXiv:1401.7610 [hep-ex]].
1128. G. Aad *et al.* [ATLAS Collaboration], “Search for Higgs boson decays to a photon and a Z boson in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector,” *Phys. Lett. B* **732**, 8 (2014) [arXiv:1402.3051 [hep-ex]].
1129. G. Aad *et al.* [ATLAS Collaboration], “Search for Invisible Decays of a Higgs Boson Produced in Association with a Z Boson in ATLAS,” *Phys. Rev. Lett.* **112**, 201802 (2014) [arXiv:1402.3244 [hep-ex]].
1130. J. Aasi *et al.* [LIGO Scientific and VIRGO Collaborations], “Implementation of an \mathcal{F} -statistic all-sky search for continuous gravitational waves in Virgo VSR1 data,” *Class. Quant. Grav.* **31**, 165014 (2014) [arXiv:1402.4974 [gr-qc]].
1131. G. Aad *et al.* [ATLAS Collaboration], “The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7$ TeV pp collisions measured with the ATLAS detector,” *Eur. Phys. J. C* **74**, no. 7, 2895 (2014) [arXiv:1402.6162 [hep-ex]].

1132. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” JHEP **1405**, 068 (2014) [arXiv:1402.6263 [hep-ex]].
1133. G. Aad *et al.* [ATLAS Collaboration], “Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector,” JHEP **1404**, 169 (2014) [arXiv:1402.7029 [hep-ex]].
1134. G. Aad *et al.* [ATLAS Collaboration], “Measurement of event-plane correlations in $\sqrt{s_{NN}} = 2.76$ TeV lead-lead collisions with the ATLAS detector,” Phys. Rev. C **90**, no. 2, 024905 (2014) [arXiv:1403.0489 [hep-ex]].
1135. G. Aad *et al.* [ATLAS Collaboration], “Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” JHEP **1406**, 124 (2014) [arXiv:1403.4853 [hep-ex]].
1136. G. Aad *et al.* [ATLAS Collaboration], “Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector,” Eur. Phys. J. C **74**, no. 6, 2883 (2014) [arXiv:1403.5222 [hep-ex]].
1137. J. Aasi *et al.* [LIGO Scientific and VIRGO Collaborations], “Search for gravitational wave ringdowns from perturbed intermediate mass black holes in LIGO-Virgo data from 2005-2010,” Phys. Rev. D **89**, no. 10, 102006 (2014) [arXiv:1403.5306 [gr-qc]].
1138. G. Aad *et al.* [ATLAS Collaboration], “Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” JHEP **1405**, 071 (2014) [arXiv:1403.5294 [hep-ex]].
1139. G. Aad *et al.* [ATLAS Collaboration], “Measurements of Four-Lepton Production at the Z Resonance in pp Collisions at $\sqrt{s} = 7$ and 8 TeV with ATLAS,” Phys. Rev. Lett. **112**, no. 23, 231806 (2014) [arXiv:1403.5657 [hep-ex]].
1140. G. Aad *et al.* [ATLAS Collaboration], “Search for top quark decays $t \rightarrow qH$ with $H \rightarrow \gamma\gamma$ using the ATLAS detector,” JHEP **1406**, 008 (2014) [arXiv:1403.6293 [hep-ex]].
1141. J. Aasi *et al.* [LIGO Scientific and Virgo and IPN Collaborations], “Search for gravitational waves associated with γ -ray bursts detected by the Interplanetary Network,” Phys. Rev. Lett. **113**, no. 1, 011102 (2014) [arXiv:1403.6639 [astro-ph.HE]].
1142. G. Aad *et al.* [ATLAS Collaboration], “Search for dark matter in events with a Z boson and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Phys. Rev. D **90**, no. 1, 012004 (2014) [arXiv:1404.0051 [hep-ex]].
1143. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the parity-violating asymmetry parameter α_b and the helicity amplitudes for the decay $\Lambda_b^0 \rightarrow J/\psi + \Lambda^0$ with the ATLAS detector,” Phys. Rev. D **89**, no. 9, 092009 (2014) [arXiv:1404.1071 [hep-ex]].
1144. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector,” JHEP **1406**, 112 (2014) [arXiv:1404.1212 [hep-ex]].
1145. J. Aasi *et al.* [The LIGO Scientific and the Virgo Collaborations], “Search for gravitational radiation from intermediate mass black hole binaries in data from the second LIGO-Virgo joint science run,” Phys. Rev. D **89**, no. 12, 122003 (2014) [arXiv:1404.2199 [gr-qc]].
1146. G. Aad *et al.* [ATLAS Collaboration], “Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data,” Eur. Phys. J. C **74**, no. 7, 2941 (2014) [arXiv:1404.2240 [hep-ex]].

1147. G. Aad *et al.* [ATLAS Collaboration], “Search for supersymmetry at $\sqrt{s}=8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector,” JHEP **1406**, 035 (2014) [arXiv:1404.2500 [hep-ex]].
1148. G. Aad *et al.* [ATLAS Collaboration], “Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7$ TeV in 2010,” Eur. Phys. J. C **74**, no. 9, 3034 (2014) [arXiv:1404.4562 [hep-ex]].
1149. G. Aad *et al.* [ATLAS Collaboration], “Measurement of χ_{c1} and χ_{c2} production with $\sqrt{s} = 7$ TeV pp collisions at ATLAS,” JHEP **1407**, 154 (2014) [arXiv:1404.7035 [hep-ex]].
1150. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the cross section of high transverse momentum $Z \rightarrow b\bar{b}$ production in proton–proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector,” Phys. Lett. B **738**, 25 (2014) [arXiv:1404.7042 [hep-ex]].
1151. J. Aasi *et al.* [LIGO Scientific and VIRGO Collaborations], “Methods and results of a search for gravitational waves associated with gamma-ray bursts using the GEO600, LIGO, and Virgo detectors,” Phys. Rev. D **89**, no. 12, 122004 (2014) [arXiv:1405.1053 [astro-ph.HE]].
1152. G. Aad *et al.* [ATLAS Collaboration], “Monitoring and data quality assessment of the ATLAS liquid argon calorimeter,” JINST **9**, P07024 (2014) [arXiv:1405.3768 [hep-ex]].
1153. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector,” Eur. Phys. J. C **74**, no. 8, 2982 (2014) [arXiv:1405.3936 [hep-ex]].
1154. G. Aad *et al.* [ATLAS Collaboration], “Search for high-mass dilepton resonances in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Phys. Rev. D **90**, no. 5, 052005 (2014) [arXiv:1405.4123 [hep-ex]].
1155. G. Aad *et al.* [ATLAS Collaboration], “Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV,” JHEP **1408**, 103 (2014) [arXiv:1405.4254 [hep-ex]].
1156. G. Aad *et al.* [ATLAS Collaboration], “Search for supersymmetry in events with four or more leptons in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector,” Phys. Rev. D **90**, no. 5, 052001 (2014) [arXiv:1405.5086 [hep-ex]].
1157. G. Aad *et al.* [ATLAS Collaboration], “Evidence for Electroweak Production of $W^{\pm}W^{\pm}jj$ in pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector,” Phys. Rev. Lett. **113**, no. 14, 141803 (2014) [arXiv:1405.6241 [hep-ex]].
1158. G. Aad *et al.* [ATLAS Collaboration], “Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” Eur. Phys. J. C **74**, no. 8, 3023 (2014) [arXiv:1405.6583 [hep-ex]].
1159. J. Aasi *et al.* [The LIGO Scientific and the Virgo Collaborations], “First all-sky search for continuous gravitational waves from unknown sources in binary systems,” Phys. Rev. D **90**, no. 6, 062010 (2014) [arXiv:1405.7904 [gr-qc]].
1160. G. Aad *et al.* [ATLAS Collaboration], “Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s} = 8$ TeV proton–proton collision data,” JHEP **1409**, 176 (2014) [arXiv:1405.7875 [hep-ex]].
1161. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector,” Eur. Phys. J. C **74**, no. 8, 2965 (2014) [arXiv:1406.0392 [hep-ex]].
1162. J. P. Lees *et al.* [BaBar Collaboration], “Measurements of direct CP asymmetries in $B \rightarrow X_s \gamma$ decays using sum of exclusive decays,” Phys. Rev. D **90**, no. 9, 092001 (2014) [arXiv:1406.0534 [hep-ex]].

1163. G. Aad *et al.* [ATLAS Collaboration], “Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” JHEP **1409**, 015 (2014) [arXiv:1406.1122 [hep-ex]].
1164. G. Aad *et al.* [ATLAS Collaboration], “Measurement of inclusive jet charged-particle fragmentation functions in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector,” Phys. Lett. B **739**, 320 (2014) [arXiv:1406.2979 [hep-ex]].
1165. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” JHEP **1409**, 145 (2014) [arXiv:1406.3660 [hep-ex]].
1166. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the Higgs boson mass from the $H \rightarrow \gamma\gamma$ and $H \rightarrow ZZ^* \rightarrow 4\ell$ channels with the ATLAS detector using 25 fb^{-1} of pp collision data,” Phys. Rev. D **90**, no. 5, 052004 (2014) [arXiv:1406.3827 [hep-ex]].
1167. G. Aad *et al.* [ATLAS Collaboration], “Search for WZ resonances in the fully leptonic channel using pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Phys. Lett. B **737**, 223 (2014) [arXiv:1406.4456 [hep-ex]].
1168. J. Aasi *et al.* [LIGO Scientific and VIRGO Collaborations], “Improved Upper Limits on the Stochastic Gravitational-Wave Background from 2009-2010 LIGO and Virgo Data,” Phys. Rev. Lett. **113**, no. 23, 231101 (2014) [arXiv:1406.4556 [gr-qc]].
1169. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with b-tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector,” Eur. Phys. J. C **74**, no. 10, 3109 (2014) Addendum: [Eur. Phys. J. C **76**, no. 11, 642 (2016)] doi:10.1140/epjc/s10052-016-4501-2, 10.1140/epjc/s10052-014-3109-7 [arXiv:1406.5375 [hep-ex]].
1170. A. J. Bevan *et al.* [BaBar and Belle Collaborations], “The Physics of the B Factories,” Eur. Phys. J. C **74**, no. 11, 3026 (2014) [arXiv:1406.6311 [hep-ex]].
1171. G. Aad *et al.* [ATLAS Collaboration], “Search for the Standard Model Higgs boson decay to $\mu^+\mu^-$ with the ATLAS detector,” Phys. Lett. B **738**, 68 (2014) [arXiv:1406.7663 [hep-ex]].
1172. G. Aad *et al.* [ATLAS Collaboration], “A neural network clustering algorithm for the ATLAS silicon pixel detector,” JINST **9**, P09009 (2014) [arXiv:1406.7690 [hep-ex]].
1173. G. Aad *et al.* [ATLAS Collaboration], “Comprehensive measurements of t -channel single top-quark production cross sections at $\sqrt{s} = 7$ TeV with the ATLAS detector,” Phys. Rev. D **90**, no. 11, 112006 (2014) [arXiv:1406.7844 [hep-ex]].
1174. G. Aad *et al.* [ATLAS Collaboration], “Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” JHEP **1410**, 96 (2014) [arXiv:1407.0350 [hep-ex]].
1175. G. Aad *et al.* [ATLAS Collaboration], “Measurements of normalized differential cross sections for $t\bar{t}$ production in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector,” Phys. Rev. D **90**, no. 7, 072004 (2014) [arXiv:1407.0371 [hep-ex]].
1176. G. Aad *et al.* [ATLAS Collaboration], “Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector,” JHEP **1411**, 118 (2014) [arXiv:1407.0583 [hep-ex]].
1177. G. Aad *et al.* [ATLAS Collaboration], “Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b -jets at $\sqrt{s} = 8$ TeV proton-proton collisions with the ATLAS detector,” JHEP **1410**, 24 (2014) [arXiv:1407.0600 [hep-ex]].

1178. G. Aad *et al.* [ATLAS Collaboration], “Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb⁻¹ of $\sqrt{s} = 8$ TeV proton-proton collision data with the ATLAS detector,” JHEP **1409**, 103 (2014) [arXiv:1407.0603 [hep-ex]].
1179. G. Aad *et al.* [ATLAS Collaboration], “Search for pair-produced third-generation squarks decaying via charm quarks or in compressed supersymmetric scenarios in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Phys. Rev. D **90**, no. 5, 052008 (2014) [arXiv:1407.0608 [hep-ex]].
1180. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the cross-section of high transverse momentum vector bosons reconstructed as single jets and studies of jet substructure in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” New J. Phys. **16**, no. 11, 113013 (2014) [arXiv:1407.0800 [hep-ex]].
1181. G. Aad *et al.* [ATLAS Collaboration], “Observation of an Excited B_c^\pm Meson State with the ATLAS Detector,” Phys. Rev. Lett. **113**, no. 21, 212004 (2014) [arXiv:1407.1032 [hep-ex]].
1182. M. G. Aartsen *et al.* [IceCube and LIGO Scientific and Virgo Collaborations], “Multimes-senger search for sources of gravitational waves and high-energy neutrinos: Initial results for LIGO-Virgo and IceCube,” Phys. Rev. D **90**, no. 10, 102002 (2014) [arXiv:1407.1042 [astro-ph.HE]].
1183. G. Aad *et al.* [ATLAS Collaboration], “Flavor tagged time-dependent angular analysis of the $B_s \rightarrow J/\psi\phi$ decay and extraction of $\Delta\Gamma$ s and the weak phase ϕ_s in ATLAS,” Phys. Rev. D **90**, no. 5, 052007 (2014) [arXiv:1407.1796 [hep-ex]].
1184. G. Aad *et al.* [ATLAS Collaboration], “Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Eur. Phys. J. C **74**, no. 12, 3134 (2014) [arXiv:1407.2410 [hep-ex]].
1185. G. Aad *et al.* [ATLAS Collaboration], “Measurement of differential production cross-sections for a Z boson in association with b -jets in 7 TeV proton-proton collisions with the ATLAS detector,” JHEP **1410**, 141 (2014) [arXiv:1407.3643 [hep-ex]].
1186. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data,” Eur. Phys. J. C **74**, no. 11, 3130 (2014) [arXiv:1407.3935 [hep-ex]].
1187. G. Aad *et al.* [ATLAS Collaboration], “Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s} = 8$ TeV with ATLAS,” JHEP **1409**, 112 (2014) [arXiv:1407.4222 [hep-ex]].
1188. G. Aad *et al.* [ATLAS Collaboration], “Measurements of spin correlation in top-antitop quark events from proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector,” Phys. Rev. D **90**, no. 11, 112016 (2014) [arXiv:1407.4314 [hep-ex]].
1189. G. Aad *et al.* [ATLAS Collaboration], “Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data,” Eur. Phys. J. C **74**, no. 10, 3071 (2014) [arXiv:1407.5063 [hep-ex]].
1190. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the production cross-section of $\psi(2S) \rightarrow J/\psi(\rightarrow \mu^+\mu^-)\pi^+\pi^-$ in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS,” JHEP **1409**, 79 (2014) [arXiv:1407.5532 [hep-ex]].
1191. G. Aad *et al.* [ATLAS Collaboration], “Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector,” Eur. Phys. J. C **74**, no. 11, 3117 (2014) [arXiv:1407.5756 [hep-ex]].

1192. G. Aad *et al.* [ATLAS Collaboration], “Search for Scalar Diphoton Resonances in the Mass Range 65 – 600 GeV with the ATLAS Detector in pp Collision Data at $\sqrt{s} = 8$ TeV,” Phys. Rev. Lett. **113**, no. 17, 171801 (2014) [arXiv:1407.6583 [hep-ex]].
1193. G. Aad *et al.* [ATLAS Collaboration], “Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” JHEP **1409**, 037 (2014) [arXiv:1407.7494 [hep-ex]].
1194. G. Aad *et al.* [ATLAS Collaboration], “Search for new resonances in $W\gamma$ and $Z\gamma$ final states in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Phys. Lett. B **738**, 428 (2014) [arXiv:1407.8150 [hep-ex]].
1195. G. Aad *et al.* [ATLAS Collaboration], “Fiducial and differential cross sections of Higgs boson production measured in the four-lepton decay channel in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector,” Phys. Lett. B **738**, 234 (2014) [arXiv:1408.3226 [hep-ex]].
1196. G. Aad *et al.* [ATLAS Collaboration], “Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector,” Eur. Phys. J. C **74**, no. 11, 3157 (2014) [arXiv:1408.4342 [hep-ex]].
1197. G. Aad *et al.* [ATLAS Collaboration], “Search for the lepton flavor violating decay $Z \rightarrow e\mu$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Phys. Rev. D **90**, no. 7, 072010 (2014) [arXiv:1408.5774 [hep-ex]].
1198. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” Nucl. Phys. B **889**, 486 (2014) [arXiv:1408.5778 [hep-ex]].
1199. G. Aad *et al.* [ATLAS Collaboration], “A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector,” Eur. Phys. J. C **74**, no. 12, 3168 (2014) [arXiv:1408.6510 [hep-ex]].
1200. G. Aad *et al.* [ATLAS Collaboration], “Measurement of Higgs boson production in the diphoton decay channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector,” Phys. Rev. D **90**, no. 11, 112015 (2014) [arXiv:1408.7084 [hep-ex]].
1201. G. Aad *et al.* [ATLAS Collaboration], “Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” JHEP **1411**, 088 (2014) [arXiv:1409.0746 [hep-ex]].
1202. G. Aad *et al.* [ATLAS Collaboration], “Measurement of long-range pseudorapidity correlations and azimuthal harmonics in $\sqrt{s_{NN}} = 5.02$ TeV proton-lead collisions with the ATLAS detector,” Phys. Rev. C **90**, no. 4, 044906 (2014) [arXiv:1409.1792 [hep-ex]].
1203. G. Aad *et al.* [ATLAS Collaboration], “Measurement of distributions sensitive to the underlying event in inclusive Z -boson production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” Eur. Phys. J. C **74**, no. 12, 3195 (2014) [arXiv:1409.3433 [hep-ex]].
1204. G. Aad *et al.* [ATLAS Collaboration], “Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” JHEP **1411**, 104 (2014) [arXiv:1409.5500 [hep-ex]].
1205. G. Aad *et al.* [ATLAS Collaboration], “Search for nonpointing and delayed photons in the diphoton and missing transverse momentum final state in 8 TeV pp collisions at the LHC using the ATLAS detector,” Phys. Rev. D **90**, no. 11, 112005 (2014) [arXiv:1409.5542 [hep-ex]].
1206. G. Aad *et al.* [ATLAS Collaboration], “Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” JHEP **1411**, 056 (2014) [arXiv:1409.6064 [hep-ex]].

1207. J. P. Lees *et al.* [BaBar Collaboration], “Study of the reaction $e^+e^- \rightarrow \psi(2S)\pi^-\pi^-$ via initial-state radiation at BaBar,” *Phys. Rev. D* **89**, no. 11, 111103 (2014) [arXiv:1211.6271 [hep-ex]].
1208. G. Aad *et al.* [ATLAS Collaboration], “Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **75**, 17 (2015) doi:10.1140/epjc/s10052-014-3190-y [arXiv:1406.0076 [hep-ex]].
1209. G. Aad *et al.* [ATLAS Collaboration], “Search For Higgs Boson Pair Production in the $\gamma\gamma b\bar{b}$ Final State using pp Collision Data at $\sqrt{s} = 8$ TeV from the ATLAS Detector,” *Phys. Rev. Lett.* **114**, no. 8, 081802 (2015) doi:10.1103/PhysRevLett.114.081802 [arXiv:1406.5053 [hep-ex]].
1210. G. Aad *et al.* [ATLAS Collaboration], “Simultaneous measurements of the $t\bar{t}$, W^+W^- , and $Z/\gamma^* \rightarrow \tau\tau$ production cross-sections in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. D* **91**, no. 5, 052005 (2015) doi:10.1103/PhysRevD.91.052005 [arXiv:1407.0573 [hep-ex]].
1211. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector,” *JHEP* **1501**, 020 (2015) doi:10.1007/JHEP01(2015)020 [arXiv:1407.0891 [hep-ex]].
1212. G. Aad *et al.* [ATLAS Collaboration], “Search for new phenomena in the dijet mass distribution using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Rev. D* **91**, no. 5, 052007 (2015) doi:10.1103/PhysRevD.91.052007 [arXiv:1407.1376 [hep-ex]].
1213. J. P. Lees *et al.* [BaBar Collaboration], “Study of $B^{\pm,0} \rightarrow J/\psi K^+ K^- K^{\pm,0}$ and search for $B^0 \rightarrow J/\psi\phi$ at BABAR,” *Phys. Rev. D* **91**, no. 1, 012003 (2015) doi:10.1103/PhysRevD.91.012003 [arXiv:1407.7244 [hep-ex]].
1214. G. Aad *et al.* [ATLAS Collaboration], “Search for $W' \rightarrow tb \rightarrow qqbb$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **75**, no. 4, 165 (2015) doi:10.1140/epjc/s10052-015-3372-2 [arXiv:1408.0886 [hep-ex]].
1215. G. Aad *et al.* [ATLAS Collaboration], “Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV,” *Eur. Phys. J. C* **75**, 120 (2015) doi:10.1140/epjc/s10052-015-3325-9 [arXiv:1408.3179 [hep-ex]].
1216. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **75**, no. 1, 23 (2015) doi:10.1140/epjc/s10052-014-3231-6 [arXiv:1408.4674 [hep-ex]].
1217. G. Aad *et al.* [ATLAS Collaboration], “Measurements of Higgs boson production and couplings in the four-lepton channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector,” *Phys. Rev. D* **91**, no. 1, 012006 (2015) doi:10.1103/PhysRevD.91.012006 [arXiv:1408.5191 [hep-ex]].
1218. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7$ TeV,” *Eur. Phys. J. C* **75**, no. 4, 158 (2015) doi:10.1140/epjc/s10052-015-3373-1 [arXiv:1409.0832 [hep-ex]].
1219. G. Aad *et al.* [ATLAS Collaboration], “Search for $H \rightarrow \gamma\gamma$ produced in association with top quarks and constraints on the Yukawa coupling between the top quark and the Higgs boson using data taken at 7 TeV and 8 TeV with the ATLAS detector,” *Phys. Lett. B* **740**, 222 (2015) doi:10.1016/j.physletb.2014.11.049 [arXiv:1409.3122 [hep-ex]].

1220. G. Aad *et al.* [ATLAS Collaboration], “Search for resonant diboson production in the $\ell\ell q\bar{q}$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **75**, 69 (2015) doi:10.1140/epjc/s10052-015-3261-8 [arXiv:1409.6190 [hep-ex]].
1221. G. Aad *et al.* [ATLAS Collaboration], “Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated $(W/Z)H$ production with the ATLAS detector,” *JHEP* **1501**, 069 (2015) doi:10.1007/JHEP01(2015)069 [arXiv:1409.6212 [hep-ex]].
1222. G. Aad *et al.* [ATLAS Collaboration], “Measurements of the W production cross sections in association with jets with the ATLAS detector,” *Eur. Phys. J. C* **75**, no. 2, 82 (2015) doi:10.1140/epjc/s10052-015-3262-7 [arXiv:1409.8639 [hep-ex]].
1223. G. Aad *et al.* [ATLAS Collaboration], “Search for s -channel single top-quark production in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Lett. B* **740**, 118 (2015) doi:10.1016/j.physletb.2014.11.042 [arXiv:1410.0647 [hep-ex]].
1224. G. Aad *et al.* [ATLAS Collaboration], “Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector,” *Eur. Phys. J. C* **75**, no. 2, 92 (2015) doi:10.1140/epjc/s10052-015-3306-z [arXiv:1410.4031 [hep-ex]].
1225. G. Aad *et al.* [ATLAS Collaboration], “Search for $W' \rightarrow t\bar{b}$ in the lepton plus jets final state in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Lett. B* **743**, 235 (2015) doi:10.1016/j.physletb.2015.02.051 [arXiv:1410.4103 [hep-ex]].
1226. G. Aad *et al.* [ATLAS Collaboration], “Search for the X_b and other hidden-beauty states in the $\pi^+\pi^-\Upsilon(1S)$ channel at ATLAS,” *Phys. Lett. B* **740**, 199 (2015) doi:10.1016/j.physletb.2014.11.055 [arXiv:1410.4409 [hep-ex]].
1227. G. Aad *et al.* [ATLAS Collaboration], “Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **75**, no. 2, 79 (2015) doi:10.1140/epjc/s10052-014-3233-4 [arXiv:1410.5404 [hep-ex]].
1228. J. Aasi *et al.* [LIGO Scientific and VIRGO Collaborations], “Searching for stochastic gravitational waves using data from the two colocated LIGO Hanford detectors,” *Phys. Rev. D* **91**, no. 2, 022003 (2015) doi:10.1103/PhysRevD.91.022003 [arXiv:1410.6211 [gr-qc]].
1229. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7$ TeV,” *JHEP* **1501**, 049 (2015) doi:10.1007/JHEP01(2015)049 [arXiv:1410.7238 [hep-ex]].
1230. J. Aasi *et al.* [LIGO Scientific and VIRGO Collaborations], “Characterization of the LIGO detectors during their sixth science run,” *Class. Quant. Grav.* **32**, no. 11, 115012 (2015) doi:10.1088/0264-9381/32/11/115012 [arXiv:1410.7764 [gr-qc]].
1231. J. Aasi *et al.* [LIGO Scientific and VIRGO Collaborations], “Narrow-band search of continuous gravitational-wave signals from Crab and Vela pulsars in Virgo VSR4 data,” *Phys. Rev. D* **91**, no. 2, 022004 (2015) doi:10.1103/PhysRevD.91.022004 [arXiv:1410.8310 [astro-ph.IM]].
1232. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7$ TeV using 4.5 fb¹ of data with the ATLAS detector,” *JHEP* **1502**, 153 (2015) Erratum: [*JHEP* **1509**, 141 (2015)] doi:10.1007/JHEP02(2015)153, 10.1007/JHEP09(2015)141 [arXiv:1410.8857 [hep-ex]].
1233. G. Aad *et al.* [ATLAS Collaboration], “Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Rev. D* **91**, no. 1, 012008 (2015) Erratum: [*Phys. Rev. D* **92**, no. 5, 059903 (2015)] doi:10.1103/PhysRevD.92.059903, 10.1103/PhysRevD.91.012008 [arXiv:1411.1559 [hep-ex]].

1234. G. Aad *et al.* [ATLAS Collaboration], “Measurement of three-jet production cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector,” *Eur. Phys. J. C* **75**, no. 5, 228 (2015) doi:10.1140/epjc/s10052-015-3363-3 [arXiv:1411.1855 [hep-ex]].
1235. G. Aad *et al.* [ATLAS Collaboration], “Measurements of the Nuclear Modification Factor for Jets in Pb+Pb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS Detector,” *Phys. Rev. Lett.* **114**, no. 7, 072302 (2015) doi:10.1103/PhysRevLett.114.072302 [arXiv:1411.2357 [hep-ex]].
1236. G. Aad *et al.* [ATLAS Collaboration], “Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1508**, 138 (2015) doi:10.1007/JHEP08(2015)138 [arXiv:1411.2921 [hep-ex]].
1237. J. Aasi *et al.* [LIGO Scientific Collaboration], “Advanced LIGO,” *Class. Quant. Grav.* **32**, 074001 (2015) doi:10.1088/0264-9381/32/7/074001 [arXiv:1411.4547 [gr-qc]].
1238. G. Aad *et al.* [ATLAS Collaboration], “Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV,” *JHEP* **1501**, 068 (2015) doi:10.1007/JHEP01(2015)068 [arXiv:1411.6795 [hep-ex]].
1239. G. Aad *et al.* [ATLAS Collaboration], “Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector,” *JHEP* **1503**, 041 (2015) doi:10.1007/JHEP03(2015)041 [arXiv:1412.0237 [hep-ex]].
1240. J. Aasi *et al.* [LIGO Scientific and VIRGO Collaborations], “Directed search for gravitational waves from Scorpius X-1 with initial LIGO data,” *Phys. Rev. D* **91**, no. 6, 062008 (2015) doi:10.1103/PhysRevD.91.062008 [arXiv:1412.0605 [gr-qc]].
1241. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the transverse polarization of Λ and $\bar{\Lambda}$ hyperons produced in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector,” *Phys. Rev. D* **91**, no. 3, 032004 (2015) doi:10.1103/PhysRevD.91.032004 [arXiv:1412.1692 [hep-ex]].
1242. G. Aad *et al.* [ATLAS Collaboration], “Observation and measurement of Higgs boson decays to WW^* with the ATLAS detector,” *Phys. Rev. D* **92**, no. 1, 012006 (2015) doi:10.1103/PhysRevD.92.012006 [arXiv:1412.2641 [hep-ex]].
1243. G. Aad *et al.* [ATLAS Collaboration], “Centrality and rapidity dependence of inclusive jet production in $\sqrt{s_{NN}} = 5.02$ TeV proton-lead collisions with the ATLAS detector,” *Phys. Lett. B* **748**, 392 (2015) doi:10.1016/j.physletb.2015.07.023 [arXiv:1412.4092 [hep-ex]].
1244. G. Aad *et al.* [ATLAS Collaboration], “Measurement of Spin Correlation in Top-Antitop Quark Events and Search for Top Squark Pair Production in pp Collisions at $\sqrt{s} = 8$ TeV Using the ATLAS Detector,” *Phys. Rev. Lett.* **114**, no. 14, 142001 (2015) doi:10.1103/PhysRevLett.114.142001 [arXiv:1412.4742 [hep-ex]].
1245. J. Aasi *et al.* [LIGO Collaboration], “Searches for continuous gravitational waves from nine young supernova remnants,” *Astrophys. J.* **813**, no. 1, 39 (2015) doi:10.1088/0004-637X/813/1/39 [arXiv:1412.5942 [astro-ph.HE]].
1246. G. Aad *et al.* [ATLAS Collaboration], “Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **75**, no. 5, 229 (2015) doi:10.1140/epjc/s10052-015-3406-9 [arXiv:1412.6428 [hep-ex]].
1247. G. Aad *et al.* [ATLAS Collaboration], “Search for charged Higgs bosons decaying via $H^\pm \rightarrow \tau^\pm \nu$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1503**, 088 (2015) doi:10.1007/JHEP03(2015)088 [arXiv:1412.6663 [hep-ex]].

1248. G. Aad *et al.* [ATLAS Collaboration], “Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s}=8$ TeV,” *Eur. Phys. J. C* **75**, no. 7, 303 (2015) doi:10.1140/epjc/s10052-015-3500-z [arXiv:1412.7086 [hep-ex]].
1249. G. Aad *et al.* [ATLAS Collaboration], “Search for Scalar Charm Quark Pair Production in pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector,” *Phys. Rev. Lett.* **114**, no. 16, 161801 (2015) doi:10.1103/PhysRevLett.114.161801 [arXiv:1501.01325 [hep-ex]].
1250. G. Aad *et al.* [ATLAS Collaboration], “Search for Higgs and Z Boson Decays to $J/\psi\gamma$ and $\Upsilon(nS)\gamma$ with the ATLAS Detector,” *Phys. Rev. Lett.* **114**, no. 12, 121801 (2015) doi:10.1103/PhysRevLett.114.121801 [arXiv:1501.03276 [hep-ex]].
1251. G. Aad *et al.* [ATLAS Collaboration], “Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1504**, 116 (2015) doi:10.1007/JHEP04(2015)116 [arXiv:1501.03555 [hep-ex]].
1252. G. Aad *et al.* [ATLAS Collaboration], “Search for pair-produced long-lived neutral particles decaying in the ATLAS hadronic calorimeter in pp collisions at $\sqrt{s} = 8$ TeV,” *Phys. Lett. B* **743**, 15 (2015) doi:10.1016/j.physletb.2015.02.015 [arXiv:1501.04020 [hep-ex]].
1253. G. Aad *et al.* [ATLAS Collaboration], “Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector,” *JHEP* **1504**, 117 (2015) doi:10.1007/JHEP04(2015)117 [arXiv:1501.04943 [hep-ex]].
1254. G. Aad *et al.* [ATLAS Collaboration], “Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector,” *Eur. Phys. J. C* **75**, no. 5, 208 (2015) doi:10.1140/epjc/s10052-015-3408-7 [arXiv:1501.07110 [hep-ex]].
1255. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector,” *JHEP* **1505**, 061 (2015) doi:10.1007/JHEP05(2015)061 [arXiv:1501.07383 [hep-ex]].
1256. G. Aad *et al.* [ATLAS Collaboration], “Observation of top-quark pair production in association with a photon and measurement of the $t\bar{t}\gamma$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector,” *Phys. Rev. D* **91**, no. 7, 072007 (2015) doi:10.1103/PhysRevD.91.072007 [arXiv:1502.00586 [hep-ex]].
1257. G. Aad *et al.* [ATLAS Collaboration], “Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **75**, no. 7, 299 (2015) Erratum: [*Eur. Phys. J. C* **75**, no. 9, 408 (2015)] doi:10.1140/epjc/s10052-015-3517-3, 10.1140/epjc/s10052-015-3639-7 [arXiv:1502.01518 [hep-ex]].
1258. G. Aad *et al.* [ATLAS Collaboration], “Search for a CP-odd Higgs boson decaying to Zh in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Lett. B* **744**, 163 (2015) doi:10.1016/j.physletb.2015.03.054 [arXiv:1502.04478 [hep-ex]].
1259. G. Aad *et al.* [ATLAS Collaboration], “Search for massive supersymmetric particles decaying to many jets using the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV,” *Phys. Rev. D* **91**, no. 11, 112016 (2015) Erratum: [*Phys. Rev. D* **93**, no. 3, 039901 (2016)] doi:10.1103/PhysRevD.93.039901, 10.1103/PhysRevD.91.112016 [arXiv:1502.05686 [hep-ex]].
1260. G. Aad *et al.* [ATLAS Collaboration], “Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s} = 7$ TeV in the ATLAS detector,” *JHEP* **1506**, 100 (2015) doi:10.1007/JHEP06(2015)100 [arXiv:1502.05923 [hep-ex]].

1261. G. Aad *et al.* [ATLAS Collaboration], “A search for high-mass resonances decaying to $\tau^+\tau^-$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” JHEP **1507**, 157 (2015) doi:10.1007/JHEP07(2015)157 [arXiv:1502.07177 [hep-ex]].
1262. G. Aad *et al.* [ATLAS Collaboration], “Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector,” Eur. Phys. J. C **75**, no. 10, 466 (2015) doi:10.1140/epjc/s10052-015-3644-x [arXiv:1502.07947 [hep-ex]].
1263. G. Aad *et al.* [ATLAS Collaboration], “Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector,” Eur. Phys. J. C **75**, no. 7, 335 (2015) doi:10.1140/epjc/s10052-015-3542-2 [arXiv:1503.01060 [hep-ex]].
1264. G. Aad *et al.* [ATLAS Collaboration], “Evidence of $W\gamma\gamma$ Production in pp Collisions at $\sqrt{s} = 8$ TeV and Limits on Anomalous Quartic Gauge Couplings with the ATLAS Detector,” Phys. Rev. Lett. **115**, no. 3, 031802 (2015) doi:10.1103/PhysRevLett.115.031802 [arXiv:1503.03243 [hep-ex]].
1265. G. Aad *et al.* [ATLAS Collaboration], “Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector,” Eur. Phys. J. C **75**, no. 7, 318 (2015) Erratum: [Eur. Phys. J. C **75**, no. 10, 463 (2015)] doi:10.1140/epjc/s10052-015-3661-9, 10.1140/epjc/s10052-015-3518-2 [arXiv:1503.03290 [hep-ex]].
1266. G. Aad *et al.* [ATLAS Collaboration], “Determination of spin and parity of the Higgs boson in the $WW^* \rightarrow e\nu\mu\nu$ decay channel with the ATLAS detector,” Eur. Phys. J. C **75**, no. 5, 231 (2015) doi:10.1140/epjc/s10052-015-3436-3 [arXiv:1503.03643 [hep-ex]].
1267. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” JHEP **1509**, 049 (2015) doi:10.1007/JHEP09(2015)049 [arXiv:1503.03709 [hep-ex]].
1268. G. Aad *et al.* [ATLAS Collaboration], “Search for a Charged Higgs Boson Produced in the Vector-Boson Fusion Mode with Decay $H^\pm \rightarrow W^\pm Z$ using pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Experiment,” Phys. Rev. Lett. **114**, no. 23, 231801 (2015) doi:10.1103/PhysRevLett.114.231801 [arXiv:1503.04233 [hep-ex]].
1269. G. Aad *et al.* [ATLAS Collaboration], “Search for a Heavy Neutral Particle Decaying to $e\mu$, $e\tau$, or $\mu\tau$ in pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector,” Phys. Rev. Lett. **115**, no. 3, 031801 (2015) doi:10.1103/PhysRevLett.115.031801 [arXiv:1503.04430 [hep-ex]].
1270. G. Aad *et al.* [ATLAS Collaboration], “Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Eur. Phys. J. C **75**, no. 5, 209 (2015) Erratum: [Eur. Phys. J. C **75**, 370 (2015)] doi:10.1140/epjc/s10052-015-3593-4, 10.1140/epjc/s10052-015-3425-6 [arXiv:1503.04677 [hep-ex]].
1271. G. Aad *et al.* [ATLAS Collaboration], “Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Eur. Phys. J. C **75**, no. 7, 349 (2015) doi:10.1140/epjc/s10052-015-3543-1 [arXiv:1503.05066 [hep-ex]].
1272. G. Aad *et al.* [ATLAS Collaboration], “Search for vector-like B quarks in events with one isolated lepton, missing transverse momentum and jets at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Phys. Rev. D **91**, no. 11, 112011 (2015) doi:10.1103/PhysRevD.91.112011 [arXiv:1503.05425 [hep-ex]].
1273. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the top quark mass in the $t\bar{t} \rightarrow$ lepton+jets and $t\bar{t} \rightarrow$ dilepton channels using $\sqrt{s} = 7$ TeV ATLAS data,” Eur. Phys. J. C **75**, no. 7, 330 (2015) doi:10.1140/epjc/s10052-015-3544-0 [arXiv:1503.05427 [hep-ex]].

1274. G. Aad *et al.* [ATLAS and CMS Collaborations], “Combined Measurement of the Higgs Boson Mass in pp Collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS Experiments,” Phys. Rev. Lett. **114**, 191803 (2015) doi:10.1103/PhysRevLett.114.191803 [arXiv:1503.07589 [hep-ex]].
1275. G. Aad *et al.* [ATLAS Collaboration], “Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $\ell\ell/\ell\nu/\nu\nu + b\bar{b}$ final states with the ATLAS detector,” Eur. Phys. J. C **75**, no. 6, 263 (2015) doi:10.1140/epjc/s10052-015-3474-x [arXiv:1503.08089 [hep-ex]].
1276. G. Aad *et al.* [ATLAS Collaboration], “Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s} = 8$ TeV,” JHEP **1507**, 032 (2015) doi:10.1007/JHEP07(2015)032 [arXiv:1503.08988 [hep-ex]].
1277. G. Aad *et al.* [ATLAS Collaboration], “Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s} = 8$ TeV Measured with the ATLAS Detector,” Phys. Rev. Lett. **114**, no. 22, 221802 (2015) doi:10.1103/PhysRevLett.114.221802 [arXiv:1504.00357 [hep-ex]].
1278. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the correlation between flow harmonics of different order in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector,” Phys. Rev. C **92**, no. 3, 034903 (2015) doi:10.1103/PhysRevC.92.034903 [arXiv:1504.01289 [hep-ex]].
1279. G. Moortgat-Pick *et al.*, “Physics at the e^+e^- Linear Collider,” Eur. Phys. J. C **75**, no. 8, 371 (2015) doi:10.1140/epjc/s10052-015-3511-9 [arXiv:1504.01726 [hep-ph]].
1280. G. Aad *et al.* [ATLAS Collaboration], “Search for long-lived, weakly interacting particles that decay to displaced hadronic jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Phys. Rev. D **92**, no. 1, 012010 (2015) doi:10.1103/PhysRevD.92.012010 [arXiv:1504.03634 [hep-ex]].
1281. G. Aad *et al.* [ATLAS Collaboration], “Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector,” Eur. Phys. J. C **75**, 362 (2015) doi:10.1140/epjc/s10052-015-3534-2 [arXiv:1504.04188 [hep-ex]].
1282. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the top pair production cross section in 8 TeV proton-proton collisions using kinematic information in the lepton+jets final state with ATLAS,” Phys. Rev. D **91**, no. 11, 112013 (2015) doi:10.1103/PhysRevD.91.112013 [arXiv:1504.04251 [hep-ex]].
1283. G. Aad *et al.* [ATLAS Collaboration], “Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Eur. Phys. J. C **75**, no. 7, 337 (2015) doi:10.1140/epjc/s10052-015-3551-1 [arXiv:1504.04324 [hep-ex]].
1284. G. Aad *et al.* [ATLAS Collaboration], “Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC,” JHEP **1509**, 050 (2015) doi:10.1007/JHEP09(2015)050 [arXiv:1504.04337 [hep-ex]].
1285. G. Aad *et al.* [ATLAS Collaboration], “Analysis of events with b -jets and a pair of leptons of the same charge in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” JHEP **1510**, 150 (2015) doi:10.1007/JHEP10(2015)150 [arXiv:1504.04605 [hep-ex]].
1286. G. Aad *et al.* [ATLAS Collaboration], “Search for massive, long-lived particles using multitrack displaced vertices or displaced lepton pairs in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Phys. Rev. D **92**, no. 7, 072004 (2015) doi:10.1103/PhysRevD.92.072004 [arXiv:1504.05162 [hep-ex]].

1287. G. Aad *et al.* [ATLAS Collaboration], “Search for high-mass diphoton resonances in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Rev. D* **92**, no. 3, 032004 (2015) doi:10.1103/PhysRevD.92.032004 [arXiv:1504.05511 [hep-ex]].
1288. G. Aad *et al.* [ATLAS Collaboration], “Measurements of the Total and Differential Higgs Boson Production Cross Sections Combining the $H \rightarrow \gamma\gamma$ and $H \rightarrow ZZ^* \rightarrow 4\ell$ Decay Channels at $\sqrt{s}=8$ TeV with the ATLAS Detector,” *Phys. Rev. Lett.* **115**, no. 9, 091801 (2015) doi:10.1103/PhysRevLett.115.091801 [arXiv:1504.05833 [hep-ex]].
1289. G. Aad *et al.* [ATLAS Collaboration], “Search for Higgs bosons decaying to aa in the $\mu\mu\tau\tau$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS experiment,” *Phys. Rev. D* **92**, no. 5, 052002 (2015) doi:10.1103/PhysRevD.92.052002 [arXiv:1505.01609 [hep-ex]].
1290. G. Aad *et al.* [ATLAS Collaboration], “Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1508**, 105 (2015) doi:10.1007/JHEP08(2015)105 [arXiv:1505.04306 [hep-ex]].
1291. G. Aad *et al.* [ATLAS Collaboration], “A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1508**, 148 (2015) doi:10.1007/JHEP08(2015)148 [arXiv:1505.07018 [hep-ex]].
1292. G. Aad *et al.* [ATLAS Collaboration], “Search for new light gauge bosons in Higgs boson decays to four-lepton final states in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector at the LHC,” *Phys. Rev. D* **92**, no. 9, 092001 (2015) doi:10.1103/PhysRevD.92.092001 [arXiv:1505.07645 [hep-ex]].
1293. G. Aad *et al.* [ATLAS Collaboration], “Measurement of differential J/ψ production cross sections and forward-backward ratios in p + Pb collisions with the ATLAS detector,” *Phys. Rev. C* **92**, no. 3, 034904 (2015) doi:10.1103/PhysRevC.92.034904 [arXiv:1505.08141 [hep-ex]].
1294. G. Aad *et al.* [ATLAS Collaboration], “Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **75**, no. 9, 412 (2015) doi:10.1140/epjc/s10052-015-3628-x [arXiv:1506.00285 [hep-ex]].
1295. G. Aad *et al.* [ATLAS Collaboration], “Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1512**, 055 (2015) doi:10.1007/JHEP12(2015)055 [arXiv:1506.00962 [hep-ex]].
1296. G. Aad *et al.* [ATLAS Collaboration], “Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector,” *Phys. Rev. Lett.* **115**, no. 13, 131801 (2015) doi:10.1103/PhysRevLett.115.131801 [arXiv:1506.01081 [hep-ex]].
1297. G. Aad *et al.* [ATLAS Collaboration], “Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1509**, 108 (2015) doi:10.1007/JHEP09(2015)108 [arXiv:1506.01291 [hep-ex]].
1298. G. Aad *et al.* [ATLAS Collaboration], “Search for type-III Seesaw heavy leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector,” *Phys. Rev. D* **92**, no. 3, 032001 (2015) doi:10.1103/PhysRevD.92.032001 [arXiv:1506.01839 [hep-ex]].
1299. G. Aad *et al.* [ATLAS Collaboration], “Measurements of the top quark branching ratios into channels with leptons and quarks with the ATLAS detector,” *Phys. Rev. D* **92**, no. 7, 072005 (2015) doi:10.1103/PhysRevD.92.072005 [arXiv:1506.05074 [hep-ex]].

1300. G. Aad *et al.* [ATLAS Collaboration], “Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment,” *Eur. Phys. J. C* **75**, no. 9, 407 (2015) doi:10.1140/epjc/s10052-015-3609-0 [arXiv:1506.05332 [hep-ex]].
1301. G. Aad *et al.* [ATLAS Collaboration], “Modelling $Z \rightarrow \tau\tau$ processes in ATLAS with τ -embedded $Z \rightarrow \mu\mu$ data,” *JINST* **10**, no. 09, P09018 (2015) doi:10.1088/1748-0221/10/09/P09018, 10.1088/1748-0221/2015/9/P09018 [arXiv:1506.05623 [hep-ex]].
1302. G. Aad *et al.* [ATLAS Collaboration], “Measurement of colour flow with the jet pull angle in $t\bar{t}$ events using the ATLAS detector at $\sqrt{s} = 8$ TeV,” *Phys. Lett. B* **750**, 475 (2015) doi:10.1016/j.physletb.2015.09.051 [arXiv:1506.05629 [hep-ex]].
1303. G. Aad *et al.* [ATLAS Collaboration], “Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector,” *Eur. Phys. J. C* **75**, no. 10, 476 (2015) Erratum: [*Eur. Phys. J. C* **76**, no. 3, 152 (2016)] doi:10.1140/epjc/s10052-015-3685-1, 10.1140/epjc/s10052-016-3934-y [arXiv:1506.05669 [hep-ex]].
1304. G. Aad *et al.* [ATLAS Collaboration], “Search for the associated production of the Higgs boson with a top quark pair in multilepton final states with the ATLAS detector,” *Phys. Lett. B* **749**, 519 (2015) doi:10.1016/j.physletb.2015.07.079 [arXiv:1506.05988 [hep-ex]].
1305. G. Aad *et al.* [ATLAS Collaboration], “Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV,” *JHEP* **1507**, 162 (2015) doi:10.1007/JHEP07(2015)162 [arXiv:1506.06020 [hep-ex]].
1306. G. Aad *et al.* [ATLAS Collaboration], “Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow WW^*$ decays with the ATLAS detector,” *JHEP* **1508**, 137 (2015) doi:10.1007/JHEP08(2015)137 [arXiv:1506.06641 [hep-ex]].
1307. G. Aad *et al.* [ATLAS Collaboration], “Measurement of exclusive $\gamma\gamma \rightarrow \ell^+\ell^-$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Lett. B* **749**, 242 (2015) doi:10.1016/j.physletb.2015.07.069 [arXiv:1506.07098 [hep-ex]].
1308. T. Barklow, J. Brau, K. Fujii, J. Gao, J. List, N. Walker and K. Yokoya, “ILC Operating Scenarios,” ILC-NOTE-2015-068, DESY 15-102, IHEP-AC-2015-002, KEK Preprint 2015-17, SLAC-PUB-16309, arXiv:1506.07830 [hep-ex].
1309. G. Aad *et al.* [ATLAS Collaboration], “ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider,” *Eur. Phys. J. C* **75**, no. 10, 510 (2015) Erratum: [*Eur. Phys. J. C* **76**, no. 3, 153 (2016)] doi:10.1140/epjc/s10052-015-3726-9, 10.1140/epjc/s10052-016-3935-x [arXiv:1506.08616 [hep-ex]].
1310. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the production of neighbouring jets in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector,” *Phys. Lett. B* **751**, 376 (2015) doi:10.1016/j.physletb.2015.10.059 [arXiv:1506.08656 [hep-ex]].
1311. G. Aad *et al.* [ATLAS Collaboration], “Determination of the top-quark pole mass using $t\bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions,” *JHEP* **1510**, 121 (2015) doi:10.1007/JHEP10(2015)121 [arXiv:1507.01769 [hep-ex]].
1312. G. Aad *et al.* [ATLAS Collaboration], “Search for photonic signatures of gauge-mediated supersymmetry in 8 TeV pp collisions with the ATLAS detector,” *Phys. Rev. D* **92**, no. 7, 072001 (2015) doi:10.1103/PhysRevD.92.072001 [arXiv:1507.05493 [hep-ex]].
1313. G. Aad *et al.* [ATLAS Collaboration], “Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC,” *JHEP* **1510**, 054 (2015) doi:10.1007/JHEP10(2015)054 [arXiv:1507.05525 [hep-ex]].

1314. G. Aad *et al.* [ATLAS Collaboration], “ Z boson production in p +Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV measured with the ATLAS detector,” *Phys. Rev. C* **92**, no. 4, 044915 (2015) doi:10.1103/PhysRevC.92.044915 [arXiv:1507.06232 [hep-ex]].
1315. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the branching ratio $\Gamma(\Lambda_b^0 \rightarrow \psi(2S)\Lambda^0)/\Gamma(\Lambda_b^0 \rightarrow J/\psi\Lambda^0)$ with the ATLAS detector,” *Phys. Lett. B* **751**, 63 (2015) doi:10.1016/j.physletb.2015.10.009 [arXiv:1507.08202 [hep-ex]].
1316. G. Aad *et al.* [ATLAS Collaboration], “Determination of the ratio of b -quark fragmentation fractions f_s/f_d in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Phys. Rev. Lett.* **115**, no. 26, 262001 (2015) doi:10.1103/PhysRevLett.115.262001 [arXiv:1507.08925 [hep-ex]].
1317. G. Aad *et al.* [ATLAS Collaboration], “Measurement of transverse energy-energy correlations in multi-jet events in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector and determination of the strong coupling constant $\alpha_s(m_Z)$,” *Phys. Lett. B* **750**, 427 (2015) doi:10.1016/j.physletb.2015.09.050 [arXiv:1508.01579 [hep-ex]].
1318. G. Aad *et al.* [ATLAS Collaboration], “Search for lepton-flavour-violating H decays of the Higgs boson with the ATLAS detector,” *JHEP* **1511**, 211 (2015) doi:10.1007/JHEP11(2015)211 [arXiv:1508.03372 [hep-ex]].
1319. G. Aad *et al.* [ATLAS Collaboration], “Summary of the ATLAS experiments sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM,” *JHEP* **1510**, 134 (2015) doi:10.1007/JHEP10(2015)134 [arXiv:1508.06608 [hep-ex]].
1320. N. Sinev, J. Brau, D. Strom, C. Baltay, W. Emmet and D. Rabinowitz, “Chronopixel project status,” *PoS VERTEX* **2015**, 038 (2015).
1321. G. Aad *et al.* [ATLAS Collaboration], “Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector,” *JHEP* **1511**, 206 (2015) doi:10.1007/JHEP11(2015)206 [arXiv:1509.00672 [hep-ex]].
1322. G. Aad *et al.* [ATLAS Collaboration], “Search for pair production of a new heavy quark that decays into a W boson and a light quark in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Rev. D* **92**, no. 11, 112007 (2015) doi:10.1103/PhysRevD.92.112007 [arXiv:1509.04261 [hep-ex]].
1323. G. Aad *et al.* [ATLAS Collaboration], “Searches for Higgs boson pair production in the $hh \rightarrow bb\tau\tau, \gamma\gamma WW^*, \gamma\gamma bb, bbbb$ channels with the ATLAS detector,” *Phys. Rev. D* **92**, 092004 (2015) doi:10.1103/PhysRevD.92.092004 [arXiv:1509.04670 [hep-ex]].
1324. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the $t\bar{t}W$ and $t\bar{t}Z$ production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1511**, 172 (2015) doi:10.1007/JHEP11(2015)172 [arXiv:1509.05276 [hep-ex]].
1325. G. Aad *et al.* [ATLAS Collaboration], “Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1512**, 061 (2015) doi:10.1007/JHEP12(2015)061 [arXiv:1509.06047 [hep-ex]].
1326. G. Aad *et al.* [ATLAS Collaboration], “Measurement of four-jet differential cross sections in $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS detector,” *JHEP* **1512**, 105 (2015) doi:10.1007/JHEP12(2015)105 [arXiv:1509.07335 [hep-ex]].
1327. B. P. Abbott *et al.* [LIGO Scientific and VIRGO Collaborations], “Prospects for Observing and Localizing Gravitational-Wave Transients with Advanced LIGO and Advanced Virgo,” *Living Rev. Rel.* **19**, 1 (2016) doi:10.1007/lrr-2016-1 [arXiv:1304.0670 [gr-qc]].
1328. G. Aad *et al.* [ATLAS Collaboration], “Centrality, rapidity and transverse momentum dependence of isolated prompt photon production in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV measured with the ATLAS detector,” *Phys. Rev. C* **93**, no. 3, 034914 (2016) doi:10.1103/PhysRevC.93.034914 [arXiv:1506.08552 [hep-ex]].

1329. G. Aad *et al.* [ATLAS Collaboration], “Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and 8 TeV in the ATLAS experiment,” *Eur. Phys. J. C* **76**, no. 1, 6 (2016) doi:10.1140/epjc/s10052-015-3769-y [arXiv:1507.04548 [hep-ex]].
1330. G. Aad *et al.* [ATLAS Collaboration], “Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ$ decay channel at $\sqrt{s} = 8$ TeV in pp collision data with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 1, 45 (2016) doi:10.1140/epjc/s10052-015-3820-z [arXiv:1507.05930 [hep-ex]].
1331. G. Aad *et al.* [ATLAS Collaboration], “Study of the $B_c^+ \rightarrow J/\psi D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^{*+}$ decays with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 1, 4 (2016) doi:10.1140/epjc/s10052-015-3743-8 [arXiv:1507.07099 [hep-ex]].
1332. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 4, 199 (2016) doi:10.1140/epjc/s10052-016-4002-3 [arXiv:1508.00848 [hep-ex]].
1333. G. Aad *et al.* [ATLAS Collaboration], “Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the $H \rightarrow \gamma\gamma$ decay channel at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Lett. B* **753**, 69 (2016) doi:10.1016/j.physletb.2015.11.071 [arXiv:1508.02507 [hep-ex]].
1334. G. Aad *et al.* [ATLAS Collaboration], “Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 1, 5 (2016) doi:10.1140/epjc/s10052-015-3823-9 [arXiv:1508.04735 [hep-ex]].
1335. G. Aad *et al.* [ATLAS Collaboration], “Search for flavour-changing neutral current top-quark decays to qZ in pp collision data collected with the ATLAS detector at $\sqrt{s} = 8$ TeV,” *Eur. Phys. J. C* **76**, no. 1, 12 (2016) doi:10.1140/epjc/s10052-015-3851-5 [arXiv:1508.05796 [hep-ex]].
1336. G. Aad *et al.* [ATLAS Collaboration], “Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 1, 11 (2016) doi:10.1140/epjc/s10052-015-3852-4 [arXiv:1508.06868 [hep-ex]].
1337. G. Aad *et al.* [ATLAS Collaboration], “Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1601**, 172 (2016) doi:10.1007/JHEP01(2016)172 [arXiv:1508.07869 [hep-ex]].
1338. G. Aad *et al.* [ATLAS Collaboration], “Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 2, 55 (2016) doi:10.1140/epjc/s10052-016-3876-4 [arXiv:1509.00294 [hep-ex]].
1339. G. Aad *et al.* [ATLAS Collaboration], “Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1601**, 032 (2016) doi:10.1007/JHEP01(2016)032 [arXiv:1509.00389 [hep-ex]].
1340. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 2, 87 (2016) doi:10.1140/epjc/s10052-016-3910-6 [arXiv:1509.02358 [hep-ex]].
1341. G. Aad *et al.* [ATLAS Collaboration], “Observation of Long-Range Elliptic Azimuthal Anisotropies in $\sqrt{s} = 13$ and 2.76 TeV pp Collisions with the ATLAS Detector,” *Phys. Rev. Lett.* **116**, no. 17, 172301 (2016) doi:10.1103/PhysRevLett.116.172301 [arXiv:1509.04776 [hep-ex]].

1342. G. Aad *et al.* [ATLAS Collaboration], “A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 5, 238 (2016) doi:10.1140/epjc/s10052-016-4065-1 [arXiv:1509.04939 [hep-ex]].
1343. G. Aad *et al.* [ATLAS Collaboration], “Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 2, 81 (2016) doi:10.1140/epjc/s10052-016-3897-z [arXiv:1509.04976 [hep-ex]].
1344. G. Aad *et al.* [ATLAS Collaboration], “Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 4, 210 (2016) doi:10.1140/epjc/s10052-016-4034-8 [arXiv:1509.05051 [hep-ex]].
1345. G. Aad *et al.* [ATLAS Collaboration], “Measurement of jet charge in dijet events from $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector,” *Phys. Rev. D* **93**, no. 5, 052003 (2016) doi:10.1103/PhysRevD.93.052003 [arXiv:1509.05190 [hep-ex]].
1346. G. Aad *et al.* [ATLAS Collaboration], “Search for the electroweak production of supersymmetric particles in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector,” *Phys. Rev. D* **93**, no. 5, 052002 (2016) doi:10.1103/PhysRevD.93.052002 [arXiv:1509.07152 [hep-ex]].
1347. G. Aad *et al.* [ATLAS Collaboration], “Measurements of four-lepton production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Lett. B* **753**, 552 (2016) doi:10.1016/j.physletb.2015.12.048 [arXiv:1509.07844 [hep-ex]].
1348. G. Aad *et al.* [ATLAS Collaboration], “Search for magnetic monopoles and stable particles with high electric charges in 8 TeV pp collisions with the ATLAS detector,” *Phys. Rev. D* **93**, no. 5, 052009 (2016) doi:10.1103/PhysRevD.93.052009 [arXiv:1509.08059 [hep-ex]].
1349. G. Aad *et al.* [ATLAS Collaboration], “Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1602**, 110 (2016) doi:10.1007/JHEP02(2016)110 [arXiv:1510.02664 [hep-ex]].
1350. J. Aasi *et al.* [LIGO and VIRGO Collaborations], “Search of the Orion spur for continuous gravitational waves using a loosely coherent algorithm on data from LIGO interferometers,” *Phys. Rev. D* **93**, no. 4, 042006 (2016) doi:10.1103/PhysRevD.93.042006 [arXiv:1510.03474 [gr-qc]].
1351. J. Aasi *et al.* [LIGO Scientific and VIRGO Collaborations], “First low frequency all-sky search for continuous gravitational wave signals,” *Phys. Rev. D* **93**, no. 4, 042007 (2016) doi:10.1103/PhysRevD.93.042007 [arXiv:1510.03621 [astro-ph.IM]].
1352. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment,” *JHEP* **1601**, 064 (2016) doi:10.1007/JHEP01(2016)064 [arXiv:1510.03752 [hep-ex]].
1353. G. Aad *et al.* [ATLAS Collaboration], “Search for anomalous couplings in the Wtb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t -channel with the ATLAS detector,” *JHEP* **1604**, 023 (2016) doi:10.1007/JHEP04(2016)023 [arXiv:1510.03764 [hep-ex]].
1354. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS detector,” *Phys. Rev. D* **93**, no. 3, 032009 (2016) doi:10.1103/PhysRevD.93.032009 [arXiv:1510.03818 [hep-ex]].
1355. G. Aad *et al.* [ATLAS Collaboration], “Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 11, 581 (2016) doi:10.1140/epjc/s10052-016-4395-z [arXiv:1510.03823 [hep-ex]].

1356. J. E. Brau *et al.* [ILC Parameters Joint Working Group], “500 GeV ILC Operating Scenarios,” DPF2015 Proceedings, DPF2015-195, arXiv:1510.05739 [hep-ex].
1357. G. Aad *et al.* [ATLAS Collaboration], “Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV,” *Eur. Phys. J. C* **76**, no. 3, 154 (2016) doi:10.1140/epjc/s10052-016-3978-z [arXiv:1510.05821 [hep-ex]].
1358. G. Aad *et al.* [ATLAS Collaboration], “Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Rev. D* **93**, no. 7, 072007 (2016) doi:10.1103/PhysRevD.93.072007 [arXiv:1510.06218 [hep-ex]].
1359. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the correlations between the polar angles of leptons from top quark decays in the helicity basis at $\sqrt{s} = 7$ TeV using the ATLAS detector,” *Phys. Rev. D* **93**, no. 1, 012002 (2016) doi:10.1103/PhysRevD.93.012002 [arXiv:1510.07478 [hep-ex]].
1360. G. Aad *et al.* [ATLAS Collaboration], “Dijet production in $\sqrt{s} = 7$ TeV pp collisions with large rapidity gaps at the ATLAS experiment,” *Phys. Lett. B* **754**, 214 (2016) doi:10.1016/j.physletb.2016.01.028 [arXiv:1511.00502 [hep-ex]].
1361. B. P. Abbott *et al.* [LIGO Scientific and VIRGO Collaborations], “All-sky search for long-duration gravitational wave transients with initial LIGO,” *Phys. Rev. D* **93**, no. 4, 042005 (2016) doi:10.1103/PhysRevD.93.042005 [arXiv:1511.04398 [gr-qc]].
1362. G. Aad *et al.* [ATLAS Collaboration], “Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 10, 538 (2016) doi:10.1140/epjc/s10052-016-4366-4 [arXiv:1511.04716 [hep-ex]].
1363. G. Aad *et al.* [ATLAS Collaboration], “A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1602**, 062 (2016) doi:10.1007/JHEP02(2016)062 [arXiv:1511.05542 [hep-ex]].
1364. G. Aad *et al.* [ATLAS Collaboration], “Evidence for single top-quark production in the s -channel in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector using the Matrix Element Method,” *Phys. Lett. B* **756**, 228 (2016) doi:10.1016/j.physletb.2016.03.017 [arXiv:1511.05980 [hep-ex]].
1365. G. Aad *et al.* [ATLAS Collaboration], “Search for the Standard Model Higgs boson produced in association with a vector boson and decaying into a tau pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Rev. D* **93**, no. 9, 092005 (2016) doi:10.1103/PhysRevD.93.092005 [arXiv:1511.08352 [hep-ex]].
1366. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the dependence of transverse energy production at large pseudorapidity on the hard-scattering kinematics of proton-proton collisions at $\sqrt{s} = 2.76$ TeV with ATLAS,” *Phys. Lett. B* **756**, 10 (2016) doi:10.1016/j.physletb.2016.02.056 [arXiv:1512.00197 [hep-ex]].
1367. G. Aad *et al.* [ATLAS Collaboration], “Performance of b -Jet Identification in the ATLAS Experiment,” *JINST* **11**, no. 04, P04008 (2016) doi:10.1088/1748-0221/11/04/P04008 [arXiv:1512.01094 [hep-ex]].
1368. G. Aad *et al.* [ATLAS Collaboration], “Search for new phenomena in dijet mass and angular distributions from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Lett. B* **754**, 302 (2016) doi:10.1016/j.physletb.2016.01.032 [arXiv:1512.01530 [hep-ex]].

1369. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the transverse momentum and ϕ_η^* distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 5, 291 (2016) doi:10.1140/epjc/s10052-016-4070-4 [arXiv:1512.02192 [hep-ex]].
1370. G. Aad *et al.* [ATLAS Collaboration], “Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC,” *JHEP* **1603**, 026 (2016) doi:10.1007/JHEP03(2016)026 [arXiv:1512.02586 [hep-ex]].
1371. G. Aad *et al.* [ATLAS Collaboration], “Measurement of $D^{*\pm}$, D^\pm and D_s^\pm meson production cross sections in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Nucl. Phys. B* **907**, 717 (2016) doi:10.1016/j.nuclphysb.2016.04.032 [arXiv:1512.02913 [hep-ex]].
1372. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 5, 283 (2016) doi:10.1140/epjc/s10052-016-4050-8 [arXiv:1512.03657 [hep-ex]].
1373. G. Aad *et al.* [ATLAS Collaboration], “Search for charged Higgs bosons in the $H^\pm \rightarrow tb$ decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector,” *JHEP* **1603**, 127 (2016) doi:10.1007/JHEP03(2016)127 [arXiv:1512.03704 [hep-ex]].
1374. G. Aad *et al.* [ATLAS Collaboration], “Combination of searches for WW , WZ , and ZZ resonances in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Lett. B* **755**, 285 (2016) doi:10.1016/j.physletb.2016.02.015 [arXiv:1512.05099 [hep-ex]].
1375. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the ZZ Production Cross Section in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector,” *Phys. Rev. Lett.* **116**, no. 10, 101801 (2016) doi:10.1103/PhysRevLett.116.101801 [arXiv:1512.05314 [hep-ex]].
1376. G. Aad *et al.* [ATLAS Collaboration], “Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *JHEP* **1603**, 041 (2016) doi:10.1007/JHEP03(2016)041 [arXiv:1512.05910 [hep-ex]].
1377. G. Aad *et al.* [ATLAS Collaboration], “Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment,” *Eur. Phys. J. C* **76**, no. 5, 295 (2016) doi:10.1140/epjc/s10052-016-4110-0 [arXiv:1512.05955 [hep-ex]].
1378. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the charge asymmetry in highly boosted top-quark pair production in $\sqrt{s} = 8$ TeV pp collision data collected by the ATLAS experiment,” *Phys. Lett. B* **756**, 52 (2016) doi:10.1016/j.physletb.2016.02.055 [arXiv:1512.06092 [hep-ex]].
1379. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the CP-violating phase ϕ_s and the B_s^0 meson decay width difference with $B_s^0 \rightarrow J/\psi\phi$ decays in ATLAS,” *JHEP* **1608**, 147 (2016) doi:10.1007/JHEP08(2016)147 [arXiv:1601.03297 [hep-ex]].
1380. G. Aad *et al.* [ATLAS Collaboration], “Probing lepton flavour violation via neutrinoless $\tau \rightarrow 3\mu$ decays with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 5, 232 (2016) doi:10.1140/epjc/s10052-016-4041-9 [arXiv:1601.03567 [hep-ex]].
1381. G. Aad *et al.* [ATLAS Collaboration], “A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *New J. Phys.* **18**, no. 7, 073021 (2016) doi:10.1088/1367-2630/18/7/073021 [arXiv:1601.05627 [hep-ex]].
1382. G. Aad *et al.* [ATLAS Collaboration], “A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8$ TeV proton-proton collisions,” *JHEP* **1606**, 067 (2016) doi:10.1007/JHEP06(2016)067 [arXiv:1601.07453 [hep-ex]].

1383. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 6, 322 (2016) doi:10.1140/epjc/s10052-016-4126-5 [arXiv:1602.00988 [hep-ex]].
1384. G. Aad *et al.* [ATLAS Collaboration], “Charged-particle distributions in $\sqrt{s}=13$ TeV pp interactions measured with the ATLAS detector at the LHC,” *Phys. Lett. B* **758**, 67 (2016) doi:10.1016/j.physletb.2016.04.050 [arXiv:1602.01633 [hep-ex]].
1385. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Observation of Gravitational Waves from a Binary Black Hole Merger,” *Phys. Rev. Lett.* **116**, no. 6, 061102 (2016) doi:10.1103/PhysRevLett.116.061102 [arXiv:1602.03837 [gr-qc]].
1386. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “GW150914: The Advanced LIGO Detectors in the Era of First Discoveries,” *Phys. Rev. Lett.* **116**, no. 13, 131103 (2016) doi:10.1103/PhysRevLett.116.131103 [arXiv:1602.03838 [gr-qc]].
1387. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “GW150914: First results from the search for binary black hole coalescence with Advanced LIGO,” *Phys. Rev. D* **93**, no. 12, 122003 (2016) doi:10.1103/PhysRevD.93.122003 [arXiv:1602.03839 [gr-qc]].
1388. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Properties of the Binary Black Hole Merger GW150914,” *Phys. Rev. Lett.* **116**, no. 24, 241102 (2016) doi:10.1103/PhysRevLett.116.241102 [arXiv:1602.03840 [gr-qc]].
1389. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “The Rate of Binary Black Hole Mergers Inferred from Advanced LIGO Observations Surrounding GW150914,” *Astrophys. J.* **833**, no. 1, L1 (2016) doi:10.3847/2041-8205/833/1/L1 [arXiv:1602.03842 [astro-ph.HE]].
1390. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Observing gravitational-wave transient GW150914 with minimal assumptions,” *Phys. Rev. D* **93**, no. 12, 122004 (2016) Addendum: [*Phys. Rev. D* **94**, no. 6, 069903 (2016)] doi:10.1103/PhysRevD.94.069903, 10.1103/PhysRevD.93.122004 [arXiv:1602.03843 [gr-qc]].
1391. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Characterization of transient noise in Advanced LIGO relevant to gravitational wave signal GW150914,” *Class. Quant. Grav.* **33**, no. 13, 134001 (2016) doi:10.1088/0264-9381/33/13/134001 [arXiv:1602.03844 [gr-qc]].
1392. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Astrophysical Implications of the Binary Black-Hole Merger GW150914,” *Astrophys. J.* **818**, no. 2, L22 (2016) doi:10.3847/2041-8205/818/2/L22 [arXiv:1602.03846 [astro-ph.HE]].
1393. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “GW150914: Implications for the stochastic gravitational wave background from binary black holes,” *Phys. Rev. Lett.* **116**, no. 13, 131102 (2016) doi:10.1103/PhysRevLett.116.131102 [arXiv:1602.03847 [gr-qc]].
1394. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Tests of general relativity with GW150914,” *Phys. Rev. Lett.* **116**, no. 22, 221101 (2016) doi:10.1103/PhysRevLett.116.221101 [arXiv:1602.03841 [gr-qc]].
1395. G. Aad *et al.* [ATLAS Collaboration], “Test of CP Invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 12, 658 (2016) doi:10.1140/epjc/s10052-016-4499-5 [arXiv:1602.04516 [hep-ex]].
1396. S. Adrian-Martinez *et al.* [ANTARES and IceCube and LIGO Scientific and Virgo Collaborations], “High-energy Neutrino follow-up search of Gravitational Wave Event GW150914 with ANTARES and IceCube,” *Phys. Rev. D* **93**, no. 12, 122010 (2016) doi:10.1103/PhysRevD.93.122010 [arXiv:1602.05411 [astro-ph.HE]].

1397. G. Aad *et al.* [ATLAS Collaboration], “Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 8, 442 (2016) doi:10.1140/epjc/s10052-016-4281-8 [arXiv:1602.05606 [hep-ex]].
1398. G. Aad *et al.* [ATLAS Collaboration], “Search for single production of a vector-like quark via a heavy gluon in the $4b$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV,” *Phys. Lett. B* **758**, 249 (2016) doi:10.1016/j.physletb.2016.04.061 [arXiv:1602.06034 [hep-ex]].
1399. G. Aad *et al.* [ATLAS Collaboration], “Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using $\sqrt{s} = 13$ TeV proton-proton collisions,” *Phys. Lett. B* **757**, 334 (2016) doi:10.1016/j.physletb.2016.04.005 [arXiv:1602.06194 [hep-ex]].
1400. B. P. Abbott *et al.* [LIGO Scientific Collaboration and partners], “Localization and broadband follow-up of the gravitational-wave transient GW150914,” *Astrophys. J.* **826**, no. 1, L13 (2016) doi:10.3847/2041-8205/826/1/L13 [arXiv:1602.08492 [astro-ph.HE]].
1401. G. Aad *et al.* [ATLAS Collaboration], “Measurement of event-shape observables in $Z \rightarrow \ell^+ \ell^-$ events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC,” *Eur. Phys. J. C* **76**, no. 7, 375 (2016) doi:10.1140/epjc/s10052-016-4176-8 [arXiv:1602.08980 [hep-ex]].
1402. G. Aad *et al.* [ATLAS Collaboration], “Search for supersymmetry at $\sqrt{s} = 13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 5, 259 (2016) doi:10.1140/epjc/s10052-016-4095-8 [arXiv:1602.09058 [hep-ex]].
1403. G. Aad *et al.* [ATLAS Collaboration], “Measurement of total and differential W^+W^- production cross sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and limits on anomalous triple-gauge-boson couplings,” *JHEP* **1609**, 029 (2016) doi:10.1007/JHEP09(2016)029 [arXiv:1603.01702 [hep-ex]].
1404. G. Aad *et al.* [ATLAS Collaboration], “Measurements of $W^\pm Z$ production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and limits on anomalous gauge boson self-couplings,” *Phys. Rev. D* **93**, no. 9, 092004 (2016) doi:10.1103/PhysRevD.93.092004 [arXiv:1603.02151 [hep-ex]].
1405. G. Aad *et al.* [ATLAS Collaboration], “Charged-particle distributions in pp interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 7, 403 (2016) doi:10.1140/epjc/s10052-016-4203-9 [arXiv:1603.02439 [hep-ex]].
1406. G. Aad *et al.* [ATLAS Collaboration], “Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1606**, 093 (2016) doi:10.1007/JHEP06(2016)093 [arXiv:1603.03127 [hep-ex]].
1407. G. Aad *et al.* [ATLAS Collaboration], “Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV,” *Eur. Phys. J. C* **76**, no. 5, 292 (2016) doi:10.1140/epjc/s10052-016-4120-y [arXiv:1603.05598 [hep-ex]].
1408. M. Aaboud *et al.* [ATLAS Collaboration], “Search for resonances in the mass distribution of jet pairs with one or two jets identified as b -jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Lett. B* **759**, 229 (2016) doi:10.1016/j.physletb.2016.05.064 [arXiv:1603.08791 [hep-ex]].
1409. G. Aad *et al.* [ATLAS Collaboration], “Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period,” *JINST* **11**, no. 05, P05013 (2016) doi:10.1088/1748-0221/11/05/P05013 [arXiv:1603.09202 [hep-ex]].

1410. M. Aaboud *et al.* [ATLAS Collaboration], “Search for charged Higgs bosons produced in association with a top quark and decaying via $H^\pm \rightarrow \tau\nu$ using pp collision data recorded at $\sqrt{s} = 13$ TeV by the ATLAS detector,” *Phys. Lett. B* **759**, 555 (2016) doi:10.1016/j.physletb.2016.06.017 [arXiv:1603.09203 [hep-ex]].
1411. G. Aad *et al.* [ATLAS Collaboration], “Measurement of W^\pm and Z -boson production cross sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Lett. B* **759**, 601 (2016) doi:10.1016/j.physletb.2016.06.023 [arXiv:1603.09222 [hep-ex]].
1412. D. V. Martynov *et al.* [LIGO Scientific Collaboration], “Sensitivity of the Advanced LIGO detectors at the beginning of gravitational wave astronomy,” *Phys. Rev. D* **93**, no. 11, 112004 (2016) doi:10.1103/PhysRevD.93.112004 [arXiv:1604.00439 [astro-ph.IM]].
1413. M. Aaboud *et al.* [ATLAS Collaboration], “Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *JHEP* **1606**, 059 (2016) doi:10.1007/JHEP06(2016)059 [arXiv:1604.01306 [hep-ex]].
1414. G. Aad *et al.* [ATLAS Collaboration], “Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^* \rightarrow e\nu\mu\nu$ with the ATLAS detector at $\sqrt{s} = 8$ TeV,” *JHEP* **1608**, 104 (2016) doi:10.1007/JHEP08(2016)104 [arXiv:1604.02997 [hep-ex]].
1415. G. Aad *et al.* [ATLAS Collaboration], “Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1605**, 160 (2016) doi:10.1007/JHEP05(2016)160 [arXiv:1604.03812 [hep-ex]].
1416. M. Aaboud *et al.* [ATLAS Collaboration], “Study of the rare decays of B_s^0 and B^0 into muon pairs from data collected during the LHC Run 1 with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 9, 513 (2016) doi:10.1140/epjc/s10052-016-4338-8 [arXiv:1604.04263 [hep-ex]].
1417. M. Aaboud *et al.* [ATLAS Collaboration], “Search for metastable heavy charged particles with large ionization energy loss in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS experiment,” *Phys. Rev. D* **93**, no. 11, 112015 (2016) doi:10.1103/PhysRevD.93.112015 [arXiv:1604.04520 [hep-ex]].
1418. G. Aad *et al.* [ATLAS Collaboration], “Measurements of $Z\gamma$ and $Z\gamma\gamma$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Rev. D* **93**, no. 11, 112002 (2016) doi:10.1103/PhysRevD.93.112002 [arXiv:1604.05232 [hep-ex]].
1419. G. Aad *et al.* [ATLAS Collaboration], “Measurements of the charge asymmetry in top-quark pair production in the dilepton final state at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Rev. D* **94**, no. 3, 032006 (2016) doi:10.1103/PhysRevD.94.032006 [arXiv:1604.05538 [hep-ex]].
1420. M. Aaboud *et al.* [ATLAS Collaboration], “Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector,” *Phys. Rev. D* **94**, no. 3, 032005 (2016) doi:10.1103/PhysRevD.94.032005 [arXiv:1604.07773 [hep-ex]].
1421. B. P. Abbott *et al.* [LIGO Scientific Collaboration and partners], “Supplement: Localization and broadband follow-up of the gravitational-wave transient GW150914,” *Astrophys. J. Suppl.* **225**, no. 1, 8 (2016) doi:10.3847/0067-0049/225/1/8 [arXiv:1604.07864 [astro-ph.HE]].
1422. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Search for transient gravitational waves in coincidence with short-duration radio transients during 2007-2013,” *Phys. Rev. D* **93**, no. 12, 122008 (2016) doi:10.1103/PhysRevD.93.122008 [arXiv:1605.01707 [astro-ph.HE]].

1423. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “A First Targeted Search for Gravitational-Wave Bursts from Core-Collapse Supernovae in Data of First-Generation Laser Interferometer Detectors,” *Phys. Rev. D* **94**, no. 10, 102001 (2016) doi:10.1103/PhysRevD.94.102001 [arXiv:1605.01785 [gr-qc]].
1424. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Comprehensive all-sky search for periodic gravitational waves in the sixth science run LIGO data,” *Phys. Rev. D* **94**, no. 4, 042002 (2016) doi:10.1103/PhysRevD.94.042002 [arXiv:1605.03233 [gr-qc]].
1425. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1608**, 005 (2016) doi:10.1007/JHEP08(2016)005 [arXiv:1605.03495 [hep-ex]].
1426. M. Aaboud *et al.* [ATLAS Collaboration], “Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 7, 392 (2016) doi:10.1140/epjc/s10052-016-4184-8 [arXiv:1605.03814 [hep-ex]].
1427. G. Aad *et al.* [ATLAS Collaboration], “Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 10, 565 (2016) doi:10.1140/epjc/s10052-016-4397-x [arXiv:1605.04285 [hep-ex]].
1428. M. Aaboud *et al.* [ATLAS Collaboration], “Search for scalar leptoquarks in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment,” *New J. Phys.* **18**, no. 9, 093016 (2016) doi:10.1088/1367-2630/18/9/093016 [arXiv:1605.06035 [hep-ex]].
1429. G. Aad *et al.* [ATLAS Collaboration], “Transverse momentum, rapidity, and centrality dependence of inclusive charged-particle production in $\sqrt{s_{NN}} = 5.02$ TeV $p + \text{Pb}$ collisions measured by the ATLAS experiment,” *Phys. Lett. B* **763**, 313 (2016) doi:10.1016/j.physletb.2016.10.053 [arXiv:1605.06436 [hep-ex]].
1430. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the relative width difference of the B^0 - \bar{B}^0 system with the ATLAS detector,” *JHEP* **1606**, 081 (2016) doi:10.1007/JHEP06(2016)081 [arXiv:1605.07485 [hep-ex]].
1431. G. Aad *et al.* [ATLAS Collaboration], “Search for pair production of gluinos decaying via stop and sbottom in events with b -jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Rev. D* **94**, no. 3, 032003 (2016) doi:10.1103/PhysRevD.94.032003 [arXiv:1605.09318 [hep-ex]].
1432. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the angular coefficients in Z -boson events using electron and muon pairs from data taken at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1608**, 159 (2016) doi:10.1007/JHEP08(2016)159 [arXiv:1606.00689 [hep-ex]].
1433. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Improved analysis of GW150914 using a fully spin-precessing waveform Model,” *Phys. Rev. X* **6**, no. 4, 041014 (2016) doi:10.1103/PhysRevX.6.041014 [arXiv:1606.01210 [gr-qc]].
1434. M. Aaboud *et al.* [ATLAS Collaboration], “Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC,” *Eur. Phys. J. C* **76**, no. 9, 502 (2016) doi:10.1140/epjc/s10052-016-4335-y [arXiv:1606.01133 [hep-ex]].
1435. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Directly comparing GW150914 with numerical solutions of Einsteins equations for binary black hole coalescence,” *Phys. Rev. D* **94**, no. 6, 064035 (2016) doi:10.1103/PhysRevD.94.064035 [arXiv:1606.01262 [gr-qc]].

1436. G. Aad *et al.* [ATLAS Collaboration], “Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” JHEP **1608**, 009 (2016) doi:10.1007/JHEP08(2016)009 [arXiv:1606.01736 [hep-ex]].
1437. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data,” Eur. Phys. J. C **76**, no. 12, 666 (2016) doi:10.1140/epjc/s10052-016-4507-9 [arXiv:1606.01813 [hep-ex]].
1438. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the top quark mass in the $t\bar{t} \rightarrow$ dilepton channel from $\sqrt{s} = 8$ TeV ATLAS data,” Phys. Lett. B **761**, 350 (2016) doi:10.1016/j.physletb.2016.08.042 [arXiv:1606.02179 [hep-ex]].
1439. M. Aaboud *et al.* [ATLAS Collaboration], “Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector,” JHEP **1611**, 112 (2016) doi:10.1007/JHEP11(2016)112 [arXiv:1606.02181 [hep-ex]].
1440. M. Aaboud *et al.* [ATLAS Collaboration], “Search for TeV-scale gravity signatures in high-mass final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 13$ TeV,” Phys. Lett. B **760**, 520 (2016) doi:10.1016/j.physletb.2016.07.030 [arXiv:1606.02265 [hep-ex]].
1441. G. Aad *et al.* [ATLAS and CMS Collaborations], “Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s} = 7$ and 8 TeV,” JHEP **1608**, 045 (2016) doi:10.1007/JHEP08(2016)045 [arXiv:1606.02266 [hep-ex]].
1442. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 13$ TeV with the ATLAS Detector at the LHC,” Phys. Rev. Lett. **117**, no. 18, 182002 (2016) doi:10.1103/PhysRevLett.117.182002 [arXiv:1606.02625 [hep-ex]].
1443. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with b-tagged jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector,” Phys. Lett. B **761**, 136 (2016) doi:10.1016/j.physletb.2016.08.019 [arXiv:1606.02699 [hep-ex]].
1444. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Supplement: The Rate of Binary Black Hole Mergers Inferred from Advanced LIGO Observations Surrounding GW150914,” Astrophys. J. Suppl. **227**, no. 2, 14 (2016) doi:10.3847/0067-0049/227/2/14 [arXiv:1606.03939 [astro-ph.HE]].
1445. M. Aaboud *et al.* [ATLAS Collaboration], “Search for resonances in diphoton events at $\sqrt{s}=13$ TeV with the ATLAS detector,” JHEP **1609**, 001 (2016) doi:10.1007/JHEP09(2016)001 [arXiv:1606.03833 [hep-ex]].
1446. M. Aaboud *et al.* [ATLAS Collaboration], “Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector,” Phys. Rev. D **94**, no. 5, 052009 (2016) doi:10.1103/PhysRevD.94.052009 [arXiv:1606.03903 [hep-ex]].
1447. M. Aaboud *et al.* [ATLAS Collaboration], “Search for new resonances in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” Phys. Lett. B **762**, 334 (2016) doi:10.1016/j.physletb.2016.09.040 [arXiv:1606.03977 [hep-ex]].
1448. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the $W^{\pm}Z$ boson pair-production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector,” Phys. Lett. B **762**, 1 (2016) doi:10.1016/j.physletb.2016.08.052 [arXiv:1606.04017 [hep-ex]].

1449. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “GW151226: Observation of Gravitational Waves from a 22-Solar-Mass Binary Black Hole Coalescence,” *Phys. Rev. Lett.* **116**, no. 24, 241103 (2016) doi:10.1103/PhysRevLett.116.241103 [arXiv:1606.04855 [gr-qc]].
1450. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Binary Black Hole Mergers in the first Advanced LIGO Observing Run,” *Phys. Rev. X* **6**, no. 4, 041015 (2016) doi:10.1103/PhysRevX.6.041015 [arXiv:1606.04856 [gr-qc]].
1451. M. Aaboud *et al.* [ATLAS Collaboration], “Search for pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Rev. D* **94**, no. 5, 052002 (2016) doi:10.1103/PhysRevD.94.052002 [arXiv:1606.04782 [hep-ex]].
1452. M. Aaboud *et al.* [ATLAS Collaboration], “Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *JHEP* **1609**, 173 (2016) doi:10.1007/JHEP09(2016)173 [arXiv:1606.04833 [hep-ex]].
1453. M. Aaboud *et al.* [ATLAS Collaboration], “Search for heavy long-lived charged R -hadrons with the ATLAS detector in 3.2 fb^{-1} of proton–proton collision data at $\sqrt{s} = 13$ TeV,” *Phys. Lett. B* **760**, 647 (2016) doi:10.1016/j.physletb.2016.07.042 [arXiv:1606.05129 [hep-ex]].
1454. G. Aad *et al.* [ATLAS Collaboration], “The performance of the jet trigger for the ATLAS detector during 2011 data taking,” *Eur. Phys. J. C* **76**, no. 10, 526 (2016) doi:10.1140/epjc/s10052-016-4325-0 [arXiv:1606.07759 [hep-ex]].
1455. M. Aaboud *et al.* [ATLAS Collaboration], “Search for the Higgs boson produced in association with a W boson and decaying to four b -quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 11, 605 (2016) doi:10.1140/epjc/s10052-016-4418-9 [arXiv:1606.08391 [hep-ex]].
1456. M. Aaboud *et al.* [ATLAS Collaboration], “Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 10, 547 (2016) doi:10.1140/epjc/s10052-016-4382-4 [arXiv:1606.08772 [hep-ex]].
1457. M. Aaboud *et al.* [ATLAS Collaboration], “Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions at the LHC using the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 9, 517 (2016) doi:10.1140/epjc/s10052-016-4344-x [arXiv:1606.09150 [hep-ex]].
1458. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Results of the deepest all-sky survey for continuous gravitational waves on LIGO S6 data running on the Einstein@Home volunteer distributed computing project,” *Phys. Rev. D* **94**, no. 10, 102002 (2016) doi:10.1103/PhysRevD.94.102002 [arXiv:1606.09619 [gr-qc]].
1459. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of jet activity in top quark events using the $e\mu$ final state with two b -tagged jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1609**, 074 (2016) doi:10.1007/JHEP09(2016)074 [arXiv:1606.09490 [hep-ex]].
1460. M. Aaboud *et al.* [ATLAS Collaboration], “Search for Higgs and Z Boson Decays to $\phi\gamma$ with the ATLAS Detector,” *Phys. Rev. Lett.* **117**, no. 11, 111802 (2016) doi:10.1103/PhysRevLett.117.111802 [arXiv:1607.03400 [hep-ex]].
1461. M. Aaboud *et al.* [ATLAS Collaboration], “Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Lett. B* **761**, 372 (2016) doi:10.1016/j.physletb.2016.08.055 [arXiv:1607.03669 [hep-ex]].

1462. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of exclusive $\gamma\gamma \rightarrow W^+W^-$ production and search for exclusive Higgs boson production in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector,” *Phys. Rev. D* **94**, no. 3, 032011 (2016) doi:10.1103/PhysRevD.94.032011 [arXiv:1607.03745 [hep-ex]].
1463. M. Aaboud *et al.* [ATLAS Collaboration], “Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV recorded with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 12, 683 (2016) doi:10.1140/epjc/s10052-016-4481-2 [arXiv:1607.05979 [hep-ex]].
1464. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Lett. B* **761**, 158 (2016) doi:10.1016/j.physletb.2016.08.020 [arXiv:1607.06605 [hep-ex]].
1465. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of top quark pair differential cross-sections in the dilepton channel in pp collisions at $\sqrt{s} = 7$ and 8 TeV with ATLAS,” *Phys. Rev. D* **94**, no. 9, 092003 (2016) doi:10.1103/PhysRevD.94.092003 [arXiv:1607.07281 [hep-ex]].
1466. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Upper Limits on the Rates of Binary Neutron Star and Neutron Star-Black Hole Mergers From Advanced Ligos First Observing run,” *Astrophys. J.* **832**, no. 2, L21 (2016) doi:10.3847/2041-8205/832/2/L21 [arXiv:1607.07456 [astro-ph.HE]].
1467. M. Aaboud *et al.* [ATLAS Collaboration], “Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 10, 541 (2016) doi:10.1140/epjc/s10052-016-4385-1 [arXiv:1607.08079 [hep-ex]].
1468. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **76**, no. 12, 670 (2016) doi:10.1140/epjc/s10052-016-4521-y [arXiv:1607.08430 [hep-ex]].
1469. J. Brau, T. Barklow, K. Fujii, J. Gao, J. List, N. Walker and K. Yokoya, “500 GeV ILC Operating Scenarios,” *PoS ICHEP* **2016**, 062 (2016).
1470. M. Aaboud *et al.* [ATLAS Collaboration], “Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s} = 8$ TeV proton-proton collisions,” *JHEP* **1609**, 175 (2016) doi:10.1007/JHEP09(2016)175 [arXiv:1608.00872 [hep-ex]].
1471. M. Aaboud *et al.* [ATLAS Collaboration], “Search for Minimal Supersymmetric Standard Model Higgs bosons H/A and for a Z' boson in the $\tau\tau$ final state produced in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector,” *Eur. Phys. J. C* **76**, no. 11, 585 (2016) doi:10.1140/epjc/s10052-016-4400-6 [arXiv:1608.00890 [hep-ex]].
1472. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “The basic physics of the binary black hole merger GW150914,” *Annalen Phys.* (2016) doi:10.1002/andp.201600209 [arXiv:1608.01940 [gr-qc]].
1473. M. Aaboud *et al.* [ATLAS Collaboration], “Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment,” *JHEP* **1611**, 110 (2016) doi:10.1007/JHEP11(2016)110 [arXiv:1608.01857 [hep-ex]].
1474. M. Aaboud *et al.* [ATLAS Collaboration], “Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Lett. B* **763**, 251 (2016) doi:10.1016/j.physletb.2016.10.042 [arXiv:1608.02372 [hep-ex]].

1475. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of W^+W^- production in association with one jet in proton–proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Lett. B* **763**, 114 (2016) doi:10.1016/j.physletb.2016.10.014 [arXiv:1608.03086 [hep-ex]].
1476. M. Aaboud *et al.* [ATLAS Collaboration], “Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC,” *Eur. Phys. J. C* **76**, no. 12, 653 (2016) doi:10.1140/epjc/s10052-016-4466-1 [arXiv:1608.03953 [hep-ex]].
1477. J. Brau *et al.*, “500 GeV ILC Operating Scenarios,” Proceedings of the 38th International Conference on High Energy Physics, PoS(ICHEP2016)062 (2016).
1478. M. Aaboud *et al.* [ATLAS Collaboration], “A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions,” *JINST* **11**, no. 11, P11020 (2016) doi:10.1088/1748-0221/11/11/P11020 [arXiv:1609.04305 [hep-ex]].
1479. G. Aad *et al.* [ATLAS Collaboration], “Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector,” *Eur. Phys. J. C* **77**, no. 2, 70 (2017) doi:10.1140/epjc/s10052-017-4624-0 [arXiv:1604.07730 [hep-ex]].
1480. M. Aaboud *et al.* [ATLAS Collaboration], “Search for new resonances decaying to a W or Z boson and a Higgs boson in the $\ell^+\ell^-b\bar{b}$, $\ell\nu b\bar{b}$, and $\nu\bar{\nu}b\bar{b}$ channels with pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Lett. B* **765**, 32 (2017) doi:10.1016/j.physletb.2016.11.045 [arXiv:1607.05621 [hep-ex]].
1481. M. Aaboud *et al.* [ATLAS Collaboration], “Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Lett. B* **764**, 11 (2017) doi:10.1016/j.physletb.2016.11.005 [arXiv:1607.06363 [hep-ex]].
1482. B. P. Abbott *et al.* [LIGO Scientific Collaboration], “Exploring the Sensitivity of Next Generation Gravitational Wave Detectors,” *Class. Quant. Grav.* **34**, no. 4, 044001 (2017) doi:10.1088/1361-6382/aa51f4 [arXiv:1607.08697 [astro-ph.IM]].
1483. M. Aaboud *et al.* [ATLAS Collaboration], “A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp -collision data with the ATLAS detector,” *Eur. Phys. J. C* **77**, no. 1, 26 (2017) doi:10.1140/epjc/s10052-016-4580-0 [arXiv:1607.08842 [hep-ex]].
1484. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **77**, no. 1, 40 (2017) doi:10.1140/epjc/s10052-016-4574-y [arXiv:1609.01599 [hep-ex]].
1485. M. Aaboud *et al.* [ATLAS Collaboration], “Search for dark matter in association with a Higgs boson decaying to b -quarks in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Lett. B* **765**, 11 (2017) doi:10.1016/j.physletb.2016.11.035 [arXiv:1609.04572 [hep-ex]].
1486. M. Aaboud *et al.* [ATLAS Collaboration], “Search for anomalous electroweak production of WW/WZ in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Rev. D* **95**, no. 3, 032001 (2017) doi:10.1103/PhysRevD.95.032001 [arXiv:1609.05122 [hep-ex]].
1487. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of W boson angular distributions in events with high transverse momentum jets at $\sqrt{s} = 8$ TeV using the ATLAS detector,” *Phys. Lett. B* **765**, 132 (2017) doi:10.1016/j.physletb.2016.12.005 [arXiv:1609.07045 [hep-ex]].
1488. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the ZZ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV using the $ZZ \rightarrow \ell^-\ell^+\ell'^-\ell'^+$ and $ZZ \rightarrow \ell^-\ell^+\nu\bar{\nu}$ channels with the ATLAS detector,” *JHEP* **1701**, 099 (2017) doi:10.1007/JHEP01(2017)099 [arXiv:1610.07585 [hep-ex]].

1489. M. Aaboud *et al.* [ATLAS Collaboration], “Measurements of charge and CP asymmetries in b -hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV,” JHEP **1702**, 071 (2017) doi:10.1007/JHEP02(2017)071 [arXiv:1610.07869 [hep-ex]].
1490. M. Aaboud *et al.* [ATLAS Collaboration], “Measurements of $\psi(2S)$ and $X(3872) \rightarrow J/\psi\pi^+\pi^-$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” JHEP **1701**, 117 (2017) doi:10.1007/JHEP01(2017)117 [arXiv:1610.09303 [hep-ex]].
1491. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “All-sky search for short gravitational-wave bursts in the first Advanced LIGO run,” Phys. Rev. D **95**, no. 4, 042003 (2017) doi:10.1103/PhysRevD.95.042003 [arXiv:1611.02972 [gr-qc]].
1492. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Eur. Phys. J. C **77**, no. 2, 76 (2017) doi:10.1140/epjc/s10052-017-4644-9 [arXiv:1612.02950 [hep-ex]].
1493. B. P. Abbott *et al.* [LIGO Scientific Collaboration], “Calibration of the Advanced LIGO detectors for the discovery of the binary black-hole merger GW150914,” Phys. Rev. D **95**, no. 6, 062003 (2017) doi:10.1103/PhysRevD.95.062003 [arXiv:1602.03845 [gr-qc]].
1494. G. Aad *et al.* [ATLAS Collaboration], “Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1,” Eur. Phys. J. C **77**, 490 (2017) doi:10.1140/epjc/s10052-017-5004-5 [arXiv:1603.02934 [hep-ex]].
1495. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of forward-backward multiplicity correlations in lead-lead, proton-lead, and proton-proton collisions with the ATLAS detector,” Phys. Rev. C **95**, no. 6, 064914 (2017) doi:10.1103/PhysRevC.95.064914 [arXiv:1606.08170 [hep-ex]].
1496. T. D. Abbott *et al.* [LIGO Scientific and VIRGO Collaborations], “Search for continuous gravitational waves from neutron stars in globular cluster NGC 6544,” Phys. Rev. D **95**, no. 8, 082005 (2017) doi:10.1103/PhysRevD.95.082005 [arXiv:1607.02216 [gr-qc]].
1497. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the inclusive cross-sections of single top-quark and top-antiquark t -channel production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” JHEP **1704**, 086 (2017) doi:10.1007/JHEP04(2017)086 [arXiv:1609.03920 [hep-ex]].
1498. M. Aaboud *et al.* [ATLAS Collaboration], “Measurements of long-range azimuthal anisotropies and associated Fourier coefficients for pp collisions at $\sqrt{s} = 5.02$ and 13 TeV and p +Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector,” Phys. Rev. C **96**, no. 2, 024908 (2017) doi:10.1103/PhysRevC.96.024908 [arXiv:1609.06213 [nucl-ex]].
1499. G. Aad *et al.* [ATLAS Collaboration], “Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector,” Eur. Phys. J. C **77**, no. 4, 241 (2017) doi:10.1140/epjc/s10052-017-4780-2 [arXiv:1609.09324 [hep-ex]].
1500. M. Aaboud *et al.* [ATLAS Collaboration], “Search for triboson $W^\pm W^\pm W^\mp$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Eur. Phys. J. C **77**, no. 3, 141 (2017) doi:10.1140/epjc/s10052-017-4692-1 [arXiv:1610.05088 [hep-ex]].
1501. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of jet activity produced in top-quark events with an electron, a muon and two b -tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” Eur. Phys. J. C **77**, no. 4, 220 (2017) doi:10.1140/epjc/s10052-017-4766-0 [arXiv:1610.09978 [hep-ex]].

1502. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of $W^\pm W^\pm$ vector-boson scattering and limits on anomalous quartic gauge couplings with the ATLAS detector,” *Phys. Rev. D* **96**, no. 1, 012007 (2017) doi:10.1103/PhysRevD.96.012007 [arXiv:1611.02428 [hep-ex]].
1503. M. Aaboud *et al.* [ATLAS Collaboration], “Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13$ pp collisions with the ATLAS detector,” *Eur. Phys. J. C* **77**, no. 3, 144 (2017) doi:10.1140/epjc/s10052-017-4700-5 [arXiv:1611.05791 [hep-ex]].
1504. M. Aaboud *et al.* [ATLAS Collaboration], “High- E_T isolated-photon plus jets production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Nucl. Phys. B* **918**, 257 (2017) doi:10.1016/j.nuclphysb.2017.03.006 [arXiv:1611.06586 [hep-ex]].
1505. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Effects of waveform model systematics on the interpretation of GW150914,” *Class. Quant. Grav.* **34**, no. 10, 104002 (2017) doi:10.1088/1361-6382/aa6854 [arXiv:1611.07531 [gr-qc]].
1506. B. P. Abbott *et al.* [LIGO Scientific and Virgo and IPN Collaborations], “Search for Gravitational Waves Associated with Gamma-Ray Bursts During the First Advanced LIGO Observing Run and Implications for the Origin of GRB 150906B,” *Astrophys. J.* **841**, no. 2, 89 (2017) doi:10.3847/1538-4357/aa6c47 [arXiv:1611.07947 [astro-ph.HE]].
1507. M. Aaboud *et al.* [ATLAS Collaboration], “Performance of the ATLAS Trigger System in 2015,” *Eur. Phys. J. C* **77**, no. 5, 317 (2017) doi:10.1140/epjc/s10052-017-4852-3 [arXiv:1611.09661 [hep-ex]].
1508. M. Aaboud *et al.* [ATLAS Collaboration], “Reconstruction of primary vertices at the ATLAS experiment in Run 1 protonproton collisions at the LHC,” *Eur. Phys. J. C* **77**, no. 5, 332 (2017) doi:10.1140/epjc/s10052-017-4887-5 [arXiv:1611.10235 [physics.ins-det]].
1509. M. Aaboud *et al.* [ATLAS Collaboration], “Electron efficiency measurements with the ATLAS detector using 2012 LHC protonproton collision data,” *Eur. Phys. J. C* **77**, no. 3, 195 (2017) doi:10.1140/epjc/s10052-017-4756-2 [arXiv:1612.01456 [hep-ex]].
1510. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Upper Limits on the Stochastic Gravitational-Wave Background from Advanced LIGOs First Observing Run,” *Phys. Rev. Lett.* **118**, no. 12, 121101 (2017) Erratum: [*Phys. Rev. Lett.* **119**, no. 2, 029901 (2017)] doi:10.1103/PhysRevLett.118.121101, 10.1103/PhysRevLett.119.029901 [arXiv:1612.02029 [gr-qc]].
1511. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Directional Limits on Persistent Gravitational Waves from Advanced LIGOs First Observing Run,” *Phys. Rev. Lett.* **118**, no. 12, 121102 (2017) doi:10.1103/PhysRevLett.118.121102 [arXiv:1612.02030 [gr-qc]].
1512. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton + jets channel with ATLAS,” *Eur. Phys. J. C* **77**, no. 4, 264 (2017) doi:10.1140/epjc/s10052-017-4819-4 [arXiv:1612.02577 [hep-ex]].
1513. M. Aaboud *et al.* [ATLAS Collaboration], “Precision measurement and interpretation of inclusive W^+ , W^- and Z/γ^* production cross sections with the ATLAS detector,” *Eur. Phys. J. C* **77**, no. 6, 367 (2017) doi:10.1140/epjc/s10052-017-4911-9 [arXiv:1612.03016 [hep-ex]].
1514. M. Aaboud *et al.* [ATLAS Collaboration], “Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13, 8, 7$ TeV with the ATLAS detector,” *JHEP* **1702**, 117 (2017) doi:10.1007/JHEP02(2017)117 [arXiv:1612.03636 [hep-ex]].

1515. M. Aaboud *et al.* [ATLAS Collaboration], “Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector,” *Eur. Phys. J. C* **77**, no. 5, 292 (2017) doi:10.1140/epjc/s10052-017-4821-x [arXiv:1612.05220 [hep-ex]].
1516. M. Aaboud *et al.* [ATLAS Collaboration], “Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector,” *JHEP* **1703**, 113 (2017) doi:10.1007/JHEP03(2017)113 [arXiv:1612.07004 [hep-ex]].
1517. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC,” *JHEP* **1703**, 157 (2017) doi:10.1007/JHEP03(2017)157 [arXiv:1701.05390 [hep-ex]].
1518. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the cross section for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector,” *Phys. Lett. B* **770**, 473 (2017) doi:10.1016/j.physletb.2017.04.072 [arXiv:1701.06882 [hep-ex]].
1519. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “First search for gravitational waves from known pulsars with Advanced LIGO,” *Astrophys. J.* **839**, no. 1, 12 (2017) Erratum: [*Astrophys. J.* **851**, no. 1, 71 (2017)] doi:10.3847/1538-4357/aa9aee, 10.3847/1538-4357/aa677f [arXiv:1701.07709 [astro-ph.HE]].
1520. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC,” *Eur. Phys. J. C* **77**, no. 6, 379 (2017) doi:10.1140/epjc/s10052-017-4915-5 [arXiv:1702.00674 [hep-ex]].
1521. M. Aaboud *et al.* [ATLAS Collaboration], “Evidence for light-by-light scattering in heavy-ion collisions with the ATLAS detector at the LHC,” *Nature Phys.* **13**, no. 9, 852 (2017) doi:10.1038/nphys4208 [arXiv:1702.01625 [hep-ex]].
1522. M. Aaboud *et al.* [ATLAS Collaboration], “Fiducial, total and differential cross-section measurements of t -channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector,” *Eur. Phys. J. C* **77**, no. 8, 531 (2017) doi:10.1140/epjc/s10052-017-5061-9 [arXiv:1702.02859 [hep-ex]].
1523. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the W^+W^- production cross section in pp collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment,” *Phys. Lett. B* **773**, 354 (2017) doi:10.1016/j.physletb.2017.08.047 [arXiv:1702.04519 [hep-ex]].
1524. M. Aaboud *et al.* [ATLAS Collaboration], “Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **77**, no. 6, 361 (2017) doi:10.1140/epjc/s10052-017-4900-z [arXiv:1702.05725 [hep-ex]].
1525. M. Aaboud *et al.* [ATLAS Collaboration], “Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties,” *JINST* **12**, no. 05, P05002 (2017) doi:10.1088/1748-0221/12/05/P05002 [arXiv:1702.06473 [hep-ex]].
1526. M. Aaboud *et al.* [ATLAS Collaboration], “Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1709**, 118 (2017) doi:10.1007/JHEP09(2017)118 [arXiv:1702.07546 [hep-ex]].
1527. M. Aaboud *et al.* [ATLAS Collaboration], “Probing the W $t\bar{b}$ vertex structure in t -channel single-top-quark production and decay in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1704**, 124 (2017) doi:10.1007/JHEP04(2017)124 [arXiv:1702.08309 [hep-ex]].

1528. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the $t\bar{t}$ production cross section in the $\tau + \text{jets}$ final state in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector,” *Phys. Rev. D* **95**, no. 7, 072003 (2017) doi:10.1103/PhysRevD.95.072003 [arXiv:1702.08839 [hep-ex]].
1529. M. Aaboud *et al.* [ATLAS Collaboration], “Measurements of electroweak Wjj production and constraints on anomalous gauge couplings with the ATLAS detector,” *Eur. Phys. J. C* **77**, no. 7, 474 (2017) doi:10.1140/epjc/s10052-017-5007-2 [arXiv:1703.04362 [hep-ex]].
1530. A. Albert *et al.* [ANTARES and IceCube and LIGO Scientific and Virgo Collaborations], “Search for High-energy Neutrinos from Gravitational Wave Event GW151226 and Candidate LVT151012 with ANTARES and IceCube,” *Phys. Rev. D* **96**, no. 2, 022005 (2017) doi:10.1103/PhysRevD.96.022005 [arXiv:1703.06298 [astro-ph.HE]].
1531. A. Steinhebel and J. Brau, “Studies of the Response of the SiD Silicon-Tungsten ECal,” Proceedings of the 2016 International Workshop on Future Linear Colliders (LCWS2016), <http://www.slac.stanford.edu/econf/C1612054/> arXiv:1703.08605 [physics.ins-det].
1532. M. Aaboud *et al.* [ATLAS Collaboration], “Search for new phenomena in dijet events using 37 fb^{-1} of pp collision data collected at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Rev. D* **96**, no. 5, 052004 (2017) doi:10.1103/PhysRevD.96.052004 [arXiv:1703.09127 [hep-ex]].
1533. M. Aaboud *et al.* [ATLAS Collaboration], “Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Rev. D* **96**, no. 7, 072002 (2017) doi:10.1103/PhysRevD.96.072002 [arXiv:1703.09665 [hep-ex]].
1534. M. Aaboud *et al.* [ATLAS Collaboration], “Jet reconstruction and performance using particle flow with the ATLAS Detector,” *Eur. Phys. J. C* **77**, no. 7, 466 (2017) doi:10.1140/epjc/s10052-017-5031-2 [arXiv:1703.10485 [hep-ex]].
1535. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the k_t splitting scales in $Z \rightarrow \ell\ell$ events in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1708**, 026 (2017) doi:10.1007/JHEP08(2017)026 [arXiv:1704.01530 [hep-ex]].
1536. M. Aaboud *et al.* [ATLAS Collaboration], “Femtoscopia with identified charged pions in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with ATLAS,” *Phys. Rev. C* **96**, no. 6, 064908 (2017) doi:10.1103/PhysRevC.96.064908 [arXiv:1704.01621 [hep-ex]].
1537. B. P. Abbott *et al.* [LIGO Scientific and VIRGO Collaborations], “Search for gravitational waves from Scorpius X-1 in the first Advanced LIGO observing run with a hidden Markov model,” *Phys. Rev. D* **95**, no. 12, 122003 (2017) doi:10.1103/PhysRevD.95.122003 [arXiv:1704.03719 [gr-qc]].
1538. M. Aaboud *et al.* [ATLAS Collaboration], “Measurements of integrated and differential cross sections for isolated photon pair production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *Phys. Rev. D* **95**, no. 11, 112005 (2017) doi:10.1103/PhysRevD.95.112005 [arXiv:1704.03839 [hep-ex]].
1539. M. Aaboud *et al.* [ATLAS Collaboration], “Search for dark matter at $\sqrt{s} = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector,” *Eur. Phys. J. C* **77**, no. 6, 393 (2017) doi:10.1140/epjc/s10052-017-4965-8 [arXiv:1704.03848 [hep-ex]].
1540. R. Quitzow-James *et al.*, “Exploring a search for long-duration transient gravitational waves associated with magnetar bursts,” *Class. Quant. Grav.* **34**, no. 16, 164002 (2017) doi:10.1088/1361-6382/aa7d5b [arXiv:1704.03979 [astro-ph.IM]].
1541. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Search for intermediate mass black hole binaries in the first observing run of Advanced LIGO,” *Phys. Rev. D* **96**, no. 2, 022001 (2017) doi:10.1103/PhysRevD.96.022001 [arXiv:1704.04628 [gr-qc]].

1542. M. Aaboud *et al.* [ATLAS Collaboration], “Performance of the ATLAS Track Reconstruction Algorithms in Dense Environments in LHC Run 2,” *Eur. Phys. J. C* **77**, no. 10, 673 (2017) doi:10.1140/epjc/s10052-017-5225-7 [arXiv:1704.07983 [hep-ex]].
1543. M. Aaboud *et al.* [ATLAS Collaboration], “Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data,” *JHEP* **1709**, 088 (2017) doi:10.1007/JHEP09(2017)088 [arXiv:1704.08493 [hep-ex]].
1544. M. Aaboud *et al.* [ATLAS Collaboration], “Studies of $Z\gamma$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1707**, 107 (2017) doi:10.1007/JHEP07(2017)107 [arXiv:1705.01966 [hep-ex]].
1545. M. Aaboud *et al.* [ATLAS Collaboration], “Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector,” *Eur. Phys. J. C* **77**, no. 9, 580 (2017) Erratum: [*Eur. Phys. J. C* **77**, no. 10, 712 (2017)] doi:10.1140/epjc/s10052-017-5081-5, 10.1140/epjc/s10052-017-5245-3 [arXiv:1705.02211 [hep-ex]].
1546. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of b -hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV,” *JHEP* **1711**, 062 (2017) doi:10.1007/JHEP11(2017)062 [arXiv:1705.03374 [hep-ex]].
1547. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of multi-particle azimuthal correlations in pp , p +Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector,” *Eur. Phys. J. C* **77**, no. 6, 428 (2017) doi:10.1140/epjc/s10052-017-4988-1 [arXiv:1705.04176 [hep-ex]].
1548. M. Aaboud *et al.* [ATLAS Collaboration], “Search for the dimuon decay of the Higgs boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Rev. Lett.* **119**, no. 5, 051802 (2017) doi:10.1103/PhysRevLett.119.051802 [arXiv:1705.04582 [hep-ex]].
1549. M. Aaboud *et al.* [ATLAS Collaboration], “Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector,” *JHEP* **1708**, 052 (2017) doi:10.1007/JHEP08(2017)052 [arXiv:1705.10751 [hep-ex]].
1550. B. P. Abbott *et al.* [LIGO Scientific and VIRGO Collaborations], “GW170104: Observation of a 50-Solar-Mass Binary Black Hole Coalescence at Redshift 0.2,” *Phys. Rev. Lett.* **118**, no. 22, 221101 (2017) doi:10.1103/PhysRevLett.118.221101 [arXiv:1706.01812 [gr-qc]].
1551. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of $WW/WZ \rightarrow \ell\nu qq'$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings,” *Eur. Phys. J. C* **77**, no. 8, 563 (2017) doi:10.1140/epjc/s10052-017-5084-2 [arXiv:1706.01702 [hep-ex]].
1552. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1711**, 086 (2017) doi:10.1007/JHEP11(2017)086 [arXiv:1706.03046 [hep-ex]].
1553. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Upper Limits on Gravitational Waves from Scorpius X-1 from a Model-Based Cross-Correlation Search in Advanced LIGO Data,” *Astrophys. J.* **847**, no. 1, 47 (2017) doi:10.3847/1538-4357/aa86f0 [arXiv:1706.03119 [astro-ph.HE]].
1554. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” *JHEP* **1709**, 020 (2017) doi:10.1007/JHEP09(2017)020 [arXiv:1706.03192 [hep-ex]].

1555. M. Aaboud *et al.* [ATLAS Collaboration], “Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector,” JHEP **1709**, 084 (2017) doi:10.1007/JHEP09(2017)084 [arXiv:1706.03731 [hep-ex]].
1556. M. Aaboud *et al.* [ATLAS Collaboration], “Search for dark matter in association with a Higgs boson decaying to two photons at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector,” Phys. Rev. D **96**, no. 11, 112004 (2017) doi:10.1103/PhysRevD.96.112004 [arXiv:1706.03948 [hep-ex]].
1557. M. Aaboud *et al.* [ATLAS Collaboration], “Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector,” JHEP **1708**, 006 (2017) doi:10.1007/JHEP08(2017)006 [arXiv:1706.03986 [hep-ex]].
1558. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of jet p_T correlations in Pb+Pb and pp collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector,” Phys. Lett. B **774**, 379 (2017) doi:10.1016/j.physletb.2017.09.078 [arXiv:1706.09363 [hep-ex]].
1559. M. Aaboud *et al.* [ATLAS Collaboration], “Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $b\bar{b}$ using 36 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector,” Phys. Rev. Lett. **119**, no. 18, 181804 (2017) doi:10.1103/PhysRevLett.119.181804 [arXiv:1707.01302 [hep-ex]].
1560. M. Aaboud *et al.* [ATLAS Collaboration], “Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \gamma\gamma$, in $\sqrt{s} = 13 \text{ TeV}$ pp collisions using the ATLAS detector,” JHEP **1710**, 129 (2017) doi:10.1007/JHEP10(2017)129 [arXiv:1707.01404 [hep-ex]].
1561. M. Aaboud *et al.* [ATLAS Collaboration], “Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector,” JHEP **1710**, 182 (2017) doi:10.1007/JHEP10(2017)182 [arXiv:1707.02424 [hep-ex]].
1562. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “All-sky Search for Periodic Gravitational Waves in the O1 LIGO Data,” Phys. Rev. D **96**, no. 6, 062002 (2017) doi:10.1103/PhysRevD.96.062002 [arXiv:1707.02667 [gr-qc]].
1563. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “First low-frequency Einstein@Home all-sky search for continuous gravitational waves in Advanced LIGO data,” Phys. Rev. D **96**, no. 12, 122004 (2017) doi:10.1103/PhysRevD.96.122004 [arXiv:1707.02669 [gr-qc]].
1564. M. Aaboud *et al.* [ATLAS Collaboration], “Determination of the strong coupling constant α_s from transverse energyenergy correlations in multijet events at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector,” Eur. Phys. J. C **77**, no. 12, 872 (2017) doi:10.1140/epjc/s10052-017-5442-0 [arXiv:1707.02562 [hep-ex]].
1565. M. Aaboud *et al.* [ATLAS Collaboration], “Study of the material of the ATLAS inner detector for Run 2 of the LHC,” JINST **12**, no. 12, P12009 (2017) doi:10.1088/1748-0221/12/12/P12009 [arXiv:1707.02826 [hep-ex]].
1566. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector,” Eur. Phys. J. C **77**, no. 11, 765 (2017) doi:10.1140/epjc/s10052-017-5315-6 [arXiv:1707.03263 [hep-ex]].
1567. M. Aaboud *et al.* [ATLAS Collaboration], “Search for pair production of heavy vector-like quarks decaying to high- p_T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector,” JHEP **1710**, 141 (2017) doi:10.1007/JHEP10(2017)141 [arXiv:1707.03347 [hep-ex]].

1568. M. Aaboud *et al.* [ATLAS Collaboration], “Search for new phenomena in high-mass diphoton final states using 37 fb^{-1} of proton–proton collisions collected at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector,” *Phys. Lett. B* **775**, 105 (2017) doi:10.1016/j.physletb.2017.10.039 [arXiv:1707.04147 [hep-ex]].
1569. M. Aaboud *et al.* [ATLAS Collaboration], “Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t -channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector,” *JHEP* **1712**, 017 (2017) doi:10.1007/JHEP12(2017)017 [arXiv:1707.05393 [hep-ex]].
1570. M. Aaboud *et al.* [ATLAS Collaboration], “Study of $WW\gamma$ and $WZ\gamma$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and search for anomalous quartic gauge couplings with the ATLAS experiment,” *Eur. Phys. J. C* **77**, no. 9, 646 (2017) doi:10.1140/epjc/s10052-017-5180-3 [arXiv:1707.05597 [hep-ex]].
1571. M. Aaboud *et al.* [ATLAS Collaboration], “Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS Detector,” *Phys. Rev. Lett.* **119**, no. 19, 191803 (2017) doi:10.1103/PhysRevLett.119.191803 [arXiv:1707.06025 [hep-ex]].
1572. M. Aaboud *et al.* [ATLAS Collaboration], “Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $q\bar{q}^{(\prime)}b\bar{b}$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector,” *Phys. Lett. B* **774**, 494 (2017) doi:10.1016/j.physletb.2017.09.066 [arXiv:1707.06958 [hep-ex]].
1573. M. Aaboud *et al.* [ATLAS Collaboration], “Searches for the $Z\gamma$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector,” *JHEP* **1710**, 112 (2017) doi:10.1007/JHEP10(2017)112 [arXiv:1708.00212 [hep-ex]].
1574. M. Aaboud *et al.* [ATLAS Collaboration], “Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector,” *JHEP* **1711**, 191 (2017) doi:10.1007/JHEP11(2017)191 [arXiv:1708.00727 [hep-ex]].
1575. M. Aaboud *et al.* [ATLAS Collaboration], “Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions,” *JHEP* **1712**, 034 (2017) doi:10.1007/JHEP12(2017)034 [arXiv:1708.02794 [hep-ex]].
1576. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector,” *JHEP* **1710**, 132 (2017) doi:10.1007/JHEP10(2017)132 [arXiv:1708.02810 [hep-ex]].
1577. M. Aaboud *et al.* [ATLAS Collaboration], “Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector,” *Eur. Phys. J. C* **77**, no. 12, 898 (2017) doi:10.1140/epjc/s10052-017-5445-x [arXiv:1708.03247 [hep-ex]].
1578. M. Aaboud *et al.* [ATLAS Collaboration], “Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector,” *JHEP* **1712**, 024 (2017) doi:10.1007/JHEP12(2017)024 [arXiv:1708.03299 [hep-ex]].
1579. M. Aaboud *et al.* [ATLAS Collaboration], “Search for squarks and gluinos in events with an isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector,” *Phys. Rev. D* **96**, no. 11, 112010 (2017) doi:10.1103/PhysRevD.96.112010 [arXiv:1708.08232 [hep-ex]].

1580. M. Aaboud *et al.* [ATLAS Collaboration], “Search for supersymmetry in events with b -tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” JHEP **1711**, 195 (2017) doi:10.1007/JHEP11(2017)195 [arXiv:1708.09266 [hep-ex]].
1581. M. Aaboud *et al.* [ATLAS Collaboration], “Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector,” JHEP **1712**, 085 (2017) doi:10.1007/JHEP12(2017)085 [arXiv:1709.04183 [hep-ex]].
1582. M. Aaboud *et al.* [ATLAS Collaboration], “Study of ordered hadron chains with the ATLAS detector,” Phys. Rev. D **96**, no. 9, 092008 (2017) doi:10.1103/PhysRevD.96.092008 [arXiv:1709.07384 [hep-ex]].
1583. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “GW170814: A Three-Detector Observation of Gravitational Waves from a Binary Black Hole Coalescence,” Phys. Rev. Lett. **119**, no. 14, 141101 (2017) doi:10.1103/PhysRevLett.119.141101 [arXiv:1709.09660 [gr-qc]].
1584. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector,” Eur. Phys. J. C **77**, no. 11, 804 (2017) doi:10.1140/epjc/s10052-017-5349-9 [arXiv:1709.09407 [hep-ex]].
1585. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” Phys. Lett. B **775**, 206 (2017) doi:10.1016/j.physletb.2017.10.040 [arXiv:1709.10264 [hep-ex]].
1586. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “First narrow-band search for continuous gravitational waves from known pulsars in advanced detector data,” Phys. Rev. D **96**, no. 12, 122006 (2017) doi:10.1103/PhysRevD.96.122006 [arXiv:1710.02327 [gr-qc]].
1587. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s} = 8$ TeV,” JHEP **1712**, 059 (2017) doi:10.1007/JHEP12(2017)059 [arXiv:1710.05167 [hep-ex]].
1588. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “GW170817: Observation of Gravitational Waves from a Binary Neutron Star Inspiral,” Phys. Rev. Lett. **119**, no. 16, 161101 (2017) doi:10.1103/PhysRevLett.119.161101 [arXiv:1710.05832 [gr-qc]].
1589. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations and partners] “Multi-messenger Observations of a Binary Neutron Star Merger,” Astrophys. J. **848**, no. 2, L12 (2017) doi:10.3847/2041-8213/aa91c9 [arXiv:1710.05833 [astro-ph.HE]].
1590. B. P. Abbott *et al.* [LIGO Scientific and Virgo and Fermi-GBM and INTEGRAL Collaborations], “Gravitational Waves and Gamma-rays from a Binary Neutron Star Merger: GW170817 and GRB 170817A,” Astrophys. J. **848**, no. 2, L13 (2017) doi:10.3847/2041-8213/aa920c [arXiv:1710.05834 [astro-ph.HE]].
1591. B. P. Abbott *et al.* [LIGO Scientific and Virgo and 1M2H and Dark Energy Camera GW-E and DES and DLT40 and Las Cumbres Observatory and VINROUGE and MASTER Collaborations], “A gravitational-wave standard siren measurement of the Hubble constant,” Nature **551**, no. 7678, 85 (2017) doi:10.1038/nature24471 [arXiv:1710.05835 [astro-ph.CO]].
1592. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Estimating the Contribution of Dynamical Ejecta in the Kilonova Associated with GW170817,” Astrophys. J. **850**, no. 2, L39 (2017) doi:10.3847/2041-8213/aa9478 [arXiv:1710.05836 [astro-ph.HE]].

1593. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “On the Progenitor of Binary Neutron Star Merger GW170817,” *Astrophys. J.* **850**, no. 2, L40 (2017) doi:10.3847/2041-8213/aa93fc [arXiv:1710.05838 [astro-ph.HE]].
1594. A. Albert *et al.* [ANTARES and IceCube and Pierre Auger and LIGO Scientific and Virgo Collaborations], “Search for High-energy Neutrinos from Binary Neutron Star Merger GW170817 with ANTARES, IceCube, and the Pierre Auger Observatory,” *Astrophys. J.* **850**, no. 2, L35 (2017) doi:10.3847/2041-8213/aa9aed [arXiv:1710.05839 [astro-ph.HE]].
1595. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “Search for Post-merger Gravitational Waves from the Remnant of the Binary Neutron Star Merger GW170817,” *Astrophys. J.* **851**, no. 1, L16 (2017) doi:10.3847/2041-8213/aa9a35 [arXiv:1710.09320 [astro-ph.HE]].
1596. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “GW170608: Observation of a 19-solar-mass Binary Black Hole Coalescence,” *Astrophys. J.* **851**, no. 2, L35 (2017) doi:10.3847/2041-8213/aa9f0c [arXiv:1711.05578 [astro-ph.HE]].
1597. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $\sqrt{s} = 13$ TeV with ATLAS,” *JHEP* **1801**, 063 (2018) doi:10.1007/JHEP01(2018)063 [arXiv:1612.07231 [hep-ex]].
1598. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the exclusive $\gamma\gamma \rightarrow \mu^+\mu^-$ process in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Lett. B* **777**, 303 (2018) doi:10.1016/j.physletb.2017.12.043 [arXiv:1708.04053 [hep-ex]].
1599. M. Aaboud *et al.* [ATLAS Collaboration], “Search for diboson resonances with boson-tagged jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Lett. B* **777**, 91 (2018) doi:10.1016/j.physletb.2017.12.011 [arXiv:1708.04445 [hep-ex]].
1600. M. Aaboud *et al.* [ATLAS Collaboration], “Search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Lett. B* **776**, 318 (2018) doi:10.1016/j.physletb.2017.11.049 [arXiv:1708.09624 [hep-ex]].
1601. M. Aaboud *et al.* [ATLAS Collaboration], “Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb¹ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *JHEP* **1801**, 055 (2018) doi:10.1007/JHEP01(2018)055 [arXiv:1709.07242 [hep-ex]].
1602. B. P. Abbott *et al.* [LIGO Scientific and Virgo Collaborations], “First search for nontensorial gravitational waves from known pulsars,” *Phys. Rev. Lett.* **120**, no. 3, 031104 (2018) doi:10.1103/PhysRevLett.120.031104 [arXiv:1709.09203 [gr-qc]].
1603. M. Aaboud *et al.* [ATLAS Collaboration], “Search for heavy resonances decaying into WW in the $e\nu\mu\nu$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **78**, no. 1, 24 (2018) doi:10.1140/epjc/s10052-017-5491-4 [arXiv:1710.01123 [hep-ex]].
1604. M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of differential cross sections of isolated-photon plus heavy-flavour jet production in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector,” *Phys. Lett. B* **776**, 295 (2018) doi:10.1016/j.physletb.2017.11.054 [arXiv:1710.09560 [hep-ex]].
1605. M. Aaboud *et al.* [ATLAS Collaboration], “Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector,” *Eur. Phys. J. C* **78**, no. 1, 18 (2018) doi:10.1140/epjc/s10052-017-5486-1 [arXiv:1710.11412 [hep-ex]].

1606. M. Aaboud *et al.* [ATLAS Collaboration], “Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector,” *JHEP* **1801**, 126 (2018) doi:10.1007/JHEP01(2018)126 [arXiv:1711.03301 [hep-ex]].