

20

Flag-Transitive Planes

William M. Kantor
University of Oregon
Eugene, Oregon

The fundamental theorem of Ostrom and Wagner [6] states that a finite projective plane admitting a 2-transitive collineation group must be desarguesian. Various weaker hypotheses have been considered by many authors (e.g., [1-10]). Let π be a finite projective plane having a point-transitive collineation group F . Wagner [10] showed that π is desarguesian if F contains a nontrivial perspectivity. Higman and McLaughlin [3] introduced the study of "flag-transitive projective planes," where F is transitive on the flags (i.e., nonincident point-line pairs) of π . Results in [1, p. 212; 2; 3] state that such a plane must be desarguesian if its order is not a fourth power and the number of points is not a prime.

Ott [7,8] showed that a flag-transitive plane has prime power order, unless F is sharply flag-transitive. His proofs involved the use of group theory. Using the classification of finite simple groups, it is possible to go much further:

THEOREM A If π is a finite projective plane of order n having v points, and if F is a flag-transitive collineation group of π , then either (i) π is desarguesian and F contains $\text{PSL}(3,n)$, or (ii) F is a Frobenius group of odd order $v(n+1)$, and v is a prime.

By [3], the group F is necessarily primitive in its action on the set of points. This fact, together with the observation that v is odd, are

what turn out to be relevant in the proof of the theorem. In fact, primitivity alone is all that is needed.

THEOREM B If π is a finite projective plane of order n having v points, and if F is a point-primitive collineation group of π , then either (i) π is desarguesian and F contains $\text{PSL}(3,n)$, or (ii) F is a Frobenius group of odd order dividing $v(n+1)$ or vn , and v is a prime.

Consequently, our proof of Theorem A does not use any of the above-mentioned results, except for Wagner's theorem [10] and primitivity. In fact, assuming flag-transitivity would only slightly shorten the proof. It should be noted that part (ii) of the conclusions is concerned with difference sets, and this is a situation very different from that in the group theoretic approach leading to conclusion (i).

The proof of Theorem B involves very detailed knowledge of primitive permutation groups of odd degree, which is obtained in [4] using the classification of finite simple groups. However, there are so many different types of permutation groups of this sort that consideration of all of them in Theorem B is neither straightforward nor brief. The tedious and somewhat ludicrous details are given in [4].

OPEN PROBLEMS 1. Show that a finite affine plane is a translation plane if it admits a point-primitive collineation group F . If the plane has even order then it is easy to show that F contains a nontrivial translation (cf. [6,9]), and the required result follows immediately. In the odd order case the group theoretic result in [4] applies, and should produce the desired result without too much difficulty.

2. Classify all designs with $\lambda = 1$ and v odd admitting a flag-transitive automorphism group that has no regular normal subgroup. This generalization of Theorem A is not as outrageous as it may sound. Once again the group theoretic result in [4] provides a significant amount of information. What is needed is a new way to use flag-transitivity more efficiently than in [2], where Baer involutions were available.

REFERENCES

1. P. Dembowski, *Finite Geometries*. Springer, Berlin-Heidelberg-New York, 1968.
2. J. B. Fink, Flag-transitive projective planes (to appear).
3. D. G. Higman and J. E. McLaughlin, Geometric ABA-groups. *Ill. J. Math.* 5 (1961), 382-397.

4. W. app
5. V. col
6. T. tra
7. U. (19
8. U. (19
9. R. 48
10. A. 71

4. W. M. Kantor, Primitive permutation groups of odd degree, and an application to finite projective planes (submitted).
5. V. H. Keiser, Finite projective planes with non-solvable transitive collineation groups. *Amer. Math. Monthly* 74 (1967), 556-559.
6. T. G. Ostrom and A. Wagner, On projective and affine planes with transitive collineation groups. *Math. Z.* 71 (1959), 186-199.
7. U. Ott, Fahnentransitive Ebenen gerader Ordnung. *Arch. Math.* 28 (1977), 661-668.
8. U. Ott, Fahnentransitive Ebenen ungerader Ordnung. *Geom. Ded.* 8 (1979), 219-252.
9. R. Roth, Flag-transitive planes of even order. *Proc. AMS* 15 (1964), 485-490.
10. A. Wagner, On perspectivities of finite projective planes. *Math. Z.* 71 (1959), 113-123.

fact, primi-
 g v points,
 either (i) π
 enius group of
 the above-
 tivity. In
 the proof.
 erved with dif-
 at in the group

of primitive
 sing the class-
 ny different
 of all of them
 ous and some-

nslation plane
 e plane has
 vial translation
 In the odd order
 produce the

g a flag-transi-
 . This general-
 Once again the
 of information.
 fficiently than

delberg-New York,

ar).

s. *Ill. J. Math.*